Price List

Effective September 1, 2018



340AJ

340AJ

	34UAJ
Package 3 (4WD Dual Fuel)	\$91,375
Package 4 (4WD Diesel) • Kubota D1105 24.8 hp (18.5 kW) Diesel Engine	\$91,375
Accessories: Beacon for SkyGuard*	\$1,525

Standard Features:

- 4 ft (122 m) Articulating Jib
- 355 Degree Non-Continuous Swing
- Platform 30 x 60 in (.76 x 122 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Lug Tread Pneumatic Tires
- Swing-Out Engine Tray
- Gull-Wing Steel Turntable Hoods
- 12V-DC Auxiliary Power
- Hourmeter

24041

- Control ADE® System
- Lifting/Tie Down Lugs
- Hydrostatic Drive
- Proportional Control
- SkyGuard®
- Telematics-Ready Harness
- Horn
- Glow Plugs (diesel engines)
- All Motion Alarm
- Cast Aluminum Control Box
- Oscillating Axle


*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

30 x 48 in. (.76 x 1.22 m) Platform	N/0
Self-Closing Swing Gate	\$500
Mesh to Top Rail-Bolt-on Aluminum	\$970
1/2 in. Air Line to Platform	\$695
Foam-Filled Lug Tires	\$1,575
Non-Marking Pneumatic Tires	\$835
Non-Marking Foam-Filled Tires	
7 x 18 Solid Cushion Lug Tread Tires	\$1,775
7 x 18 Non-marking Solid Cushion Lug Tread T	ires \$2,850
3500W Generator	\$4,020
43.5 lb (19.7 kg) Propane Tank	\$550
Cold Weather Start Kit ¹	\$1,665
Hostile Environment Kit ²	\$2,925
Chassis Illumination Lights	\$510
Platform Worklights	\$790
Flashing Amber Beacon	\$490
Arctic Package ³ (diesel only)	\$4,140
Head and Tail Lights	\$900
Light Package ⁴	\$1,690
Tool Tray	\$85
Special Hydraulic OilsCon	

- 1. Only available on diesel. Includes battery blanket, hydraulic tank heater, and block heater.
- 2. Includes console cover, boom wipers and cylinder bellows.
- Includes arctic hydraulic hoses (drive and steer only) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.
- 4. Includes head and tail lights and platform worklights.

Note: Some options may increase lead time, and some option combinations may not be available.



- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.



450 SERIES

	450A	450AJ
Package 1 (2WD Dual Fuel)	\$114,675 .	\$116,175
Package 2 (2WD Diesel)	\$114,675 .	\$116,175
Package 3 (4WD Dual Fuel)	\$117,675 .	\$119,175
Package 4 (4WD Diesel) • Deutz D2.9L4 48.8 hp (36.4 kW) Tier 4 Final	\$117,675 .	\$119,175
Package Price Adjustments: High Flotation Sand/Turf Tire		add \$4,745
Accessories: SkyPower* Package¹. SkyWelder* Package² (Requires SkyPower*) SkyGlazier* Package. Beacon for SkyGuard*. Welder Ready Package³.		\$4,990 \$1,775 \$1,525
Includes 7500W generator, power cable to platform. Includes 280 amp Miller* welder in the platform, leads, clamp, stinger and fire extingu. Includes fire extinguisher and welder bracket.	uisher. Not available with Sk	yCutter* Package.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 4 ft (1.22 m) Articulating Jib (450AJ only)
- Platform 30 x 72 in. (.76 x 1.83 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Super Wide Tires
- Swing-Out Engine Tray
- Gull-Wing Turntable Hoods
- 12V-DC Auxiliary Power
- Hydrostatic Drive
- Proportional Controls
- Control ADE® System
- Lifting/Tie Down Lugs
- Cast Aluminum Control Box
- Interactive Multi-Digital Indicator with Diagnostic Trouble Codes
- Telematics-Ready Harness
- Hori
- Oscillating Axle
- All Motion Alarm
- Glow Plugs (Diesel Engines)
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

30 x 60 in. (.76 x 1.52 m) Platform N/C
Inward Self-Closing Swing Gate\$500
Fall Arrest Platform Rear Entry ⁴
450A-36 x 72 in., 450AJ-30 x 60 in \$9,720
Mesh to Top Rail-Bolt-on Aluminum\$970
1/2 in. Air Line to Platform
Soft Touch System (6 ft platform)\$5,710
12 x 16.5" Foam-Filled Lug Tires
Foam-Filled Superwide Tires\$3,495
Non-Marking Foam-Filled Tires \$2,745
2500W Generator
43.5 lb (19.7 kg) Propane Tank
Cold Weather Start Kit ⁵ \$1,665
Hostile Environment Kit ⁶ \$2,925
Light Package ⁷
Platform Worklights\$790
Flashing Amber Beacon\$490
Arctic Package ⁸
Tow Bar\$6,600
Tool Tray\$85
Special Hydraulic Oils Consult Factory

- 4. Foam-filled tires required.
- 5. Includes battery blanket, hydraulic tank heater, block heater.
 6. Includes boom wipers. cylinder bellows and console cover.
- 7. Includes head and tail lights, and platform worklights.
- 8. Includes arctic hydraulic hoses (drive and steer only) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.

Note: Some options may increase lead time, and some option combinations may not be available.



600A/600AJ

600 SERIES

600A 6	00AJ
Package 1 (2WD Dual Fuel)	8,855
Package 2 (2WD Diesel)	8,855
Package 3 (4WD Dual Fuel) \$176,855 \$18 • Ford MSG425-DF 84 hp (62.6 kW) Dual Fuel Engine	33,115
Package 4 (4WD Diesel)	33,115
Package 1 & 2 Price Adjustments: Fixed Axle	
Package 3 & 4 Price Adjustments: Fixed Axle deduction 4-Wheel Steer ac High Flotation Sand/Turf Tires (Includes additional counterweight) ac	dd \$7,240
Accessories: SkyPower* Package¹. SkyWelder* Package² (requires SkyPower). Pipe Rack³. SkyGlazier* Package⁴. SkyCutter* (requires SkyPower*). Nite Bright Package⁵. Beacon for SkyGuard*. Welder Ready Package6 1. Includes 7500W generator, power cable to platform. 2. Includes 280 amp Miller* welder in the platform, leads, clamp, stinger and fire extinguisher. 3. Platform mounted —180 lb (80 kg) capacity. 4. Glass and panel tray with strap, 250 lb capacity (600A only). 5. Includes six 40-watt lights (platform and chassis mounted). 6. Includes fire extinguisher and welder bracket	\$4,990 \$910 \$1,775 \$5,645 \$1,580 \$1,525

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib (600AJ only)
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- IN355/55D-6.25 Low Profile Tires
- Swing-Out Engine Tray
- Gull-Wing Engine Hood
- 12V-DC Auxiliary Power
- Proportional Controls
- Control ADE[®] System
- Telematics-Ready Harness
- Lifting/Tie Down Lugs
- Hourmeter
- Horn
- Oscillating Axle
- Glow Plugs (diesel engines)
- All Motion Alarm
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

36 x 72 in. (.91 x 1.83 m) Platform	N/C
Inward Self-Closing Swing Gate.	\$500
Fall Arrest Platform 36 x 96 in. (.9	91 x 2.44 m)
Rear Entry	\$9,720
Mesh to Top Rail-Bolt-on Alumin	um 6 ft\$970
Mesh to Top Rail-Bolt-on Alumin	um 8 ft \$1,225
1/2 in. Airline to Platform	\$695
Soft Touch System	\$7,815
Foam-Filled Tires-Low Profile	\$3,965
2500W Generator	\$4,020
Tow Package ⁷	\$5,290
43.5 lb (19.7 kg) Propane Tank	\$550
Cold Weather Start Kit ⁸	\$1,665
Hostile Environment Kit 9	\$2,925
Engine Tray Hand Crank	\$650
Light Package ¹⁰	\$1,690
Platform Worklights	\$790
Flashing Amber Beacon	
Arctic Package ¹¹	\$4,900
Fire Extinguisher, 20 lb	
Tool Tray	
Special Hydraulic Oils	Consult Factory

- 7. Tow bar must be shipped separate from unit with 4WS and Dual Fuel or with narrow chassis
- 8. Includes engine block heater, battery heater, oil tank heater.
- 9. Includes console cover, boom wipers and cylinder bellows.
- 10. Includes head and tail lights, and platform worklights.
- 11 Includes arctic hydraulic hoses (drive and steer only) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.

Note: Some options may increase lead time, and some option combinations may not be available.



740AJ

740AJ

	/40AJ
Package 3 (4WD Dual Fuel) • Ford MSG425 84 hp (62.6 kW) Dual Fuel Engine	\$280,150
Package 4 (4WD Diesel) • Deutz TD2.9L4 67 hp (50 kW) Tier 4 Final	\$280,150
Accessories: On Board Air Compressor	\$13,015
Beacon for SkyGuard®	\$1,525

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- Fall Arrest Platform and Boom
- 90 mph (144 km/h) Jet Blast Rating
- 6 ft (1.83 m) Articulating Jib
- 36 x 72 in. (.91 x 1.83 m) Low Mount Platform
- 4-Wheel Steering
- Fixed Axle
- 2500W Generator
- 18 x 19.5 Foam-Filled Wide Lug Tread Tires
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Swing-Out Engine Tray
- Gull-Wing Engine Hood
- 12V-DC Auxiliary Power
- Hourmeter
- Hydrostatic Drive
- Proportional Controls
- Lifting/Tie Down Lugs
- Horn
- All Motion Alarm
- Glow Plugs (diesel engines)
- Telematics-Ready Harness
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

•	
Light Package ¹	\$1,690
Soft Touch System	\$7,815
43.5 lb (19.7 kg) Propane Tank	\$550
Cold Weather Start Kit ²	\$1,665
Hostile Environment Kit ³	\$2,925
Platform Worklights	\$790
Flashing Amber Beacon	\$490
Tool Tray	\$8!
Special Hydraulic Oils	Consult Factory

- 1. Includes platform worklights, head and tail lights.
- 2. Includes engine block heater, battery heater, oil tank heater.
- 3. Includes console cover, boom wipers and cylinder bellows.

Note: Some options may increase lead time, and some option combinations may not be available.



800 SERIES

800A	800AJ
Package 1 (2WD Dual Fuel) \$242,620 • Ford MSG425-DF 84 hp (62.6 kW) Dual Fuel Engine	\$248,965
Package 2 (2WD Diesel)	\$248,965
Package 3 (4WD Dual Fuel)	\$263,105
Package 4 (4WD Diesel)	\$263,105
Package 3 & 4 Price Adjustments: 4-Wheel Steer.	add \$8,940
Accessories: SkyPower* Package¹. SkyWelder* Package². Pipe Rack³. SkyGlazier* Package⁴. SkyCutter* Package⁵. SkyAir* Package⁵. Beacon for SakyGuard*. Welder Ready Package³. 1. Includes 7500W generator, power cable to platform. 2. Includes 280 amp Miller* welder in the platform, leads, clamp, stinger, and fire extinguisher. Requires SkyPower. 3. Platform mounted —180 lb (80 kg) capacity. 4. Glass and panel tray with strap, 250 lb capacity (800A only).	\$4,990 \$910 \$1,775 \$5,645 \$6,900 \$1,525 \$580
Standard and panel tray with strap, 250 in Capacity (bound only). Includes Miller* Plasma Cutter mounted in platform. Requires SkyPower*. Includes 9CFM onboard air compressor. Requires SkyPower*. Includes fire extinguisher and welder bracket.	

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib (800AJ only)
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel* • 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Rim Protector Lug Tread Tires
- Swing-Out Engine Tray
- Gull-Wing Engine Hood
- 12V-DC Auxiliary Power
- Hourmeter
- Hydrostatic Drive
- Proportional Controls
- Control ADE[®] System
- Lifting/Tie Down Lugs
- Telematics-Ready Harness
- Glow Plugs (diesel engines)
- Oscillating Axle
- All Motion Alarm
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

36 x 72 in. (.91 x 1.83 m) PlatformN/C
Inward Self-Closing Swing Gate\$500
Fall Arrest Platform 36 x 96 in. (.91 x 2.44 m)
Rear Entry
Mesh to Top Rail-Bolt-on Aluminum 6 ft \$970
Mesh to Top Rail-Bolt-on Aluminum 8 ft \$1,225
Soft Touch System
Foam-Filled 15-625 Tires ⁸ \$4,570
Foam-Filled 18-625 Tires ⁸ \$6,065
43.5 lb (19.7 kg) Propane Tank
Cold Weather Start Kit ⁹ \$1,665
Hostile Environment Kit ¹⁰ \$2,925
Light Package ¹¹ \$1,690
Platform Worklights\$790
Flashing Amber Beacon\$490
Arctic Package 12
1/2 in. Airline to Platform
Tow Package\$5,290
Tool Tray\$85
Oil Cooler\$2,260
4000W Generator\$4,900
2500W Generator
Engine Tray Jack\$650
Fire Extinguisher, 20 lb\$460
Special Hydraulic OilsConsult Factory

- 8. Foam-filled tires may not be replaced with pnuematics.
- 9. Includes engine block heater, battery heater, oil tank heater.
- 10. Includes console cover, boom wipers and cylinder bellows.
 11. Includes head and tail lights, and platform worklights.
- 12. Includes arctic hydraulic hoses (drive and steer only) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil

Note: Some options may increase lead time, and some



1250AJP

UITRA SFRIFS

1250AJP 1500AJP

Package 4 (4WD 4WS Diesel)\$388,655 ...\$565,000

- Deutz TCD2.9L4 74.2 hp (55.4 kW) Tier 4 Final
- Deutz TCD3.6L 99.8 hp (74.4 kW) Tier 4 Final (1500AJP)

Accessories:

SkyPower® Package1	\$8,930
skyWelder® Package²	\$4,990
Nite Bright Package ³	\$1,580
SkyCutter® Package4	\$5,645
SkyGlazier® Package 5	\$1,775
Pipe Rack Accessory 6	\$910
Beacon for SkyGuard®	
Nelder Ready Package ⁷	

- 1. Includes 7500W generator, power cable to platform.
- 2. SkyWelder* Package includes 280 amp Miller* welder in the platform, leads, clamp, stinger and fire extinguisher.
- 3. Includes six 40-watt lights (platform and chassis mounted).
- 4. SkyCutter* Package includes Miller* Plasma Cutter mounted in the platform.
- 5. Includes glass and panel tray and strap, 250 lb capacity.
- 6. Platform mounted-180 lb (80 kg) capacity.
- 7. Includes fire extinguisher and welder bracket.

Standard Features:

- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- Selectable Capacity Envelope
- Drive-Out Extendable Axles
- Oscillating Axle (1250AJP)
- 180° Hydraulic Platform Rotator
- AC Receptacle in Platform
- Tilt Light and Alarm
- Swing-Out Engine Tray
- 12V-DC Auxiliary Power
- Hourmeter
- Control ADE® System
- Full-Time 4WD
- 3 Selectable Steering Modes
- Proportional Controls
- Gull-Wing Hoods
- 445/50D710 Foam-Filled Rim Protector Lug Tread Tires
- Platform Console Machine Status Light Panel*
- Lifting/Tie Down Lugs
- Engine Distress Warning/Shutdown Selectable via JLG Analyzer
- All Motion Alarm
- Glow Plugs
- Telematics-Ready Harness
- SkvGuard°
- LCD Panel at Operator's Platform
- Control Console (1500AJP only)

*Provides indicator lights at platform control console for system distress, fuel level, low fuel, 5 degree tilt light, and foot

Individual Options:

36 x 72 in. (.91 x 1.83 m) Platform	N/C
Mesh to Top Rail Bolt-on Aluminun	n 6 ft\$970
Mesh to Top Rail Bolt-on Aluminun	n 8 ft\$1,225
Soft Touch System	\$7,815
Fall Arrest, 36 x 96 in. (.91 x 2.44 m)	
1/2 in. Air Line to Platform	\$695
Inward Self-Closing Swing Gate	\$500
Light Package 8	\$1,690
Cold Weather Start Kit 9	\$1,665
Hostile Environment Kit 10	\$2,925
Flashing Amber Beacon	\$490
Cold Package Plus ¹¹	\$6,475
Tool Tray	\$85
Special Hydraulic Oils	Consult Factory

- 8. Includes platform mounted worklights and head/tail lights.
- 9. Includes battery heater and oil tank heater.
- 10. Includes console cover, boom wipers and cylinder bellows.
- 11. Includes extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.

Note: Some options may increase lead time, and some option combinations may not be available

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

