Price List

Effective September 1, 2018



Electric & Hybrid Boom Lifts Price List

E300AJ/E300AJP

E300 SERIES

E300AJ	
E300AJP JibPLUS°	\$84,540
Accessories:	
Beacon for SkyGuard®	

Standard Features:

- Eight 6V 305 Amp-Hour Deep Cycle Batteries
- Brushless AC Motors
- Overall Chassis Width 4 ft (1.22 m)
- 25 x 7 x 12 Solid Non-Marking Tires
- Automatic Traction Control (ATC)
- Platform 30 x 48 in. (.76 x 1.22 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- Horn
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard®

Individual Options:

Inward Self-Closing Swing Gate	\$500
Platform Worklights	\$790
Mesh to Top Rail-Bolt-on Aluminum	\$970
Acrylic Console Shield	\$215
1/2 in. Air Line to Platform ¹	\$695
Cylinder Bellows	\$1,500
UL® EE Rating	\$2,500
Flashing Amber Beacon	\$490
Inverter ²	\$4,550
375 AH Batteries	\$505
305 AH AGM Batteries	\$2,465
Tool Tray	\$85
Special Hydraulic Oils	Consult Factory

1. Not available on the E300AJP.

2. Not available with UL EE Rating.

Note: Some options may increase lead time, and some option combinations may not be available.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.



Electric & Hybrid Boom Lifts Price List

E400A Narrow E400AJP/E400AJP Narrow M400AJP/M400AJP Narrow

E400 SERIES

E400AJP\$90,685
E400A Narrow\$87,435
E400AJP Narrow\$96,500
MULTI-POWERED ARTICULATING BOOM LIFTS
M400AJP\$101,810 • Kubota 6 hp Diesel Engine Powered Generator
M400AJP Narrow\$107,625 • Kubota 6 hp Diesel Engine Powered Generator
Package Price Adjustments for E/M400AJP Model:Foam-Filled Tires
Package Price Adjustments for Narrow Models: 30 x 60 in. (.76 x 1.52 m) Platform
Accessories: Beacon for SkyGuard® \$1,525

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 4 ft (1.22 m) Vertical and Lateral Articulating Jib (AJP models only)
- Eight 6V, 370 Amp-Hour Deep Cycle Batteries
- Brushless AC Motors
- Automatic Traction Control (ATC)
- Multiple Function Operation
- Fully Proportional Controls
- 180 Degree Hydraulic Platform Rotator
- SCR Automatic Battery Charger
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Horn
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard®

Individual Options:

Inward Self-Closing Swing Gate	\$500
Platform Worklights	
Padding for Platform — 4 ft (1.22 n	n) ¹ \$3,525
Padding for Platform — 5 ft (1.52 m	n) ¹ \$4,255
Mesh to Top Rail-Bolt-on Aluminur	n\$970
Acrylic Console Shield	\$215
1/2 in. Air Line to Platform ²	\$695
Cylinder Bellows	\$1,500
Light Package ³	\$1,690
UL® EE Rating4	\$2,500
1200W Inverter ^{4,5}	\$4,550
Flashing Amber Beacon	\$490
Tool Tray	\$85
AGM Batteries, 305 amp-hour	\$2,985
Special Hydraulic Oils	. Consult Factory

- 1. Requires swing gate.
- Not available on Jib Plus models.
 Includes head and tail lights, and platform worklights.
- 4. Not available on Multi-Powered models.
- 5. Not available with UL EE Rating.



Electric & Hybrid Boom Lifts Price List

E450A/E450AJ

E450 SERIES

E450A	\$87,585
E450AJ	\$93,555
MULTI-POWERED ARTICULATING BOOM LI	FTS
M450AJ • Kubota 6 hp Diesel Engine Powered Generator	\$104,840
Accessories: Beacon for SkyGuard*	\$1,525

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- Eight 6V, 370 Amp-Hour Deep Cycle Batteries
- Brushless AC Motors
- Overall Chassis Width 5 ft 9 in. (1.75 m)
- 240 / 55-17.5 Pneumatic Low Profile All-Terrain Tires
- Automatic Traction Control (ATC)
- Multiple Function Operation
- Fully Proportional Controls
- Platform 30 x 60 in. (.76 x 1.52 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- SCR Automatic Battery Charger
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Horn
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard®

Individual Options:

marriada options.	
30 x 48 in. (.76 x 1.22 m) Platform	N/C
Inward Self-Closing Swing Gate	\$500
Fall Arrest Platform 36 x 72 in (.91 x	1.83 m)
Rear Entry ¹	
Padding for Platform—4 ft²	
Padding for Platform—5 ft ²	
Soft Touch System ^{2,3}	\$5,710
Mesh to Top Rail-Bolt-on Aluminum	n\$970
Pipe Rack	\$910
Acrylic Console Shield	\$215
1/2 in. Air Line to Platform	\$695
Foam-Filled Tires	\$1,665
Non-Marking Pneumatic Tires	\$1,430
Solid Non-Marking Tires	\$4,980
240/55D-17.5 Foam-Filled Non-Markir	ng Tires \$3,030
Cylinder Bellows	\$1,500
UL® EE Rating4	\$2,500
1200W Inverter 4	\$4,550
Light Package ⁵	\$1,690
Platform Worklights	\$790
Flashing Amber Beacon	\$490
Tool Tray	\$85
AGM Batteries, 305 amp-hour	
Special Hydraulic Oils	

- 1. Requires foam-filled or solid tires. Not available with work lights, airline or pipe rack.
- 2. Requires swing gate.
- 3. Only available on E/M45OA with 72" platform. Not available on EE units.
- 4. Not available on Multi-Powered models.
- 5. Includes head and tail lights, and platform worklights.



E600J/E600JP M600J/M600JP

Electric & Hybrid Boom Lifts Price List

E600 SERIES

	E600J	E600JP
Package 1 (2WD Electric) • 8 x 6V, 415 amp-hr Batteries	\$151,005	\$155,935
	M600J	M600JP
Package 2 (2WD Generator Set) • 45 Amp, 6 hp Kubota Diesel — Generator Set	\$162,290 .	\$167,220
	E600J	E600JP
Package 3 (AWD Electric) • 8 x 6V, 415 amp-hr Batteries	\$156,995	\$161,925
	M600J	M600JP
Package 4 (AWD Generator Set) • 45 Amp, 6 hp Kubota Diesel — Generator Set	\$168,280	\$173,210
Accessories: Beacon for SkyGuard®		\$1,525

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib
- 6 ft (1.83 m) Vertical and Lateral Articulating Jib (E600JP Only)
- Platform 30 x 72 in. (.76 x 1.83 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC GFI Receptacle in Platform
- Tilt Light and Alarm
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- 14 x 22.5 Non-Marking Pneumatic Tires
- 400 Degree Non-Continuous Rotation
- Removable Battery Box
- Oscillating Axle
- Manual Descent
- Automatic Traction Control (ATC)
- SCR Automatic Battery Charger
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

30 x 48 in. (.76 x 1.22 m) Platform	1/C
Inward Self-Closing Swing Gate\$5	00
Fall Arrest Platform 36 x 72 in (.91 x 1.83 m) Rear	
Entry ¹	/20
Mesh to Top Rail-Bolt-on Aluminum\$9	970
Soft Touch System (E/M600J only) 6 ft ² \$7,2	295
Platform Padding (30 x 72 in. platform) ² \$4,2	255
1/2 in. Airline to Platform	595
Foam-Filled Tires\$4,2	245
1200W Inverter\$4,5	550
Hostile Environment Kit ³ \$2,9	925
UL® EE Rating4\$2,5	00
Tow Package ⁵ \$5,2	
Light Package ⁶ \$1,6	90
Platform Worklights\$7	90
Flashing Amber Beacon\$4	90
Cold Weather Start Kit for Package 4 7\$1,7	785
Tool Tray	85
AGM Batteries, 390 amp-hour \$4,4	435
Special Hydraulic OilsConsult Factor	ory

- 1. Not available on Jib Plus models. Requires foam-filled tires.
- 2. Requires swing gate.
- 3. Includes console cover, boom wipers and cylinder bellows.
- 4. Not available on Multi-Powered models.
- 5. 2WD only.
- 6. Includes head and tail lights, and platform worklights.
- 7. Includes battery blanket, hydraulic tank heater, engine block heater pad.



Electric & Hybrid Boom Lifts Price List

H340AJ

H340A J

	1.5.0.15
Package 4 (4WD Hybrid)	\$103.875
• Kubota Z482 11.1 hp / 8 x 12V, 100-amp hour AGM Batteries	
Accessories:	List Price
Beacon for SkyGuard*	\$1,525

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

H3404 I

- 4 ft (1.22 m) Articulating Jib
- 355 Degree Non-Continuous Swing
- Platform 30 x 60 in. (.76 x 1.22 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Lug Tread Pneumatic Tires
- Swing-Out Engine Tray
- Gull-Wing Steel Turntable Hoods
- 12V-DC Auxiliary Power
- Telematics-Ready Harness
- Hourmeter
- Electric AC Drive
- Control ADE® System
- Proportional Controls
- Lifting/Tie Down Lugs
- Horn
- Cast Aluminum Control Box
- Oscillating Axle
- Glow Plugs (diesel engines)
- All Motion Alarm
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

30 x 48 in. (.76 x 1.22 m) Platform	N/C
Self-Closing Swing Gate	\$500
Mesh to Top Rail-Bolt-on Aluminum	\$970
1/2 in. Air Line to Platform	\$695
Inverter	\$3,750
Hot Climate Package	\$375
Foam-Filled Lug Tires	\$1,575
Non-Marking Pneumatic Tires	\$835
Non-Marking Foam-Filled Tires	\$2,445
7 x 18 Solid Cushion Lug Tread Tires	\$1,775
7 x 18 Non-marking	
Solid Cushion Lug Tread Tires	\$2,850
Cold Weather Start Kit ¹	\$1,665
Hostile Environment Kit ²	\$2,925
Chassis Illumination Lights	\$510
Platform Worklights	\$790
Flashing Amber Beacon	\$490
Head and Tail Lights	\$900
Light Package ³	\$1,690
Tool Tray	
Special Hydraulic Oils	Consult Factory

1. Includes battery blanket, hydraulic tank heater, and block heater.

- 2. Includes console cover, boom wipers and cylinder bellows.
- 3. Includes head and tail lights and platform worklights.



Electric & Hybrid Boom Lifts Price List

H800AJ

H800AJ

Package 2 (2WD Hybrid) • Kubota 25 hp (18.6 kW) Tier 4 Final	\$298,760
Package 4 (4WD Hybrid) • Kubota 25 hp (18.6 kW) Tier 4 Final Diesel	\$315,725
Accessories: SkyPower* Package¹. SkyWelder* Package². Pipe Rack³. SkyGlazier* Package⁴. SkyCutter* Package⁵. Beacon for SkyGuard*	\$4,990 \$910 \$1,775 \$5,645
Welder Ready Package ⁶	

- 1. Includes 7500W generator, power cable to platform.
- 2. Includes 280 amp Miller* welder in the platform, leads, clamp, stinger, and fire extinguisher. Requires SkyPower*.
- 3. Platform mounted —180 lb (80 kg) capacity.
- 4. Glass and panel tray with strap, 250 lb capacity (800A only).
- 5. Includes Miller* Plasma Cutter mounted in platform. Requires SkyPower*.
- 6. Includes fire extinguisher and welder bracket.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Rim Protector Lug Tread Tires
- Swing-Out Engine Tray
- Gull-Wing Engine Hood
- 12V-DC Auxiliary Power
- Hourmeter

H800AJ

- Hydrostatic Drive
- Proportional Controls
- Control ADE[®] System
- Lifting/Tie Down Lugs
- Telematics-Ready Harness
- Horr
- Glow Plugs
- Oscillating Axle
- All Motion Alarm
- SkvGuard°
- Automatic Engine Start/Stop
- Hybrid- or Electric-Only Mode

Individual Options:

- 7. Includes engine block heater, battery heater, oil tank heater.
- 8. Includes console cover, boom wipers and cylinder bellows.
- Includes head and tail lights, and platform worklights.
- 10. Foam-filled tires may not be replaced with pneumatic.



^{*}Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.