

Price List

Effective January 1, 2022

LIGHTWEIGHT ES SERIES

Scissor Lift Price List



ES1330L/ES1530L

ES1330L					\$16,550
GVW: 1,984	Dims: (L x W x H-in) 56.2 x 30 x 71.7-in	Indoor: Occupants 2, Capacity 500-lb	Outdoor: Occupants 1, Capacity 500-lb	Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees	
ES1530L					\$16,550
GVW: 1,940	Dims: (L x W x H-in) 56.2 x 30 x 74.8-in	Indoor: Occupants 1, Capacity 500-lb	Outdoor: Occupants 1, Capacity 500-lb	Tilt Rating: Indoor side to side 2.25 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees	

STANDARD FEATURES

PLATFORM SECTION
22-in (55-cm) Foot-Actuated Deck Extension
Platform Control Box Cable
Lanyard Attach Points
Movable, Removable Platform Control
Nickel Plated Pins
Fixed Rails with Self-Closing Gate
CHASSIS SECTION
Lubrication Free Scissor Arm Bushings
Scissor Maintenance Prop
TIRES
10 x 3-in Solid Non-Marking Tires
ELECTRICAL
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
All Motion Alarm
Horn
Hourmeter
MISCELLANEOUS
Proportional Controls
TECHNOLOGY
Battery Condition Indicator
Load Sensing System
Tilt Alarm and Light

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
SkySense™ Level I	\$3,715
CHASSIS SECTION	
Multi-Display Indicator MDI	\$210
ELECTRICAL	
Flashing Amber Beacon - LED	\$100
Dual Flashing Amber Beacons - LED	\$195
Inverter	\$1,365
ACCESSORIES	
CleanGuard™	\$520
MISCELLANEOUS	
Antivandalism Package ¹	\$320
Special Paint	Consult Factory
TECHNOLOGY	
CAN-Enabled Charger	\$260
JLG™ Mobile Control	\$520

1. Includes Platform and Ground Control Panels W/ Locking Bracket

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

Scissor Lift Price List

ES1932i/ES1932/ES2632/ES2646/ES3246

ES1932i	GVW: 2,762	Dims: (L x W x H-in) 68.7 x 32 x 82.8-in	Indoor: Occupants 1, Capacity 507-lb	Outdoor: N/A	Max Tilt Rating: Indoor side to side 2.75 Degrees, Outdoor side to side N/A, Fore and aft 2.75 Degrees	\$17,440
ES1932	GVW: 3,450	Dims: (L x W x H-in) 68.7 x 32 x 82.8-in	Indoor: Occupants 2, Capacity 507-lb	Outdoor: Occupants 1, Capacity 507-lb	Max Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees	\$18,485
ES2632	GVW: 4,400	Dims: (L x W x H-in) 90.5 x 32 x 93.4-in	Indoor: Occupants 2, Capacity 507-lb	Outdoor: Occupants 1, Capacity 275-lb	Max Tilt Rating: Indoor side to side 1.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees	\$27,065
ES2646	GVW: 5,295	Dims: (L x W x H-in) 94.3 x 46 x 89.6-in	Indoor: Occupants 2, Capacity 1,200-lb	Outdoor: Occupants 1, Capacity 1,200-lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees	\$30,500
ES3246	GVW: 5,620	Dims: (L x W x H-in) 98.5 x 46 x 61.6-in	Indoor: Occupants 2, Capacity 705-lb	Outdoor: Occupants 1, Capacity 507-lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.5 Degrees	\$33,795

STANDARD FEATURES

PLATFORM SECTION
36-in (.91-m) Roll-Out Deck Extension
Fold Down Rails with Self-Closing Gate
Lanyard Attach Points
Moveable, Removable Platform Control Box
Nickel Plated Pins
QuikFold Rails (ES1932/ES1932i Only)
USB Charger and Phone Holster
CHASSIS SECTION
DC Electric Drive
Fork Lift Pockets, Lift from Side and Rear
Lubrication Free Scissor Arm Bushings
Machine Tie Downs
Manual Descent Pull Cable
Mechanized Pothole Protection
Scissor Maintenance Prop
Steel Swing Out Doors
TIRES
12.7 x 4-in Solid Non-Marking Tires (ES1932 and ES1932(i))
16 x 5-in Solid Non-Marking Tires (ES2632 and ES3246)
ELECTRICAL
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
All Motion Alarm
Four 6V, 220 Amp-Hour Deep Cycle Batteries
Horn
Hourmeter
MISCELLANEOUS
Industry Leading Duty Cycles
Powder-Coated Paint
Proportional Controls
TECHNOLOGY
Automatic Traction Control (ATC)
Battery Condition Indicator
Smart Charger – CAN Enabled
Load Sensing System
Telematics-Ready Harness
Tilt Alarm and Light

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
SkySense® Level I ¹	\$3,715
SkySense® Level II ¹ (ES2632, ES2646, ES3246 Only)	\$4,130
QuikAccess Platform (ES1932 only)	\$675
CHASSIS SECTION	
Multi-Digital Indicator (Ground)	\$210
Drive Motor Covers	\$190
CleanGuard	\$520
ELECTRICAL	
4 x 6V AGM Batteries, 220 Ah	\$1,330
Battery Charger Eagle 110V Plug	\$355
Flashing Amber Beacon - LED	\$100
Dual Flashing Amber Beacon - LED	\$195
Inverter 900W	\$1,365
JLG® Mobile Control	\$520
White Noise Backup Alarm	\$600
ACCESSORIES	
Electrician's Tree	\$1,060
Pipe Racks	\$1,000
Panel Carrier	\$1,465
Workstation	\$980
MISCELLANEOUS	
Antivandalism Package ²	\$320
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
TECHNOLOGY	
ClearSky™	Consult Factory

Note: Some options may increase lead time, and some option combinations may not be available.

1. Cannot be used in conjunction with Soft Touch.
2. Includes Platform and Ground Control Panels W/ Locking Bracket

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

ALL ELECTRIC AE SERIES

Scissor Lift Price List



AE1932

DaVinci® AE1932

\$34,155

GVW: 3,510 **Dims:** (L x W x H-in) 68.7 x 32 x 83.2-in **Indoor:** Occupants 2, Capacity 606-lb **Outdoor:** Occupants 1, Capacity 606-lb **Tilt Rating:** Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees

STANDARD FEATURES

PLATFORM SECTION
Platform Cable
Platform Control Box with LED Indicators
QuikFold Rails with Self-Closing Gate
Diamond Tread Steel Deck
Foot-Actuated Deck Extension
Lanyard Attach Points
Nickel Plated Pins
CHASSIS SECTION
Active PHP System
Dynamic Braking
Drive Motor Covers
Fork Lift Pockets
Greaseless Kingpin Joints
Maintenance-free AC Drive Motors
Lubrication Free Scissor Arm Bushings
Machine Tie Downs
Manual Descent Cable
Steel Swing-Down Doors
TIRES
12.5 x 4-in Solid Non-Marking Tires
ELECTRICAL
110V-AC Receptacle in Platform
All Motion Alarm
Battery Charger 650W (Full charge in 3.5 hours)
Charger Plug (110V)
Horn
NEW FOR 2022: Integrated Battery Heater
Lithium Ion Battery
MISCELLANEOUS
Proportional Controls
Single Drive/Steer Joystick
TECHNOLOGY
JLG® Mobile Control
Battery Condition Indicator
Load Sensing System
Tilt Alarm and Light
Variable Tilt Visual Zone Indicator
Wireless Analyzer

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
SkySense® Level I	\$3,715
QuikAccess Platform	\$675
ELECTRICAL	
Flashing Amber Beacon - LED	\$100
Dual Flashing Amber Beacons - LED	\$195
Inverter	\$1,365
Platform Control Box with LCD Display	\$2,165
900W Charger (Full charge in 2.5 hrs)	\$740
White Noise Backup Alarm	\$600
ACCESSORIES	
Panel Carrier	\$1,465
MISCELLANEOUS	
Antivandalism Package	\$320
Special Paint	Consult Factory
TECHNOLOGY	
ClearSky	Consult Factory
Operator Access Control	\$620

1. Includes Platform and Ground Control Panels W/ Locking Bracket
 Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

ERT SERIES—ELECTRIC ROUGH TERRAIN (69" WIDE)



Scissor Lift Price List

ERT2669/ERT3369/ERT4069/ERT4769

Model	GVW	Dims: (L x W x H-in)	Indoor: Occupants, Capacity	Outdoor: Occupants, Capacity	Max Tilt Rating	Price
ERT2669	8,250	139 x 69.3 x 96.7-in	Occupants 4, Capacity 1,500-lb	Occupants 4, Capacity 1,500-lb	Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$53,300
ERT3369	9,457	139 x 69.3 x 102.9-in	Occupants 4, Capacity 1,000-lb	Occupants 2, Capacity 1,000-lb	Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$60,340
ERT4069	10,558	139 x 69.3 x 103-in	Occupants 3, Capacity 800-lb	Occupants 2, Capacity 800-lb	Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$71,415
ERT4769	15,200	139 x 69.3 x 109.1-in	Occupants 3, Capacity 800-lb	Occupants 2, Capacity 800-lb	Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$88,700

STANDARD FEATURES

PLATFORM SECTION
42-in Roll-out Deck Extension
Moveable, Removable Platform Console Box
Nickel Plated Pins, Yellow Zinc-Chromate Plated Fasteners
Pin-Less Fold Down Rail System
Platform Control Box with LCD Display, USB Charger and Phone Holster
Self-closing Gate
CHASSIS SECTION
Full Time Traction Control
Lubrication-Free Scissor Arm Bushings
Manual Descent Pull Cable*
Oscillating Front Axle
Scissor Maintenance Prop
Tie Down Lugs
TIRES
26 x 12 Foam-Filled Non-marking Tires
ELECTRICAL
110V-AC Receptacle In Platform
23 Amp Automatic, SCR Battery Charger
8 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369)
8 x 6V, 310 Amp-Hour Batteries (ERT4069)
8 x 6V, 375 Amp-Hour Batteries (ERT4769)
All Motion Alarm
Descent Alarm
Horn
Hourmeter
Smart Charger - CAN Enabled
MISCELLANEOUS
2WD AC Drive System
Proportional Lift and Drive
TECHNOLOGY
Lift Sense System
Pin-based Load Sensing System
Telematics-Ready Harness
Tilt Display with Lift Sense System

INDIVIDUAL OPTIONS

CHASSIS SECTION	
Hydraulic Leveling Jacks	\$9,780
TIRES	
26 x 12 Foam-Filled Lug Tread Tires	(\$1,775)
26 x 12 Foam-Filled Turf Tires	\$3,000
ELECTRICAL	
8 x 6V, 310 Amp-Hour Batteries (ERT2669, ERT3369)	\$1,550
8 x 6V, 375 Amp-Hour Batteries (ERT4069)	\$775
Dual Flashing Amber Beacons - LED	\$195
Flashing Amber Beacon - LED	\$100
White Noise Backup Alarm	\$600
ACCESSORIES	
CleanGuard™	\$520
Heavy Duty Pipe Racks	\$1,000
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
TECHNOLOGY	
ClearSky™	Consult Factory
Operator Access Control	\$620

MODEL	STANDARD BATTERY OFFERING (AH)	OPTIONAL BATTERY OFFERING (AH)	OPTION PRICE	EXPECTED BATTERY LIFE INCREASE WITH OPTIONAL CONFIGURATION*
ERT2669	225	310	\$1,500	+30%
ERT3369	225	310	\$1,500	+30%
ERT4069	310	375	\$775	+20%
ERT4769	375	N/A	N/A	N/A

*Values are calculated, subject to change at any time without notice and may vary depending on application, machine usage, ambient temperature and other factors

Note: Some options may increase lead time, and some option combinations may not be available.
*ERT4769 Includes a Push-Button Manual Descent System

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page