Price List

Effective January 1, 2023 *Revision February 23, 2023*





3013

2,700-lb Capacity - 13-ft 1 in Lift Height

• All standard features, Open cab, JLG standard mechanical coupler, 41-in standard carriawith bolt on backrest, 48-in pallet forks • 2,700-lb capacity	-
• All standard features, Open cab, Hydraulic universal skid steer coupler, 41-in standard U carriage with bolt on backrest, 48-in pallet forks • 2,360-lb capacity	
• All standard features, Enclosed cab, Hydraulic universal skid steer coupler, 41" standard carriage with bolt on backrest, 48-in pallet forks • 2,360-lb capacity	
Package 4	-

Package Price Adjustments:

•2,360-lb capacity

· wantage · · · · · · · · · · · · · · · · · · ·	
Foam-Filled 11.0/65 x 12 Ag Tread Tires	\$2,360
Pneumatic 27 x 10-12 Non-marking Tires	\$5,060
Foam-Filled 27 x 10-12 Non-marking Tires	\$7,185
Turf Tires 26 x 12.00-12	\$1,790

UNIV carriage with bolt on backrest, 48-in pallet forks, Cold weather package¹

1. Cold weather package includes cold weather fluids and block heater.

Standard Features:

- Kubota V-1505 24.8 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Rear Pivot Steering
- 11.0/65 x 12 Pneumatic Ag Tread Tires
- Longitudinal Stability Indication System
- Auxiliary Hydraulics
- Adjustable Suspension Seat
- Certified FOPS/ROPS Structure
- Backup Alarm
- Telematics Ready
- Rotating Amber Beacon
- Integrated Tow Hitch
- Battery Disconnect
- Integrated Arm Rest
- Seatbelt Engagement & Operator Presence

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



3013

2,700-lb Capacity • 13-ft 1 in Lift Height

Accessories: Wiper Package (Roof & Rear) Work Lights (Two Front & One Rear) Font Brick Guard 2 inch Ball Hitch Legacy ClearSky.	\$1,160 \$1,480 \$395
Attachments: General Purpose Bucket 55 inch (Universal Coupler) General Purpose Bucket 55 inch (JLG Coupler)	

6034

6,000-lb Capacity - 34-ft 5-in Lift Height

• All Standard Equipment	\$136,500
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	\$143,640
Package Price Adjustments: Foam-Filled Tires 15 X 19.5 Solid Tires 315/85-20 Non-Marking Pneumatic Tires 15 X 19.5 Non-Marking Foam-Filled Tires 15 X 19.5 Turf Tires 18-625	\$9,910 \$1,100 \$4,030
Special Options (Build-to-Order Only): Air Conditioning Special Paint (unleaded) One Color Only Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater	
and Cold Weather Fluids)	
Multi-Reverse Camera System	
Seatbelt Engagement & Operator Presence	

Standard Features:

- Auxiliary Hydraulics
- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/-10 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- •15-19.5 Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Tow Hitch
- Integrated Arm Rest
- Inching
- Boom-Mounted Lifting Lug
- LCD Display
- LED Motion / Amber Beacon (CS550)*
- ClearSky Smart Fleet[™] Hardware (CS550)*

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



6034

6,000-lb Capacity • 34-ft 5-in Lift Height

Accessories:	
LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)	.370
LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals,	
Work Light Package less two front)	650
White Noise Back-up Alarm\$	\$215
Air Shut Off Valve\$4,	,545
Fenders (set of 4)\$2,	380
Reverse Sensing. \$2	1,110
Attachments:	
Standard Carriage, 50-in. \$1,	.975
Standard Carriage, 60-in. \$2,	
Standard Carriage, 72-in. \$3,	,375
Side-Tilt Carriage, 50-in	790
Side-Tilt Carriage, 60-in	,245
Side-Tilt Carriage, 72-in\$6,	,055
Swing Carriage, 72-in. 90 degrees\$8,	,255
Side-Shift Carriage, 48-in\$8,	070
Dual Fork Positioning Carriage, 50-in.	
(includes 2.36 x 4 x 48-in. or 2.36 x 4 x 60-in. forks)	
Pallet Forks (2) 2.36 x 4 x 48-in. (5,475-lbs. max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in. (6,850-lbs. max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 50-in. (6,850-lbs. max. capacity – each)	
Lumber Forks (2) 2 x 6 x 72-in. (6,610-lbs. max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in. (5,400-lbs. max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in. (8,150-lbs. max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in. (1,940-lbs. max. capacity – each)	
Material Bucket, 72-in. 1.0 cu yd (2,940-lbs. max. capacity)	
Material Bucket, 96-in. 1.5 cu yd (4,410-lbs. max. capacity)	
Material Bucket, 102-in. 2.0 cu yd (5,885-lbs. max. capacity)	
Fork-Mounted Extendable Truss	
Truss Boom, 12-ft (2,000-lbs. max. capacity)	
Truss Boom, 15-ft (2,000-lbs. max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lbs. max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lbs. max. capacity)	
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lbs. max. capacity)	
Lifting Hook, Coupler mounted \$2,0	
Lifting Hook, Fork mounted\$2,	,105
1. 48-in. forks only.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

6042

6,000-lb Capacity • 42-ft 4-in Lift Height

•All Standard Equipment	\$151,035
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	\$158,175
Package Price Adjustments: Foam-Filled Tires 15 X 19.5 Solid Tires 315/85-20 Non-Marking Pneumatic Tires 15 X 19.5 Non-Marking Foam-Filled Tires 15 X 19.5 Turf Tires 18-625	\$9,910 \$1,100 \$4,030
Special Options (Build-to-Order Only): Air Conditioning Special Paint (unleaded) One Color Only Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater and Cold Weather Fluids). Multi-Reverse Camera System Load Stability Indiction System (LSI)	\$1,695 \$7,135 \$1,550
Seatbelt Engagement & Operator Presence	

Standard Features:

- Auxiliary Hydraulics
- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/-10 Degrees Frame Leveling
- •Three Steering Modes
- Wet Disc Service Brakes
- •15-19.5 Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- •Glow Plugs
- Engine Block Heater
- •Integrated Tow Hitch
- Integrated Arm Rest
- Inching
- Boom-Mounted Lifting Lug
- LCD Display
- LED Motion / Amber Beacon (CS550)*
- ClearSky Smart Fleet™ Hardware (CS550)*

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



6042

6,000-lb Capacity • 42-ft 4-in Lift Height

Accessories: LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light) LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals, Work Light Package less two front). White Noise Back-up Alarm Air Shut Off Valve Fenders (set of 4) Reverse Sensing.	.\$2,650 \$215 .\$4,545 .\$2,380
Attachments:	
Standard Carriage, 50-in.	¢1 075
Standard Carriage, 60-in.	
Standard Carriage, 72-in.	
Side-Tilt Carriage, 50-in.	
Side-Tilt Carriage, 60-in.	
Side-Tilt Carriage, 72-in.	
Swing Carriage, 72-in. 90 degrees	
Side-Shift Carriage, 48-in.	
Dual Fork Positioning Carriage, 50-in.	
(includes 2.36 x 4 x 48-in. or 2.36 x 4 x 60-in. forks)	
Pallet Forks (2) 2.36 x 4 x 48-in. (5,475-lbs. max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in. (6,850-lbs. max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 50-in. (6,850-lbs. max. capacity – each)	
Lumber Forks (2) 2 x 6 x 72-in. (6,610-lbs. max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in. (5,400-lbs. max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in. (8,150-lbs. max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in. (1,940-lbs. max. capacity – each)	
Material Bucket, 72-in. 1.0 cu yd (2,940-lbs. max. capacity)	
Material Bucket, 96 in. 1.5 cu yd (4,410-lbs. max. capacity)	
Material Bucket, 102-in. 2.0 cu yd (5,885-lbs. max. capacity)	
Fork-Mounted Extendable Truss	
Truss Boom, 12-ft (2,000-lbs. max. capacity)	
Truss Boom, 15-ft (2,000-lbs. max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lbs. max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lbs. max. capacity)	
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lbs. max. capacity)	
Lifting Hook, Coupler mounted	
Litting flook, Fork injointed	. ⊅∠,10⊃
1. 48-in, forks only.	

1. 48-in. forks only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

8042

8,000-lb Capacity • 41-ft 11-in Lift Height

•All Standard Equipment	. \$1/4,2/5
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	.\$181,410
Package Price Adjustments: Foam-Filled Tires 370/75-28. Pneumatic Tires 15.5 x 25 Foam-Filled Tires 15.5 x 25 Continental Telemaster™ Solid Tires 315/95-28. Non-Marking Pneumatic Tires 370/75-28 Non-Marking Foam-Filled Tires 370/75-28. Turf Tires 18-625	deduct \$1,035 \$4,295 \$12,910 \$1,100 \$7,030
Special Options (build-to-order only): Air Conditioning. Special Paint (unleaded) One Color Only. Cummins QSF 3.8L 74 hp Tier 4 Final Engine. Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater and Cold Weather Fluids). Multi-Reverse Camera System.	\$1,695 deduct \$9,315 \$7,135
Seatbelt Engagement	

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Wheel Drive
- ±10 Degrees Frame Leveling
- Three Steering Modes
- 4-Speed Modulated Powershift, Transmission
- Planetary Front and Rear Axles with Hydraulically Actuated Wet Disc Brakes
- 370/75-28 Duraforce Pneumatic Tires
- •Steering Wheel Mounted Horn
- Backup Alarm
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Air Intake Heater and Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt on Joystick
- Integrated Tow Hitch
- •Open Cab
- Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)*
- ClearSky Smart Fleet[™] Hardware (CS550)*

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



8042

8,000-lb Capacity • 41-ft 11-in Lift Height

Accessories:	
LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)	\$1,370
LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals, Work L	
two front)	\$2,650
White Noise Back-up Alarm	\$215
Air Shut Off Valve	\$4,545
Fenders (set of 4)	\$2,380
Reverse Sensing.	\$2,110
Attachments:	
Standard Carriage, 50-in.	\$1.975
Standard Carriage, 60-in.	
Standard Carriage, 72-in	
Side-Tilt Carriage, 50-in.	
Side-Tilt Carriage, 60-in	\$5,245
Side-Tilt Carriage, 72-in	\$6,055
Swing Carriage, 72-in 90 Degrees	
Side-Shift Carriage, 48-in	\$8,070
Dual Fork Positioning Carriage, 50-in	
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks).	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in (5,400-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Fork-Mounted Extendable Truss	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	\$2,165
1. 48-in forks only.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037789

10042

10,000-lb Capacity - 42-ft 1-in Lift Height

•All Standard Equipment	.\$190,990
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	.\$198,125
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 17.5 x 25 Foam-Filled Tires 17.5 x 25 Continental Telemaster™ Solid Tires 360/85-28 Non-Marking Pneumatic Tires 400/75-28 Non-Marking Foam-Filled Tires 400/75-28 Turf Tires 18-625	deduct \$1,035 \$6,955 \$13,820 \$3,025 \$9,195
Special Options (Build-to-Order Only): Air Conditioning. Special Paint (unleaded) One Color Only. Cummins QSF 3.8L 74 hp Tier 4 Final Engine. Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater and Cold Weather Fluids). Multi-Reverse Camera System Seatbelt Engagement	\$1,695 deduct \$9,315 \$7,135 \$1,550

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Wheel Drive
- ±10 Degrees Frame Leveling
- Three Steering Modes
- 4-Speed Modulated Powershift, Transmission
- Planetary Front and Rear Axles with Hydraulically Actuated Wet Disc Brakes
- •400/75-28 Duraforce Pneumatic Tires
- •Steering Wheel Mounted Horn
- Backup Alarm
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Air Intake Heater and Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt on Joystick
- Integrated Tow Hitch
- •Open Cab
- Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)*
- ClearSky Smart Fleet[™] Hardware (CS550)*

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



10042

10,000-lb Capacity • 42-ft 1-in Lift Height

Accessories:	
LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)	
LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals, Work Light Package less two front)\$2,650	
White Noise Back-up Alarm. \$215	
Air Shut Off Valve\$4,545	
Fenders (set of 4)	
Reverse Sensing\$2,110	
Attachments:	
Standard Carriage, 50-in\$1,975	
Standard Carriage, 60-in\$2,325	
Standard Carriage, 72-in\$3,375	
Standard Carriage, 96-in\$4,500	
Side-Tilt Carriage, 50-in\$4,790	
Side-Tilt Carriage, 60-in\$5,245	
Side-Tilt Carriage, 72-in\$6,055	
Swing Carriage, 72-in 90 Degrees\$8,255	
Side-Shift Carriage, 48-in\$8,070	
Dual Fork Positioning Carriage, 50-in (includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each) \$1,420	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each) \$1,515	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)\$2,380	
Lumber Forks (2) 2 x 7 x 60-in (5,400-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity)	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)\$4,120	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Pipe Grapple, 72-in (2,000 max. capacity). \$15,180	
Fork-Mounted Extendable Truss (8,000-lb max. capacity)	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity) \$12,460	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Coupler Mounted \$2,650 Lifting Hook, Fork Mounted \$2,165	
1. 48-in forks only.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037789

10054

10,000-lb Capacity - 53-ft 2-in Lift Height

Package 2	\$220,660
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	\$227,800
Package Price Adjustments:	
Foam-Filled Tires 400/75-28	\$7,710
Pneumatic Tires 17.5 x 25.	deduct \$1,035
Foam-Filled Tires 17.5 x 25.	
Continental Telemaster™ Solid Tires 360/85-28	
Non-Marking Pneumatic Tires 400/75-28.	
Non-Marking Foam-Filled Tires 400/75-28	
Turf Tires 18-625	\$9,835
Special Options (Build-to-Order Only):	
Air Conditioning	\$5,040
Special Paint (unleaded) One Color Only	\$1,695
Cummins QSF 3.8L 74 hp Tier 4 Final Engine	
Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater	
Cold Weather Fluids)	
Multi-Reverse Camera System	
Seatbelt Engagement	\$295

• 4-Wheel Drive

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- ±10 Degrees Frame Leveling

Standard Features:

- Three Steering Modes
- 4-Speed Modulated Powershift, Transmission
- Planetary Front and Rear Axles with Hydraulically Actuated Wet Disc Brakes
- •400/75-28 Duraforce Pneumatic Tires
- •Steering Wheel Mounted Horn
- Backup Alarm
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Air Intake Heater and Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt on Joystick
- Integrated Tow Hitch
- •Open Cab
- •Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)*
- ClearSky Smart Fleet™ Hardware (CS550)*

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



10054

10,000-lb Capacity • 53-ft 2-in Lift Height

Accessories:	
LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)	5
two front)\$2,650	
White Noise Back-up Alarm. \$215	
Air Shut Off Valve\$4,545	
Fenders (set of 4)\$2,380	
Reverse Sensing. \$2,110	i
Attachments:	
Standard Carriage, 50-in\$1,975)
Standard Carriage, 60-in\$2,325)
Standard Carriage, 72-in\$3,375	,
Standard Carriage, 96-in\$4,500)
Side-Tilt Carriage, 50-in)
Side-Tilt Carriage, 60-in\$5,245	
Side-Tilt Carriage, 72-in\$6,055	
Swing Carriage, 72-in 90 Degrees\$8,255	
Side-Shift Carriage, 48-in\$8,070)
Dual Fork Positioning Carriage, 50-in (includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks))
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each))
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each))
Lumber Forks (2) 2 x 7 x 60-in (5,400-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each))
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	,
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity)	,
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity))
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity))
Pipe Grapple, 72-in (2,000-lb max. capacity))
Fork-Mounted Extendable Truss (8,000-lb max. capacity))
Truss Boom, 12-ft (2,000-lb max. capacity))
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted\$2,650	
Lifting Hook, Fork Mounted\$2,165)
1. 48-in forks only.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037789

12054

Darles are 3

12,000-lb Capacity - 53-ft 2-in Lift Height

\$243,36U
\$250,495
\$7,710 .deduct \$1,035 \$6,955 \$13,820 \$3,025 \$9,195 \$9,835
\$5,040 \$1,695 deduct \$9,315 \$7,135 \$1,550 \$295

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Wheel Drive
- ±10 Degrees Frame Leveling
- Three Steering Modes
- 4-Speed Modulated Powershift, Transmission
- Planetary Front and Rear Axles with Hydraulically Actuated Wet Disc Brakes
- •400/75-28 Duraforce Pneumatic Tires
- •Steering Wheel Mounted Horn
- Backup Alarm
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Air Intake Heater and Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt on Joystick
- Integrated Tow Hitch
- •Open Cab
- •Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)*
- ClearSky Smart Fleet[™] Hardware (CS550)*

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

