MEWPS Price List

Effective January 1, 2023

NEW E18MCL - MOBILE VERTICAL LIFTS PRICE LIST



E18MCL \$21,675

Indoor and Outdoor Capability

Platform Height: 18-ft Indoor / 13-ft Outdoor Standard Platform Capacity: 400-lb

Stock Picker (E18MSP) Package Option:

Includes Standard 28 x 29.5-in Fold-Down Work Tray' Platform With Side Entry Saloon Doors with Gate Alarm, Dual Amber Beacons and Floor Mat \$2,950

STANDARD FFATURES

| STANDARD FEATURES |
|--|
| PLATFORM SECTION |
| 29.5 x 51-in Front Entry Extension Platform with Saloon Doors ² |
| Lanyard Attach Points |
| Movable, Removable Platform Control with 6-ft Coiled Cable |
| Pistol-Grip Platform Control |
| Proportional Controls |
| Quick Change Platform Mounting |
| Scissor Steering |
| MAST Low Maintenance Anodized Aluminum Mast |
| |
| Mast Maintenance Prop CHASSIS/BASE |
| DC Electric Drive |
| Dynamic Braking |
| Electric Brake Release |
| Fork Lift Pockets |
| Heavy Duty Planetary Gear Drive Motors |
| Manual Descent |
| Transportation Tie Downs |
| TIRES/WHEELS |
| 8-in Front Castors |
| 10 x 3-in Rear Non-Marking |
| ELECTRICAL & CONNECTIVITY |
| 110V-AC Receptacle in Platform |
| 27 amp Multi-Function Universal Charger |
| Analyzer Port for Diagnostics |
| Four 6V, 220 Amp-Hour Deep Cycle Batteries |
| Horn |
| Hourmeter |
| Multi-Display Indicator |
| Telematics-Ready |
| MISCELLANEOUS Active Pothole Protection System |
| All Motion Alarm |
| Automatic Power-Off Battery Saver Control |
| Battery Discharge Indicators — Platform and Base |
| Greaseless Kingpin Joints |
| Key Lock Main Power Switch |
| Load Sensing System |
| Standard Shipping Skid |
| Tilt Light and Alarm |
| |

INDIVIDUAL OPTIONS

| PLATFORMS - QUICK CHANGE | |
|---|-----------------|
| 22 x 26-in Quick Change Front Entry Narrow Platform | \$75 |
| 28 x 29.5-in Quick Change Side Entry Platform With Work Tray ¹ : | |
| With Saloon Doors | N/C |
| With Drop Bar | \$120 |
| With Aluminum Work Tray And Side Entry Saloon Doors | \$500 |
| 29.5 x 51-in Quick Change Front Entry Extension Platform ² : | |
| With Drop Bar | \$700 |
| 30 x 26-in Quick Change Front Entry Platform with Drop Bar | N/C |
| Spare* 22 x 26-in Quick Change Narrow Platform | \$2,675 |
| CHASSIS/BASE | |
| Crane Hook | \$200 |
| Front and Side Bumpers | \$280 |
| ELECTRICAL | |
| 220V Receptacle | \$60 |
| Dual Amber Beacon | \$195 |
| Four 6V, 213 Amp-Hour AGM Batteries | \$1,330 |
| ACCESSORIES | |
| Anti-Vandalism Package (Steel Cover) | \$320 |
| CleanGuard® Leak Containment System | \$520 |
| MISCELLANEOUS | |
| Drive-Off Skid | \$170 |
| Floor Mat | \$245 |
| Special Hydraulic Fluid | Consult Factory |
| Special Paint | Consult Factory |
| USB Charger & Phone Holster | \$80 |
| CONNECTIVITY | |
| ClearSky [™] Legacy | Consult Factory |
| JLG [®] Mobile Control | \$520 |
| | |

Note: Some options may increase lead time, and some option combinations may not be available.

^{*}If choosing a platform option, the machine will ship with the selected platform. If choosing the spare platform, the machine will ship with first selected platform, plus the spare platform. If no platform is selected, the standard platform will ship.

^{1.} Tray capacity of 100-lb / 45-kg.

^{2.} Extension platform capacity of 250-lb.

NEW E18MML - MOBILE VERTICAL LIFTS PRICE LIST



E18MML \$20,625

Indoor Only Capability

Platform Height: 18-ft Standard Platform Capacity: 400-lb

Stock Picker (E18MSP) Package Option:

Includes Standard 28 x 29.5-in Fold-Down Work Trayl Platform With Side Entry Saloon Doors with Gate Alarm, Dual Amber Beacons and Floor Mat \$2,950

STANDARD FFATURES

| PLATFORM SECTION 28 x 29.5-in Side Entry Platform With Work Tray with Saloon Doors¹ Lanyard Attach Points Movable, Removable Platform Control with 6-ft Coiled Cable Pistol-Grip Platform Control Point & Go Steering Proportional Controls Quick Change Platform Mounting MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators — Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid Tilt Light and Alarm | STANDARD FEATURES |
|--|--|
| Lanyard Attach Points Movable, Removable Platform Control with 6-ft Coiled Cable Pistol-Grip Platform Control Point & Go Steering Proportional Controls Quick Change Platform Mounting MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators— Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | PLATFORM SECTION |
| Movable, Removable Platform Control with 6-ft Coiled Cable Pistol-Grip Platform Control Point & Go Steering Proportional Controls Quick Change Platform Mounting MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators— Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Pistol-Grip Platform Control Point & Go Steering Proportional Controls Quick Change Platform Mounting MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators— Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Point & Go Steering Proportional Controls Quick Change Platform Mounting MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | Movable, Removable Platform Control with 6-ft Coiled Cable |
| Proportional Controls Quick Change Platform Mounting MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | Pistol-Grip Platform Control |
| Quick Change Platform Mounting MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | Point & Go Steering |
| MAST Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Low Maintenance Anodized Aluminum Mast Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Mast Maintenance Prop CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators— Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| CHASSIS/BASE DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators— Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | Low Maintenance Anodized Aluminum Mast |
| DC Electric Drive Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Dynamic Braking Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Electric Brake Release Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Fork Lift Pockets Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Heavy Duty Planetary Gear Drive Motors Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators— Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Manual Descent Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Transportation Tie Downs TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| TIRES/WHEELS 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| 8-in Front Castors 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| 10 x 3-in Rear Non-Marking ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| ELECTRICAL & CONNECTIVITY 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| 110V-AC Receptacle in Platform 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| 27 amp Multi-Function Universal Charger Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Analyzer Port for Diagnostics Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Horn Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Hourmeter Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Multi-Display Indicator Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Telematics-Ready MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| MISCELLANEOUSAMMP-HOUR Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Active Pothole Protection System All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators — Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| All Motion Alarm Automatic Power-Off Battery Saver Control Battery Discharge Indicators — Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Automatic Power-Off Battery Saver Control Battery Discharge Indicators—Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Battery Discharge Indicators — Platform and Base Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Greaseless Kingpin Joints Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | |
| Key Lock Main Power Switch Load Sensing System Standard Shipping Skid | , , |
| Load Sensing System Standard Shipping Skid | |
| Standard Shipping Skid | |
| | 3 1 |
| THE LIGHT AND MICHIE | |
| | THE LIGHT AND AIGHT |

INDIVIDUAL OPTIONS

| PLATFORMS - QUICK CHANGE | |
|---|-----------------|
| 22 x 26-in Quick Change Front Entry Narrow Platform | \$75 |
| 28 x 29.5-in Quick Change Side Entry Platform With Work Tray ¹ : | |
| With Drop Bar | \$120 |
| With Aluminum Work Tray And Side Entry Saloon Doors | \$500 |
| 29.5 x 51-in Quick Change Front Entry Extension Platform ² : | |
| With Saloon Doors | \$50 |
| With Drop Bar | \$700 |
| 30 x 26-in Quick Change Front Entry Platform with Drop Bar | N/C |
| Spare* 22 x 26-in Quick Change Narrow Platform | \$2,675 |
| CHASSIS/BASE | |
| Crane Hook | \$200 |
| Front and Side Bumpers | \$280 |
| ELECTRICAL | |
| 220V Receptacle | \$60 |
| Dual Amber Beacon | \$195 |
| Four 6V, 213 Amp-Hour AGM Batteries | \$1,330 |
| ACCESSORIES | |
| Anti-Vandalism Package (Steel Cover) | \$320 |
| CleanGuard® Leak Containment System | \$520 |
| MISCELLANEOUS | |
| Drive-Off Skid | \$170 |
| Floor Mat | \$245 |
| Special Hydraulic Fluid | Consult Factory |
| Special Paint | Consult Factory |
| USB Charger & Phone Holster | \$80 |
| CONNECTIVITY | |
| ClearSky™ Legacy | Consult Factory |
| JLG [®] Mobile Control | \$520 |
| | |

Note: Some options may increase lead time, and some option combinations may not be available.

*If choosing a platform option, the machine will ship with the selected platform. If choosing the spare platform, the machine will ship with first selected platform, plus the spare platform. If no platform is selected, the standard platform will ship.

- 1. Tray capacity of 100-lb / 45-kg.
- 2. Extension platform capacity of 250-lb.