MEWPS Price List

Effective January 1, 2024

LIGHTWEIGHT ES SERIES - SCISSOR LIFT PRICE LIST



ES1330L					\$16,550
	GVW: 1,984	Dims: (L x W x H-in) 56.2 x 30 x 71.7-in	Indoor: Occupants 2, Capacity 500-lb	Outdoor: Occupants 1, Capacity 500-lb	Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees
ES1530L					\$16,550
	GVW: 1,940	Dims: (L x W x H-in) 56.2 x 30 x 74.8-in	Indoor: Occupants 1, Capacity 500-lb	Outdoor: Occupants 1, Capacity 500-lb	Tilt Rating: Indoor side to side 2.25 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees

STANDARD FEATURES

PLATFORM SECTION	
22-in (55-cm) Foot-Actuated Deck Extension	
Platform Control Box Cable	
Lanyard Attach Points	
Movable, Removable Platform Control	
Nickel Plated Pins	
Fixed Rails with Self-Closing Gate	
CHASSIS SECTION	
Lubrication Free Scissor Arm Bushings	
Scissor Maintenance Prop	
TIRES	
10 x 3-in Solid Non-Marking Tires	
ELECTRICAL & CONNECTIVITY	
110V-AC Receptacle in Platform	
27 amp Multi-Function Universal Charger	
All Motion Alarm	
ClearSky Smart Fleet™ Hardware (CS550)	
Horn	
Hourmeter	
LED Motion / Amber Beacon (CS550)	_
MISCELLANEOUS	
Battery Condition Indicator	
Load Sensing System	
Proportional Controls	
Tilt Alarm and Light	

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
SkySense® Enhanced Detection System - Level I	\$3,715
CHASSIS SECTION	
Multi-Display Indicator MDI	\$210
ELECTRICAL	
Dual Flashing Amber Beacons - LED*	\$195
Inverter	\$1,365
ACCESSORIES	
CleanGuard® Leak Containment System	\$520
Hostile Environment Package ¹	\$125
MISCELLANEOUS	
Antivandalism Package ²	\$320
Special Paint	Consult Factory
CONNECTIVITY	
CAN-Enabled Charger	\$260

Includes Kingpin Protective Caps.
 Includes Platform and Ground Control Panels W/ Locking Bracket
 *Does not replace standard Amber Beacon (CS550).
 Note: Some options may increase lead time, and some option combinations may not be available.

ES SERIES - SCISSOR LIFT PRICE LIST



ES1932					\$18,485
	GVW: 3,450	Dims: (L x W x H-in) 68.7 x 32 x 82.8-in	Indoor: Occupants 2, Capacity 507-lb	Outdoor: Occupants 1, Capacity 507-lb	Max Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees
ES2632					\$27,065
	GVW: 4,400	Dims: (L x W x H-in) 90.5 x 32 x 93.4-in	Indoor: Occupants 2, Capacity 507-lb	Outdoor: Occupants 1, Capacity 275-lb	Max Tilt Rating: Indoor side to side 1.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees
ES2646					\$30,500
	GVW: 5,295	Dims: (L x W x H-in) 94.3 x 46 x 89.6-in	Indoor: Occupants 2, Capacity 1,200-lb	Outdoor: Occupants 1, Capacity 1,200-lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees
ES3246					\$33,795
	GVW: 5,620	Dims: (L x W x H-in) 98.5 x 46 x 61.6-in	Indoor: Occupants 2, Capacity 705-lb	Outdoor: Occupants 1, Capacity 507-lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.5 Degrees
ES4046					\$46,795
	GVW : 6,230	Dims: (L x W x H-in) 106.6 x 46 x 99.5-in	Indoor: Occupants 3, Capacity 770-lb	Outdoor: Occupants 1, Capacity 550-lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.5 Degrees

STANDARD FFATURES

STANDARD FEATURES
PLATFORM SECTION
36-in (.91-m) Roll-Out Deck Extension
Fold Down Rails with Self-Closing Gate
Lanyard Attach Points
Moveable, Removable Platform Control Box
Nickel Plated Pins
QuikFold Rails (ES1932 Only)
USB Charger and Phone Holster
CHASSIS SECTION
AC Electric Drive (ES4046 Only)
DC Electric Drive (ES1932, ES2632, ES2646, ES3246 Only)
Fork Lift Pockets, Lift from Side and Rear
Lubrication Free Scissor Arm Bushings
Machine Tie Downs
Manual Descent Pull Cable
Mechanized Pothole Protection
Scissor Maintenance Prop
Steel Swing Out Doors
TIRES
12.7 x 4-in Solid Non-Marking Tires (ES1932)
16 x 5-in Solid Non-Marking Tires (ES2632, ES2646, ES3246, ES4046)
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
All Motion Alarm
ClearSky Smart Fleet™ Hardware (CS550)
Four 6V, 220 Amp-Hour Deep Cycle Batteries (ES1932, ES2632, ES2646, ES3246 Only)
Four 6V, 255 Amp-Hour Deep Cycle Batteries (ES4046 Only)
Horn
Hourmeter
LED Motion / Amber Beacon (CS550)
MISCELLANEOUS
Automatic Traction Control (ATC)
Battery Condition Indicator
Industry Leading Duty Cycles
Powder-Coated Paint
Proportional Controls
Smart Charger – CAN Enabled
Tilt Alarm and Light

INDIVIDUAL OPTIONS

INDIVIDUAL OF HONS	
PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
SkySense* Enhanced Detection System - Level I1	\$3,715
SkySense* Enhanced Detection System - Level II ¹	\$4,130
(ES2632, ES2646, ES3246, ES4046 Only)	¢1 20 F
QuikAccess Platform (ES1932 Only) CHASSIS SECTION	\$1,395
	¢210
Multi-Digital Indicator (Ground)	\$210
Drive Motor Covers	\$190
CleanGuard® Leak Containment System	\$520
ELECTRICAL	4
4 x 6V AGM Batteries, 220 Ah (ES1932, ES2632, ES2646, ES3246 Only)	\$1,330
4 x 6V AGM Batteries, 260 Ah (ES4046 Only)	\$1,330
Dual Flashing Amber Beacon - LED*	\$195
Inverter 900W	\$1,365
Lithium Ion Batteries	Coming Mid 2024
White Noise Backup Alarm	\$600
ACCESSORIES	
Electrician's Tree	\$1,060
Hostile Environment Package ²	\$125
Pipe Racks	\$1,000
Platform Work Lights	\$880
Panel Carrier	\$1,465
Workstation	\$980
MISCELLANEOUS	
Antivandalsim Package ³	\$320
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
-	•

Note: Some options may increase lead time, and some option combinations may not be available.

1. Cannot be Used in Conjunction with Soft Touch.

2. Includes Kingpin Protective Caps - ES1932, ES3246, ES4046 Only.

3. Includes Platform and Ground Control Panels W/ Locking Bracket
*Does not replace standard Amber Beacon (CS550).

- ES1932: Indoor-only Model Available, Consult Factory

The JLG "1& 5" Warranty, Machine Shipments - See Table of Contents Page 2023_SM_ES1932(D75), ES2632(D78), ES2646(E29), ES3246(D81), ES4046(D84)

ALL ELECTRIC AE SERIES - SCISSOR LIFT PRICE LIST



DaVinci® AE19	932				\$34,155
	GVW: 3,475	Dims: (L x W x H-in) 68.7 x 32 x 83.2-in	Indoor: Occupants 2, Capacity 606-lb	Outdoor: Occupants 1, Capacity 606-lb	Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees

STANDARD FEATURES

STANDARD FEATURES
PLATFORM SECTION
Platform Cable
Platform Control Box with LED Indicators
QuikFold Rails with Self-Closing Gate
Diamond Tread Steel Deck
Foot-Actuated Deck Extension
Lanyard Attach Points
Nickel Plated Pins
CHASSIS SECTION
Active PHP System
Dynamic Braking
Drive Motor Covers
Fork Lift Pockets
Greaseless Kingpin Joints
Maintenance-free AC Drive Motors
Lubrication Free Scissor Arm Bushings
Machine Tie Downs
Manual Descent Cable
Steel Swing-Down Doors
TIRES
12.5 x 4-in Solid Non-Marking Tires
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle in Platform
All Motion Alarm
Battery Charger 650W (Full charge in 3.5 hours)
Charger Plug (110V)
ClearSky Smart Fleet™ Hardware (CS550)
Horn
Integrated Battery Heater
JLG* Mobile Control
LED Motion / Amber Beacon (CS550)
Lithium Ion Battery
MISCELLANEOUS
Battery Condition Indicator
Proportional Controls
Single Drive/Steer Joystick
Tilt Alarm and Light
Variable Tilt Visual Zone Indicator
Wireless Analyzer

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
SkySense® Enhanced Detection System - Level I	\$3,715
QuikAccess Platform	\$1,395
ELECTRICAL	
Dual Flashing Amber Beacons - LED*	\$195
Inverter	\$1,365
Platform Control Box with LCD Display	\$2,165
900W Charger (Full Charge in 2.5 hrs)	\$740
White Noise Backup Alarm	\$600
ACCESSORIES	
Hostile Environment Package ¹	\$125
Panel Carrier	\$1,465
MISCELLANEOUS	
Antivandalism Package ²	\$320
Special Paint	Consult Factory
CONNECTIVITY	
Operator Access Control	\$620

Note: Some options may increase lead time, and some option combinations may not be available.

Includes Kingpin Protective Caps.
 Includes Platform and Ground Control Panels W/ Locking Bracket
 *Does not replace standard Amber Beacon (CSSSO).

ERT SERIES—ELECTRIC ROUGH TERRAIN (69-IN WIDE) SCISSOR LIFT PRICE LIST



ERT2669					\$53,300
	GVW: 8,250	Dims: (L x W x H-in) 139 x 69.3 x 96.7-in	Indoor: Occupants 4, Capacity 1,500-lb	Outdoor: Occupants 4, Capacity 1,500-lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees
ERT3369					\$60,340
	GVW: 9,457	Dims: (L x W x H-in) 139 x 69.3 x 102.9-in	Indoor: Occupants 4, Capacity 1,000-lb	Outdoor: Occupants 2, Capacity 1,000-lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees
ERT4069					\$71,415
	GVW: 10,558	Dims: (L x W x H-in) 139 x 69.3 x 103-in	Indoor: Occupants 3, Capacity 800-lb	Outdoor: Occupants 2, Capacity 800-lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees
ERT4769					\$88,700
	GVW: 15,200	Dims: (L x W x H-in) 139 x 69.3 x 109.1-in	Indoor: Occupants 3, Capacity 800-lb	Outdoor: Occupants 2, Capacity 800-lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees

STANDARD FEATURES

PLATFORM SECTION 12-in Roll-out Deck Extension Moveable, Removable Platform Console Box Mickel Plated Pins, Yellow Zinc-Chromate Palted Fastners Pin-Less Fold Down Rail System Plaform Control Box with LCD Display, USB Charger and Phone Holster Self-closing Gate HASSIS SECTION Full Time Traction Control Subrication-Free Scissor Arm Bushings Manual Descent Pull Cable* Doscillating Front Axle Scissor Maintenance Prop Tie Down Lugs Tires 16 x 12 Foam-Filled Non-marking Tires ELECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 13 Amp Automatic, SCR Battery Charger 15 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 15 x 6V, 375 Amp-Hour Batteries (ERT469) 16 MIM Motion Alarm LlearSky Smart Fleet* Hardware (CS550) Descent Alarm
Moveable, Removable Platform Console Box Nickel Plated Pins, Yellow Zinc-Chromate Palted Fastners Pin-Less Fold Down Rail System Plaform Control Box with LCD Display, USB Charger and Phone Holster Belf-Closing Gate CHASSIS SECTION Bull Time Traction Control Lubrication-Free Scissor Arm Bushings Manual Descent Pull Cable* Doscillating Front Axle Bocissor Maintenance Prop Bie Down Lugs BIRES BIECTICAL & CONNECTIVITY BIOV-AC Receptacle In Platform BISTAMP Automatic, SCR Battery Charger BISTAMP Automatic, SCR Batteries (ERT2669, ERT3369) BISTAMP AUTOMATICAL BATTAMP BATTAMP BIOTEMP BIOTEM
Nickel Plated Pins, Yellow Zinc-Chromate Palted Fastners Pin-Less Fold Down Rail System Plaform Control Box with LCD Display, USB Charger and Phone Holster Plated Foliage Gate Plated Foliage
Pin-Less Fold Down Rail System Plaform Control Box with LCD Display, USB Charger and Phone Holster Plaform Control Box with LCD Display, USB Charger and Phone Holster Plaform Control Box With LCD Display, USB Charger and Phone Holster Place Interview Inter
Plaform Control Box with LCD Display, USB Charger and Phone Holster self-closing Gate CHASSIS SECTION Cull Time Traction Control Cubrication-Free Scissor Arm Bushings Manual Descent Pull Cable* Docillating Front Axle Ciscissor Maintenance Prop Cie Down Lugs CIRES CIECTRICAL & CONNECTIVITY CONNECTIVI
iself-closing Gate CHASSIS SECTION Full Time Traction Control Cubrication-Free Scissor Arm Bushings Manual Descent Pull Cable* Doscillating Front Axle Coscillating Front Coscillating Cos
EHASSIS SECTION Full Time Traction Control Subrication-Free Scissor Arm Bushings Manual Descent Pull Cable* Doscillating Front Axle Socialsting Front Axle Socialsting Front Lugs IRES 18 x 12 Foam-Filled Non-marking Tires ELECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 23 Amp Automatic, SCR Battery Charger 25 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 26 x 6V, 375 Amp-Hour Batteries (ERT4069) 28 x 6V, 375 Amp-Hour Batteries (ERT4769) MI Motion Alarm ClearSky Smart Fleet* Hardware (CS550)
iull Time Traction Control Lubrication-Free Scissor Arm Bushings Manual Descent Pull Cable* Dscillating Front Axle Scissor Maintenance Prop Tie Down Lugs TRES 16 x 12 Foam-Filled Non-marking Tires ELECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 123 Amp Automatic, SCR Battery Charger 13 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 14 x 6V, 375 Amp-Hour Batteries (ERT4069) 15 x 6V, 375 Amp-Hour Batteries (ERT4769) 16 Motion Alarm ClearSky Smart Fleet* Hardware (CS550)
Aubrication-Free Scissor Arm Bushings Manual Descent Pull Cable* Oscillating Front Axle Gessor Maintenance Prop Tie Down Lugs TIRES 16 x 12 Foam-Filled Non-marking Tires ELECTRICAL & CONNECTIVITY TOV-AC Receptacle In Platform 123 Amp Automatic, SCR Battery Charger 13 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 14 x 6V, 375 Amp-Hour Batteries (ERT4069) 15 x 6V, 375 Amp-Hour Batteries (ERT4769) 16 Motion Alarm ClearSky Smart Fleet* Hardware (CS550)
Manual Descent Pull Cable* Oscillating Front Axle Gessor Maintenance Prop Tie Down Lugs TIRES 16 x 12 Foam-Filled Non-marking Tires ELECTRICAL & CONNECTIVITY TOV-AC Receptacle In Platform 123 Amp Automatic, SCR Battery Charger 18 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 10 x 6V, 375 Amp-Hour Batteries (ERT4069) 10 x 6V, 375 Amp-Hour Batteries (ERT4769) 11 Motion Alarm 12 ClearSky Smart Fleet* Hardware (CS550)
Oscillating Front Axle Scissor Maintenance Prop Sie Down Lugs SIRES SIECT IN THE SELECTRICAL & CONNECTIVITY SIOV-AC Receptacle In Platform SI AMP Automatic, SCR Battery Charger SI X 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) SIX 6V, 310 Amp-Hour Batteries (ERT4069) SIX 6V, 375 Amp-Hour Batteries (ERT4069)
icissor Maintenance Prop Tie Down Lugs TIRES 16 x 12 Foam-Filled Non-marking Tires LLECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 13 Amp Automatic, SCR Battery Charger 15 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 15 x 6V, 310 Amp-Hour Batteries (ERT4069) 15 x 6V, 375 Amp-Hour Batteries (ERT4069) 16 Motion Alarm 16 LearSky Smart Fleet" Hardware (CS550)
Tie Down Lugs TIRES 16 x 12 Foam-Filled Non-marking Tires LECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 13 Amp Automatic, SCR Battery Charger 15 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 15 x 6V, 310 Amp-Hour Batteries (ERT4069) 15 x 6V, 375 Amp-Hour Batteries (ERT4769) 16 Il Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
IRES 16 x 12 Foam-Filled Non-marking Tires ELECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 23 Amp Automatic, SCR Battery Charger 25 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 26 x 6V, 310 Amp-Hour Batteries (ERT4069) 27 x 6V, 375 Amp-Hour Batteries (ERT4769) 28 IM Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
26 x 12 Foam-Filled Non-marking Tires ELECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 123 Amp Automatic, SCR Battery Charger 124 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 125 x 6V, 310 Amp-Hour Batteries (ERT4069) 126 x 6V, 375 Amp-Hour Batteries (ERT4769) 127 Amp-Hour Batteries (ERT4769) 138 Motion Alarm 128 ClearSky Smart Fleet" Hardware (CS550)
ELECTRICAL & CONNECTIVITY 10V-AC Receptacle In Platform 13 Amp Automatic, SCR Battery Charger 15 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 15 x 6V, 310 Amp-Hour Batteries (ERT4069) 15 x 6V, 375 Amp-Hour Batteries (ERT4769) 16 Motion Alarm 16 LearSky Smart Fleet" Hardware (CS550)
10V-AC Receptacle In Platform 23 Amp Automatic, SCR Battery Charger 3 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 3 x 6V, 310 Amp-Hour Batteries (ERT4069) 3 x 6V, 375 Amp-Hour Batteries (ERT4769) All Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
23 Amp Automatic, SCR Battery Charger 8 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 8 x 6V, 310 Amp-Hour Batteries (ERT4069) 8 x 6V, 375 Amp-Hour Batteries (ERT4769) All Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
8 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) 8 x 6V, 310 Amp-Hour Batteries (ERT4069) 8 x 6V, 375 Amp-Hour Batteries (ERT4769) All Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
s x 6V, 310 Amp-Hour Batteries (ERT4069) s x 6V, 375 Amp-Hour Batteries (ERT4769) All Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
s x 6V, 375 Amp-Hour Batteries (ERT4769) All Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
ll Motion Alarm ClearSky Smart Fleet" Hardware (CS550)
learSky Smart Fleet™ Hardware (CS550)
, , , , , , , , , , , , , , , , , , , ,
Pescent Alarm
Horn
lourmeter
ED Motion / Amber Beacon (CS550)
mart Charger - CAN Enabled
MISCELLANEOUS
WD AC Drive System
ift Sense System
Pin-based Load Sensing System
Proportional Lift and Drive
Tilt Display with Lift Sense System

INDIVIDUAL OPTIONS

CHASSIS SECTION	
Hydraulic Leveling Jacks	\$9,780
Hydraulic Leveling Jacks with Full Covers	\$10,580
(ERT2669, ERT3369, ERT4069 Only)	\$10,500
TIRES	
26 x 12 Foam-Filled Lug Tread Tires	(\$1,775)
26 x 12 Foam-Filled Turf Tires	\$3,000
ELECTRICAL	
8 x 6V, 310 Amp-Hour Batteries (ERT2669, ERT3369)	\$1,550
8 x 6V, 375 Amp-Hour Batteries (ERT4069)	\$775
Dual Flashing Amber Beacons - LED**	\$195
Onboard Generator [Generac] - (ERT3369, ERT4069, ERT4769 Only)	\$4,255
Onboard Generator Ready Package - (ERT3369, ERT4069, ERT4769 Only)	\$155
White Noise Backup Alarm	\$600
ACCESSORIES	
CleanGuard® Leak Containment System	\$520
Heavy Duty Pipe Racks	\$1,000
Pipe Racks - (ERT2669, ERT3369, ERT4069 Only)	\$1,000
Panel Carrier - (ERT2669, ERT3369, ERT4069 Only)	\$1,465
Platform Second Extension Handle	\$270
Platform Work Lights	\$880
Workstation	\$980
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
CONNECTIVITY	
Operator Access Control	\$620

MODEL	STANDARD BATTERY OFFERING (AH)	OPTIONAL BATTERY OFFERING (AH)	OPTION PRICE	EXPECTED BATTERY LIFE INCREASE WITH OPTIONAL CONFIGURATION
ERT2669	225	310	\$1,500	+30%
ERT3369	225	310	\$1,500	+30%
ERT4069	310	375	\$775	+20%
ERT4769	375	N/A	N/A	N/A

Values are calculated, subject to change at any time without notice and may vary depending on application, machine usage, ambient temperature and other factors

Note: Some options may increase lead time, and some option combinations may not be available.

^{*}ERT4769 Includes a Push-Button Manual Descent System **Does not replace standard Amber Beacon (CS550).