Price List

Effective January 1, 2024





JLG® Compact Telehandlers Price List

G5-18A

5,500-lb Capacity • 18-ft 4-in Lift Height

• All Standard Equipment
Package 4\$109,990 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater and Defroster Fan, Tilt Steering Wheel) • All Standard Equipment
Package Price Adjustments: Foam-Filled Tires 12 x 16.5 \$2,360 Pneumatic Tires 14 x 17.5 \$1,280 Foam-Filled Tires 14 x 17.5 \$3,105 Non-marking Solid Tires 33 x 12 \$4,890 Pneumatic Agriculture Tires 10.5 x 18 \$1,320 Turf Tires 33 x 16 \$2,055
Special Options (Build-to-Order Only):Air Conditioning.\$4,080Tilt Steering (open cab).\$475Universal Skid Steer Coupler (Mechanical).\$2,025Universal Skid Steer Coupler (Hydraulic).\$4,090Special Paint (unleaded) One Color Only.\$1,645Reversing Fan.\$585Reversing Camera System\$2,110Seatbelt Engagement\$295

Standard Features:

- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Three Steering Modes
- Wet Disc Service Brakes
- •12 x 16.5 Tires
- Adjustable Suspension Seat
- Certified ROPS/FOPS Structure
- Mechanical Coupler
- Backup Alarm
- Glow Plugs
- Variable Speed Fan
- Auxiliary Hydraulics
- Open Cab
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- •ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_G5-18A(C35)

JLG® Compact Telehandlers Price List

G5–18A 5,500-lb Capacity • 18-ft 4-in Lift Height

Accessories: Engine Block Heater	¢ 240
Work Light Package (Cab — Two Front, Two Rear; Two Boom)	
Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signal).	
Fixed Drawbar Type Hitch	
Battery Disconnect Switch	
Boom Prop.	
Brick Guard (top and front)\$	
Air Intake Pre-Cleaner	\$100
Air Shut Off Valve\$	
Fenders (set of 4)	\$885
Reverse Sensing	\$2,110
Attachus auto.	
Attachments:	
Standard Carriage, 50-in ¹	
Side-Tilt Carriage, 48-in ¹ \$1	
Side Shifting Carriage, 48-in ¹	
Dual Fork Positioning Carriage, 48-in (forks not included) ^{1,2}	
Dual Bailing Tine Carriage, 48-in¹ \$ Pallet Forks (2) 2 x 4 x 48-in (3,800-lb max. capacity – each) \$	
Light Material Bucket, 72-in 1.7-cu yd	
General Purpose Bucket, 73-in 1.0-cu yd. (2,940-lb max. capacity – each)	
Grapple Bucket, 72-in 1.0-cu yd (2,500-lb max. capacity) \$	
Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity) ² \$	
Lifting Hook, Fork Mounted	
Coupler Mounted Auger ¹	•
Auger Bits:	3,300
6-in Bit	\$430
9-in Bit	
12-in Bit.	
15-in Bit.	
18-in Bit	
Universal Skid Steer Adapter ³	\$3,155
1. Available for both standard & universal skid steer coupler. 2. 48-in forks only. 2. We be the best of the standard of the	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

^{3.} Non-load bearing attachments only.

742 7,000-lb Capacity • 42-ft Lift Height

Package 2	\$152,395
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$157,155
Package Price Adjustments: Foam-Filled Tires 370/75-28. Pneumatic Tires 13.00 x 24-16PR Foam-Filled Tires 13.00 x 24-12PR Continental Telemaster Solid Tires 315/95-28 Non-Marking Pneumatic Tires 370/75-28. Non-Marking Foam-Filled Tires 370/75-28. Turf Tires 18-625	deduct \$1,035 \$4,295 \$12,910 \$1,100 \$7,030
Special Options (Build-to-Order Only): Cummins QSF 3.8L 110 hp Tier 4 Final Engine. Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler). Ride Control. Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics). Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI). Seatbelt Engagement & Operator Presence	\$5,040 \$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985

Standard Features:

- Cummins QSF 3.8L 110 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_742(C12)

742 7,000-lb Capacity • 42-ft Lift Height

Accessories:
LED Work Light Package (Two Boom and Four Cab Mounted Lights)
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals) \$1,795
Brick Guard (top and front)
Arctic Package ¹
Wiper Package ² (Skylight and Rear Wiper)
White Noise Back-up Alarm. \$215
Padlockable Tool Box ³ \$495
Wheel Chocks ⁴
Air Shut Off Valve
Fenders (set of 4)
Reverse Sensing\$2,110
Boom Prop. \$500
Attachments:
Standard Carriage, 50-in \$1,975
Standard Carriage, 60-in. \$2,325
Standard Carriage, 72-in \$3,375
Side-Tilt Carriage, 50-in
Side-Tilt Carriage, 50-in
·
Side-Tilt Carriage, 72-in\$6,055Swing Carriage, 72-in 90 Degrees\$8,255
Side-Shift Carriage, 48-in
Dual Fork Positioning Carriage, 50-in (includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)
Tower, 8-ft with 50-in Side-Tilt Carriage ^s (4,500-lb max. capacity)
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each) \$1,895
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). \$2,845
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity) \$3,635
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)
Fork-Mounted Extendable Truss
Truss Boom, 12-ft (2,000-lb max. capacity)
Truss Boom, 15-ft (2,000-lb max. capacity)
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)
Lifting Hook, Coupler Mounted
Lifting Hook, Fork Mounted
Sheet Material Handler ⁵ \$29,635
1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.
2. Enclosed cab only.
3. Not available with wheel chocks 4. Not available with toolbox.
5. Requires auxiliary electrics.
6. 48-in forks only.
Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.

943

9,000-lb Capacity · 43-ft Lift Height

Package 2	\$181,040
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$185,800
Package Price Adjustments: Foam-Filled Tires 370/75-28. Pneumatic Tires 14.00 x 24-16PR Foam-Filled Tires 14.00 x 24-12PR Continental Telemaster™ Solid Tires 315/95-28. Non-Marking Pneumatic Tires 370/75-28 Turf Tires 18-625	
Special Options (Build-to-Order Only): Cummins QSF 3.8L 74 hp Tier 4 Final Engine. Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics). Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI) Seatbelt Engagement & Operator Presence	\$5,040 \$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985

- **Machine Shipments:** • Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_943(366)

Standard Features:

- Cummins QSF 3.8L 110 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- •4-Wheel Steering
- •4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- •370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- •Three Steering Modes
- Integrated Tow Hitch
- •Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- •Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

943 9,000-lb Capacity • 43-ft Lift Height

Accessories:	
LED Work Light Package (Two Boom and Four Cab Mounted Lights)	\$1,370
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Brick Guard (top and front)	
Arctic Package ¹	
Wiper Package ² (skylight and rear wiper)	
White Noise Back-up Alarm	
Padlockable Tool Box ³	
Wheel Chocks ⁴	
Air Shut Off Valve	
Fenders (set of 4)	
Reverse Sensing	
Boom Prop.	
Attachments:	
Standard Carriage, 50-in	\$1,975
Standard Carriage, 60-in.	\$2,325
Standard Carriage, 72-in	\$3,375
Side-Tilt Carriage, 50-in.	\$4,790
Side-Tilt Carriage, 60-in	\$5,245
Side-Tilt Carriage, 72-in	\$6,055
Swing Carriage, 72-in 90 Degrees	
Side-Shift Carriage, 48-in	
Dual Fork Positioning Carriage, 50-in	
(Includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks).	\$7,580
Tower, 8-ft with 50-in Side-Tilt Carriage ⁵ (4,500-lb max. capacity)	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
	\$1,895
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$2,380
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$2,380 \$2,845
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$2,380 \$2,845 \$2,080
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each).	\$2,380 \$2,845 \$2,080 \$2,295
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$4,970
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$4,970 \$5,020
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity) Truss Boom, 15-ft (2,000-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,920 \$5,125
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,20 \$5,125 \$5,125
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity).	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each) Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each) Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity) Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity) Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity) Truss Boom, 15-ft (2,000-lb max. capacity) Truss Boom, 15-ft with Winch (2,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Trush Boom, 3-ft with Winch (4,000-lb max. capacity) Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each) Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each) Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity) Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity) Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity) Truss Boom, 15-ft (2,000-lb max. capacity) Truss Boom, 15-ft with Winch (2,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Trush Boom, 3-ft with Winch (4,000-lb max. capacity) Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 15-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted. Sheet Material Handler ⁵ . 1. Includes hydrallic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with wheel chocks	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each) Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each) Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity) Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity) Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss (8,000-lb max. capacity) Truss Boom, 12-ft (2,000-lb max. capacity) Truss Boom, 15-ft (2,000-lb max. capacity) Truss Boom, 15-ft with Winch (2,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with toolbox. 5. Requires auxiliary electrics.	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss (8,000-lb max. capacity). Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 15-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted. Sheet Material Handler ⁵ . 1. Includes hydrallic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with wheel chocks	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each) Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each) Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity) Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity) Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss (8,000-lb max. capacity) Truss Boom, 12-ft (2,000-lb max. capacity) Truss Boom, 15-ft (2,000-lb max. capacity) Truss Boom, 15-ft with Winch (2,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with toolbox. 5. Requires auxiliary electrics.	\$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,020 \$5,125 \$11,645 \$3,355 \$2,650 \$2,165

1043

10,000-lb Capacity • 43-ft Lift Height

Package 2	\$197,600
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$202,360
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 14.00 x 24-16PR Foam-Filled 14.00 x 24-12PR Continental Telemaster™ Solid Tires 360/85-28 Non-Marking Pneumatic Tires 400/75-28. Non-Marking Foam-Filled Tires 400/75-28 Turf Tires 18-625	deduct \$1,035 \$5,080 \$13,820 \$3,025 \$9,195
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics) Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI) Seatbelt Engagement & Operator Presence	\$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985

Standard Features:

- Cummins QSF 3.8L 110 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- •Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1043(367)

1043 10,000-lb Capacity • 43-ft Lift Height

Accessories:	
LED Work Light Package (Two Boom and Four Cab Mounted Lights).	¢1 270
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Brick Guard (top and front)	
Arctic Package ¹	
Wiper Package ² (skylight and rear wiper)	
White Noise Back-up Alarm	
Padlockable Tool Box ³	
Wheel Chocks⁴	\$325
Air Shut Off Valve	\$4,545
Fenders (set of 4)	\$2,380
Reverse Sensing	
Boom Prop.	
	,
Attachments:	
Standard Carriage, 50-in.	\$1,975
Standard Carriage, 60-in	\$2,325
Standard Carriage, 72-in	\$3,375
Side-Tilt Carriage, 50-in.	-
Side-Tilt Carriage, 60-in	
Side-Tilt Carriage, 72-in.	
Swing Carriage, 72-in 90 Degrees	
Side-Shift Carriage, 48-in.	
Dual Fork Positioning Carriage, 50-in	
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	₹ 7580
Tower, 8-ft with 50-in Side-Tilt Carriage ^s (4,500-lb max. capacity).	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each).	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	\$5,420
Fork-Mounted Extendable Truss (8,000-lb max. capacity)	\$4,970
Truss Boom, 12-ft (2,000-lb max. capacity)	\$5,020
Truss Boom, 15-ft (2,000-lb max. capacity)	\$5,125
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	
Sheet Material Handler ⁵	\$79.635
	\$25,055
1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.	
Enclosed cab only. Not available with wheel chocks	
4. Not available with toolbox.	
5. Requires auxiliary electrics.	
6. 48-in forks only.	
Note: Attachment and option prices shown are only valid when ordered with new machine orders.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

1055

10,000-lb Capacity - 55-ft Lift Height

Package 2	\$228,715
Package 4	\$233,475
Package Price Adjustments:	
Foam-Filled Tires 400/75-28	
Pneumatic Tires 14.00 x 24-16PR	
Foam-Filled Tires 14.00 x 24-12PR	
Continental Telemaster™ Solid Tires 360/85-28	
Non-Marking Pneumatic Tires 400/75-28.	
Non-Marking Foam-Filled Tires 400/75-28	·
Turf Tires 18-625	\$9,835
Special Options (Build-to-Order Only):	
Air Conditioning	\$5,040
Auxiliary Electrics (not available with hydraulic coupler)	
Ride Control	
Special Paint (unleaded) One Color Only	
Hydraulic Coupler (not available with auxiliary electrics)	
Multi-Function Display and Reversing Camera	
Load Stability Indication System (LSI)	
Seatbelt Engagement & Operator Presence	\$985

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1055(368)

Standard Features:

- Cummins QSF 3.8L 130 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- •Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

1055 10,000-lb Capacity • 55-ft Lift Height

Accessories:
LED Work Light Package (Two Boom and Four Cab Mounted Lights)
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)
Brick Guard (top and front) \$3,235
Arctic Package ¹
Wiper Package ² (skylight and rear wiper)\$1,210
White Noise Back-up Alarm\$215
Padlockable Tool Box ³ \$495
Wheel Chocks ⁴
Air Shut Off Valve\$4,545
Fenders (set of 4)
Reverse Sensing\$2,110
Boom Prop
Attachments:
Standard Carriage, 50-in
Standard Carriage, 60-in
Standard Carriage, 72-in
Standard Carriage, 96-in\$4,500
Side-Tilt Carriage, 50-in\$4,790
Side-Tilt Carriage, 60-in\$5,245
Side-Tilt Carriage, 72-in\$6,055
Swing Carriage, 72-in 90 Degrees\$8,255
Swing Carriage, 72-in 180 Degrees (8,000-lb max. capacity)
Side-Shift Carriage, 48-in\$8,070
Dual Fork Positioning Carriage, 50-in
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)
Tower, 8-ft with 50-in Side-Tilt Carriage ^s (4,500-lb max. capacity)\$18,115
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each) \$2,080
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) \$2,295
Pipe Grapple, 72-in (6,000-lb max. capacity)
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). \$3,635
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). \$4,120
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)
Fork-Mounted Extendable Truss (8,000-lb max. capacity)
Truss Boom, 12-ft (2,000-lb max. capacity)
Truss Boom, 15-ft (2,000-lb max. capacity)
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)
Lifting Hook, Coupler Mounted\$2,650
Lifting Hook, Fork Mounted\$2,165
Sheet Material Handler ⁵ \$29,635
1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.
2. Enclosed cab only.
3. Not available with wheel chocks 4. Not available with toolbox.
4. NOT available with tooloox. 5. Requires auxiliary electrics.
6. 48-in forks only.
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.

1075

10,000-lb Capacity - 75-ft Lift Height

Package 4	\$445,050
• Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater, Floor № • All Standard Equipment	
Special Options (Build-to-Order Only):	
Air Conditioning	\$5,040
Special Paint (unleaded) One Color Only	\$1,695

Hydraulic Coupler\$3,560

SmartLoad Technology (includes multifunction display with reversing camera and hydraulic coupler). \$13,235

Multi-Function Display and Reversing Camera.....\$2,515

Remote Boom Control......\$7,760

Standard Features:

- Auxiliary Hydraulics
- Cummins QSF 3.8L 130 hp
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- •17.5-25 SGG Foam-Filled Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- Auxiliary Electrics
- Right Side Electronic Mirror
- Longitudinal Stability Indicator System (LSI)
- Ride Control & Boom Float
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet[™] Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1075(C59)

1075 10,000-lb Capacity • 75-ft Lift Height

Accessories:	
LED Work Lights Package (Cab — Two Front, Two Rear, Four Boom)	\$1,370
LED Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Roof Wiper	
Brick Guards (top and front)	\$3,235
Arctic Package ¹	\$8,100
White Noise Back Up Alarm	
Air Suspension Seat	\$595
Premium Heated Air Suspension Seat	\$1,300
Positive Air Shut Off	
Fenders (set of 4)	
Reverse Sensing.	
Boom Prop	\$500
Attachments:	
Standard Carriage, 50-in.	¢1 07E
Standard Carriage, 60-in.	
Standard Carriage, 72-in	
Standard Carriage, 96-in.	
Side-Tilt Carriage, 50-in.	
Side-Tilt Carriage, 60-in	
Side-Tilt Carriage, 72-in	
Swing Carriage, 72-in 90 Degrees	
Swing Carriage, 72-in 180 Degrees (8,000-lb max. capacity)	\$18,525
Side-Shift Carriage, 48-in	
Dual Fork Positioning Carriage, 50-in (includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	\$1,420
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	\$1,895
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$2,380
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Fork-Mounted Extendable Truss (8,000-lb max. capacity).	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ² , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	
Sheet Material Handler	\$29,635
 Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 48-in forks only. 	

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

1255

12,000-lb Capacity - 55-ft Lift Height

•All Standard Equipment	\$248,690
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$253,450
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 17.5 x 25-16PR Foam-Filled 17.5 x 25-12PR Continental Telemaster™ Solid Tires 360/85-28 Non-Marking Pneumatic Tires 400/75-28 Non-Marking Foam-Filled Tires 400/75-28 Turf Tires 18-625	
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics). Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI) Seatbelt Engagement & Operator Presence	\$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985

Standard Features: • Cummins QSF 3.8L 130 hp

- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1255(369)

1255 12,000-lb Capacity • 55-ft Lift Height

Accessories:	
LED Work Light Package (Two Boom and Four Cab Mounted Lights)	\$1,370
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	\$1,795
Brick Guard (top and front)	
Arctic Package ¹	\$8,100
Wiper Package ² (skylight and rear wiper)	
White Noise Back-up Alarm	\$215
Padlockable Tool Box ³	
Wheel Chocks ⁴	
Air Shut Off Valve	\$4,545
Fenders (set of 4)	\$2,380
Reverse Sensing.	
Boom Prop	\$500
Attachments:	
Standard Carriage, 50-in	¢1 07E
Standard Carriage, 60-in.	
Standard Carriage, 72-in	
Standard Carriage, 96-in.	
Side-Tilt Carriage, 50-in (12,000-lb max. capacity)	
Side-Tilt Carriage, 60-in (12,000-lb max. capacity)	
Side-Tilt Carriage, 72-in (12,000-lb max. capacity).	
Swing Carriage, 72-in 90 Degrees (10,000-lb max. capacity).	
Swing Carriage, 72-in 180 Degrees (8,000-lb max. capacity)	
Side-Shift Carriage, 48-in (12,000-lb max. capacity).	
Dual Fork Positioning Carriage, 50-in	
(12,000-lb max. capacity - includes 2.36 x 5 x 48-in or 2.36 x 5 x 60-in forks)	\$7,580
Dual Fork Positioning Carriage, 72-in	
(12,000-lb max. capacity - includes 2.36 x 5 x 48-in or 2.36 x 5 x 60-in forks)	\$10,950
Tower, 8-ft with 50-in Side-Tilt Carriage ⁵ (4,500-lb max. capacity)	\$18,115
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	\$1,515
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$2,380
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)	\$2,845
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Pipe Grapple, 72-in (6,000-lb max. capacity).	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity).	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Fork-Mounted Extendable Truss (8,000-lb max. capacity).	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	\$12,460
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	
Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.	\$29,635
 includes nydraulic tank neater, battery neater, breatner neater, and cold weatner fluids. Enclosed cab only. 	
3. Not available with wheel chocks	
4. Not available with toolbox.	
5. Requires auxiliary electrics. 6. 48-in forks only.	
'	
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.	

1644

15,650-lb Capacity • 43-ft 7-in Lift Height

288,135
\$7,355 \$3,785
\$5,040
\$2,025
\$3,890
\$3,560
ler) . \$13,235
\$1,695
\$7,140
\$2,515
\$7,760
\$465
\$985

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1644(295)

1644 15,650-lb Capacity • 43-ft 7-in Lift Height

Accessories:	
LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom)	
LED Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Roof Wiper	
Brick Guards (top and front) \$3,235	
Boom Brushes	
Arctic Package¹\$8,100	
White Noise Back Up Alarm\$215	
Air Suspension Seat\$595	
Premium Heated Air Suspension Seat	
Dual Auxiliary Hydraulics (not available with auxiliary electrics)\$2,270	
Air Shut Off Valve\$4,545	
Fenders (set of 4)\$2,380	
Reverse Sensing\$2,110	
Boom Prop. \$500	
·	
Attachments:	
Standard Carriage 60-in	
Standard Carriage 72-in\$3,785	
Standard Carriage 87-in\$5,255	
Dual Fork Positioning Carriage 72-in (no forks)\$10,280	
Side-Shift Carriage with Dual Fork Positioning 72-in (no forks) 2\$14,060	
Pallet Forks (2) 2.36 x 6 x 48-in. \$1,710	
Pallet Forks (2) 2.36 x 6 x 60-in. \$2,080	
Pallet Forks (2) 2.36 x 6 x 72-in\$2,540	
Pallet Forks (2) 2.36 x 6 x 96-in	
General Purpose Bucket 94-in 2.6-cu yd (16,755-lb max. capacity)	
Light Material Bucket 94-in 5.2-cu yd (9,415-lb max. capacity)	
Multipurpose 4-in-1 Bucket 94-in 1.3-cu yd (4,500-lb max. capacity)	
Grapple Bucket 94-in 1.7-cu yd (12,000-lb max. capacity)	
Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity) ³	
Material Handling Arm (15,650-lb max. capacity)	
Hook, Coupler Mounted (16,750-lb max. capacity)	
Winch, Coupler Mounted (8,000-lb max. capacity)	
Lifting Hook, Fork Mounted (15,000-lb max. capacity)	
Pipe Grapple 96-in (8,000-lb max. capacity)\$20,765	
Log Handler 80-in (8,000-lb max. capacity)	
Steel Coil Handler (16,750-lb max. capacity)	
Fork-Mounted Extendable Truss (8,000-lb max. capacity)\$4,970	
1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.	
2. Requires dual auxiliary hydraulics. 3. 48-in forks only.	

^{.40-}III (URS UNIV.)
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

16,755-lb Capacity - 31-ft 8-in Lift Height

Package 4	288,88 6
Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater)All Standard Equipment	
Tire Options: Foam-Filled Tires 17.5-25 SGG Pneumatic Radial Tires 17.5-25	\$7,355 \$3,785
Special Options (Build-to-Order Only):	
Air Conditioning	\$5,040
Auxiliary Electrics (not available with hydraulic coupler or dual auxiliary hydraulics)	\$2,025
Ride Control & Boom Float	
Hydraulic Coupler (not available with auxiliary electrics)	\$3,560
SmartLoad Technology (includes multifunction display with reversing camera and hydraulic coupler) . \$13,235
Special Paint (one color only)	\$1,695
Reversing Fan	\$7,140
Multi-Function Display and Reversing Camera	\$2,515
Remote Boom Control	\$7,760
Platform Docking Station	\$465
Seatbelt Engagement & Operator Presence	\$985

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1732(290)

1732 16,755-lb Capacity • 31-ft 8-in Lift Height

Accessories:
LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom)
LED Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)
Roof Wiper\$545
Brick Guards (top and front)\$3,235
Boom Brushes\$1,155
Arctic Package ¹ \$8,100
White Noise Back Up Alarm\$215
Air Suspension Seat\$595
Premium Heated Air Suspension Seat\$1,300
Dual Auxiliary Hydraulics (not available with auxiliary electrics)\$2,270
Air Shut Off Valve\$4,545
Fenders (set of 4)\$2,380
Reverse Sensing\$2,110
Boom Prop
Attachmenter
Attachments:
Standard Carriage 60-in
Standard Carriage 72-in\$3,785
Standard Carriage 87-in\$5,255
Dual Fork Positioning Carriage 72-in (no forks)\$10,280
Side-Shift Carriage with Dual Fork Positioning 72-in (no forks) 2
Pallet Forks (2) 2.36 x 6 x 48-in. \$1,710
Pallet Forks (2) 2.36 x 6 x 60-in\$2,080
Pallet Forks (2) 2.36 x 6 x 72-in\$2,540
Pallet Forks (2) 2.36 x 6 x 96-in\$3,245
General Purpose Bucket 94-in 2.6-cu yd (16,755-lb max. capacity)
Light Material Bucket 94-in 5.2-cu yd (9,415-lb max. capacity)\$7,680
Multipurpose 4-in-1 Bucket 94-in 1.3-cu yd (4,500-lb max. capacity)
Multipurpose 4-in-1 Bucket 94-in 2.6-cu yd (9,000-lb max. capacity)
Grapple Bucket 94-in 1.7-cu yd (12,000-lb max. capacity)
Grapple Bucket 94-in 2.6-cu yd (15,000-lb max. capacity)
Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity) ³ \$3,355
Material Handling Arm (15,650-lb max. capacity)
Hook, Coupler Mounted (16,750-lb max. capacity)
Winch, Coupler Mounted (8,000-lb max. capacity). \$17,630
Lifting Hook, Fork Mounted (15,000-lb max. capacity)
Pipe Grapple 96-in (8,000-lb max. capacity). \$20,765
Log Handler 80-in (8,000-lb max. capacity) \$36,745
Steel Coil Handler (16,750-lb max. capacity). \$6,490
Fork-Mounted Extendable Truss (8,000-lb max. capacity). \$4,970
Tire Handler 2
1 Included budgaulic tank hoster hattery hoster heater hatter and cold weather fluids

^{1.} Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Requires dual auxiliary hydraulics.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

2733

26,600-lb Capacity - 33-ft 1-in Lift Height

8,640
\$10,870 \$1,035 \$11,900
\$5,040
. \$3,890
\$3,560
. \$13,235
\$1,695
\$7,140
\$2,515
\$2,590
\$7,760
\$465
\$985

Standard Features: Enclosed Cab

- Auxiliary Hydraulics
- Cummins QSF 3.8L 130 hp
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 CAMSO L2 Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- Auxiliary Electrics
- Load Stability Indication (LSI)
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_2733(E16)

2733 26,600-lb Capacity • 33-ft 1-in Lift Height

Accessories: Brick Guards (top and front) \$3,235 Arctic Package¹.....\$8,100 White Noise Back Up Alarm....\$215 Premium Heated Air Suspension Seat\$1,300 Dual Auxiliary Hydraulics\$2,270 Air Shut Off Valve\$4,545 Fenders (set of 4)\$2,380 Reverse Sensing.....\$2,110 Boom Prop. \$500 Attachments: Standard Carriage 60-in \$4.035 Standard Carriage 72-in. \$4,660 Standard Carriage 87-in \$7,140 Dual Fork Positioning Carriage 72-in (no forks)\$15,285 Side-Shift Carriage with Dual Fork Positioning 72-in (no forks) 2......\$29,675 Pallet Forks (2) 2.75 x 7.87 x 48-in. \$2,275 Pallet Forks (2) 2.75 x 7.87 x 60-in\$2.690 Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity)³......\$3,355 Winch, Coupler Mounted (8,000-lb max. capacity)......\$17,630 Pipe Grapple 96-in (8,000-lb max. capacity).....\$20,765 Tire Handler ²\$67,595 Material Handling Arm (24,000-lb max. capacity)......\$15,455

^{1.} Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.

^{2.} Requires dual auxiliary hydraulics.

^{3. 48-}in forks only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.