MEWPS Price List

Effective August 22, 2024

E18MCL - MOBILE VERTICAL LIFTS PRICE LIST



E18MCL \$21,675

Indoor and Outdoor Capability

Platform Height: 18-ft Indoor / 13-ft Outdoor Standard Platform Capacity: 400-lb

STANDARD FFATURES

STANDARD FEATURES
PLATFORM SECTION
29.5 x 51-in Front Entry Extension Platform with Saloon Doors ²
Lanyard Attach Points
Movable, Removable Platform Control with 6-ft Coiled Cable
Pistol-Grip Platform Control
Proportional Controls
Quick Change Platform Mounting
Scissor Steering
MAST
Low Maintenance Anodized Aluminum Mast
Mast Maintenance Prop
CHASSIS/BASE
DC Electric Drive
Dynamic Braking
Electric Brake Release
Fork Lift Pockets
Heavy Duty Planetary Gear Drive Motors
Manual Descent
Transportation Tie Downs
TIRES/WHEELS
8-in Front Castors
10 x 3-in Rear Non-Marking
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
Analyzer Port for Diagnostics
Four 6V, 220 Amp-Hour Deep Cycle Batteries Horn
Hourmeter
Multi-Display Indicator
Telematics-Ready
MISCELLANEOUS
Active Pothole Protection System
All Motion Alarm
Automatic Power-Off Battery Saver Control
Battery Discharge Indicators — Platform and Base
Greaseless Kingpin Joints
Key Lock Main Power Switch
Load Sensing System
Standard Shipping Skid
Tilt Light and Alarm

INDIVIDUAL OPTIONS

DI ATTORNE OLUCY CHANCE	
PLATFORMS - QUICK CHANGE	4==
22 x 26-in Quick Change Front Entry Narrow Platform	\$75
28 x 29.5-in Quick Change Side Entry Platform With Work Tray ¹ :	
With Saloon Doors	N/C
With Drop Bar	\$120
With Aluminum Work Tray And Side Entry Saloon Doors	\$500
29.5 x 51-in Quick Change Front Entry Extension Platform ² :	
With Drop Bar	\$700
30 x 26-in Quick Change Front Entry Platform with Drop Bar	N/C
Spare* 22 x 26-in Quick Change Narrow Platform	\$2,675
CHASSIS/BASE	
Crane Hook	\$200
Front and Side Bumpers	\$280
ELECTRICAL	
220V Receptacle	\$60
Dual Amber Beacon	\$195
Four 6V, 213 Amp-Hour AGM Batteries	\$1,330
Lithium Battery	\$1,695
Lithium+ Batteries	\$3,395
ACCESSORIES	
Anti-Vandalism Package (Steel Cover)	\$320
CleanGuard® Leak Containment System	\$520
Tool Tray	Coming April 2024
MISCELLANEOUS	
Drive-Off Skid	\$170
Floor Mat ³	\$245
Gate Latch	\$40
Platform Entry Step	\$80
Special Hydraulic Fluid	Consult Factory
Special Paint	Consult Factory
Stock Picker Package ⁴	Consult Factory
USB Charger & Phone Holster	\$80
CONNECTIVITY	400
ClearSky™ Legacy	Consult Factory
cicuisity Legacy	consuit ractory

Note: Some options may increase lead time, and some option combinations may not be available.

- 1. Tray capacity of 100-lb / 45-kg.
- 2. Extension platform capacity of 250-lb.
- 3. Not compatible with extension platform $% \label{eq:compatible} % A = \{ (x,y) \in \mathbb{R}^{n} \mid (x,y) \in \mathbb{R}^{n} : (x,y) \in \mathbb{R}^$
- 4. Includes standard 28 x 29.5-in fold-down work tray¹ platform with side entry saloon doors with gate alarm, dual amber beacons and floor mat

^{*}If choosing a platform option, the machine will ship with the selected platform. If choosing the spare platform, the machine will ship with first selected platform, plus the spare platform. If no platform is selected, the standard platform will ship.

E18MML - MOBILE VERTICAL LIFTS PRICE LIST



E18MML \$20,625

Indoor Only Capability

Platform Height: 18-ft Standard Platform Capacity: 400-lb

STANDARD FFATURES

STANDARD FEATURES
PLATFORM SECTION
28 x 29.5-in Side Entry Platform With Work Tray with Saloon Doors ¹
Lanyard Attach Points
Movable, Removable Platform Control with 6-ft Coiled Cable
Pistol-Grip Platform Control
Point & Go Steering
Proportional Controls
Quick Change Platform Mounting
MAST
Low Maintenance Anodized Aluminum Mast
Mast Maintenance Prop
CHASSIS/BASE
DC Electric Drive
Dynamic Braking
Electric Brake Release
Fork Lift Pockets
Heavy Duty Planetary Gear Drive Motors
Manual Descent
Transportation Tie Downs
TIRES/WHEELS
8-in Front Castors
10 x 3-in Rear Non-Marking
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
Analyzer Port for Diagnostics
Four 6V, 220 Amp-Hour Deep Cycle Batteries
Horn
Hourmeter
Multi-Display Indicator
Telematics-Ready
MISCELLANEOUSAMMP-HOUR
Active Pothole Protection System
All Motion Alarm
Automatic Power-Off Battery Saver Control
Battery Discharge Indicators — Platform and Base
Greaseless Kingpin Joints
Key Lock Main Power Switch
Load Sensing System
Standard Shipping Skid
Tilt Light and Alarm

INDIVIDUAL OPTIONS

DIATEODAS OUISI SUANICE	
PLATFORMS - QUICK CHANGE	475
22 x 26-in Quick Change Front Entry Narrow Platform	\$75
28 x 29.5-in Quick Change Side Entry Platform With Work Tray ¹ :	
With Drop Bar	\$120
With Aluminum Work Tray And Side Entry Saloon Doors	\$500
29.5 x 51-in Quick Change Front Entry Extension Platform ² :	
With Saloon Doors	\$50
With Drop Bar	\$700
30 x 26-in Quick Change Front Entry Platform with Drop Bar	N/C
Spare* 22 x 26-in Quick Change Narrow Platform	\$2,675
CHASSIS/BASE	
Crane Hook	\$200
Front and Side Bumpers	\$280
ELECTRICAL	
220V Receptacle	\$60
Dual Amber Beacon	\$195
Four 6V, 213 Amp-Hour AGM Batteries	\$1,330
Lithium Battery	\$1,695
Lithium+ Batteries	\$3,395
ACCESSORIES	
Anti-Vandalism Package (Steel Cover)	\$320
CleanGuard® Leak Containment System	\$520
Tool Tray	Coming April 2024
MISCELLANEOUS	
Drive-Off Skid	\$170
Floor Mat ³	\$245
Gate Latch	\$40
Platform Entry Step	\$80
Special Hydraulic Fluid	Consult Factory
Special Paint	Consult Factory
Stock Picker Package ⁴	Consult Factory
USB Charger & Phone Holster	\$80
CONNECTIVITY	100
ClearSky™ Legacy	Consult Factory
	3050

Note: Some options may increase lead time, and some option combinations may not be available.

*If choosing a platform option, the machine will ship with the selected platform. If choosing the spare platform, the machine will ship with first selected platform, plus the spare platform. If no platform is selected, the standard platform will ship.

- 1. Tray capacity of 100-lb / 45-kg.
- 2. Extension platform capacity of 250-lb.
- 3. Not compatible with extension platform $% \label{eq:compatible} % A = \{ (x,y) \in \mathbb{R}^{n} \mid (x,y) \in \mathbb{R}^{n} : (x,y) \in \mathbb{R}^$
- 4. Includes standard 28 x 29.5-in fold-down work tray¹ platform with side entry saloon doors with gate alarm, dual amber beacons and floor mat