# **MEWPS Price List**

Effective August 22, 2024



ES1330L					\$16,550
	<b>GVW:</b> 1,984	<b>Dims:</b> (L x W x H-in) 56.2 x 30 x 71.7-in	Indoor: Occupants 2, Capacity 500-lb	<b>Outdoor:</b> Occupants 1, Capacity 500-lb	<b>Tilt Rating:</b> Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees
ES1530L \$				\$16,550	
	<b>GVW:</b> 1,940	<b>Dims:</b> (L x W x H-in) 56.2 x 30 x 74.8-in	<b>Indoor:</b> Occupants 1, Capacity 500-lb	<b>Outdoor:</b> Occupants 1, Capacity 500-lb	<b>Tilt Rating:</b> Indoor side to side 2.25 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees

#### **STANDARD FEATURES**

PLATFORM SECTION
22-in (55-cm) Foot-Actuated Deck Extension
Platform Control Box Cable
Lanyard Attach Points
Movable, Removable Platform Control
Nickel Plated Pins
Fixed Rails with Self-Closing Gate
CHASSIS SECTION
Lubrication Free Scissor Arm Bushings
Scissor Maintenance Prop
TIRES
10 x 3-in Solid Non-Marking Tires
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
All Motion Alarm
ClearSky Smart Fleet <sup>™</sup> Hardware (CS550)
Horn
Hourmeter
LED Motion / Amber Beacon (CS550)
MISCELLANEOUS
Battery Condition Indicator
Load Sensing System
Proportional Controls
Smart Charger CAN - Enabled
Tilt Alarm and Light

#### INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
Magnetic Gate Latch	TBD
SkySense <sup>®</sup> Enhanced Detection System - Level I	\$3,715
CHASSIS SECTION	
Multi-Display Indicator MDI	\$210
BATTERIES	
4 x 6V AGM Batteries, 115 Ah	\$1,330
Lithium 24V 90 Ah Battery (ES1330L Only)	\$1,395
Lithium 24V 90 Ah Battery (ES1530L Only)	\$1,695
ELECTRICAL	
Second Flashing Amber Beacon - LED*	\$195
Inverter	\$1,365
ACCESSORIES	
CleanGuard <sup>®</sup> Leak Containment System	\$520
Hostile Environment Package <sup>1</sup>	\$125
MISCELLANEOUS	
Antivandalism Package <sup>2</sup>	\$320
Special Paint	Consult Factory
CONNECTIVITY	
CAN-Enabled Charger	\$260

Includes Kingpin Protective Caps.
 Includes Platform and Ground Control Panels W/ Locking Bracket
 \*Does not replace standard Amber Beacon (CSS50).
 Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty, Machine Shipments - See Table of Contents Page 2023\_SM\_ES1330L(D87), ES1530L(D86)

# ES SERIES - SCISSOR LIFT PRICE LIST



ES1932					\$18,485
	<b>GVW:</b> 3,450	<b>Dims:</b> (L x W x H-in) 68.7 x 32 x 82.8-in	<b>Indoor:</b> Occupants 2, Capacity 507-Ib	<b>Outdoor:</b> Occupants 1, Capacity 507-Ib	Max Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees
ES2632					\$27,065
	<b>GVW:</b> 4,400	<b>Dims:</b> (L x W x H-in) 90.5 x 32 x 93.4-in	<b>Indoor:</b> Occupants 2, Capacity 507-Ib	<b>Outdoor:</b> Occupants 1, Capacity 275-lb	Max Tilt Rating: Indoor side to side 1.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees
ES2646					\$30,500
	<b>GVW:</b> 5,295	<b>Dims:</b> (L x W x H-in) 94.3 x 46 x 89.6-in	<b>Indoor:</b> Occupants 2, Capacity 1,200-lb	<b>Outdoor:</b> Occupants 1, Capacity 1,200-lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees
ES3246					\$33,795
	<b>GVW:</b> 5,620	<b>Dims:</b> (L x W x H-in) 98.5 x 46 x 61.6-in	<b>Indoor:</b> Occupants 2, Capacity 705-lb	<b>Outdoor:</b> Occupants 1, Capacity 507-Ib	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.5 Degrees
ES4046					\$46,795
	<b>GVW:</b> 6,230	<b>Dims:</b> (L x W x H-in) 106.6 x 46 x 99.5-in	<b>Indoor:</b> Occupants 3, Capacity 770-lb	<b>Outdoor:</b> Occupants 1, Capacity 550-lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.5 Degrees

## **STANDARD FEATURES**

	-
PLATFORM SECTION	
36-in (.91-m) Roll-Out Deck Extension	
Fold Down Rails with Self-Closing Gate	
Lanyard Attach Points	
Moveable, Removable Platform Control Box	
Nickel Plated Pins	
QuikFold Rails (ES1932 Only)	
USB Charger and Phone Holster	
CHASSIS SECTION	
AC Electric Drive	
Fork Lift Pockets, Lift from Side and Rear	
Lubrication Free Scissor Arm Bushings	
Machine Tie Downs	
Manual Descent Pull Cable	
Mechanized Pothole Protection	
Scissor Maintenance Prop	
Steel Swing Out Doors	
TIRES	
12.7 x 4-in Solid Non-Marking Tires (ES1932)	
16 x 5-in Solid Non-Marking Tires (ES2632, ES2646, ES3246, ES4046) ELECTRICAL & CONNECTIVITY	
110V-AC Receptacle in Platform	
27 amp Multi-Function Universal Charger	
All Motion Alarm	
ClearSky Smart Fleet <sup>™</sup> Hardware (CS550)	
Four 6V, 220 Amp-Hour Deep Cycle Batteries (ES1932, ES2632, ES2646, ES3246 Only)	
Four 6V, 255 Amp-Hour Deep Cycle Batteries (ES4046 Only)	
Horn	
Hourmeter	
LED Motion / Amber Beacon (CS550)	
MISCELLANEOUS	
Automatic Traction Control (ATC)	
Battery Condition Indicator	
Industry Leading Duty Cycles	
Powder-Coated Paint	
Proportional Controls	
Smart Charger – CAN Enabled	
Tilt Alarm and Light	

### **INDIVIDUAL OPTIONS**

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
Platform Extension Handle	\$170
SkySense <sup>®</sup> Enhanced Detection System - Level I <sup>1</sup>	\$3,715
SkySense <sup>®</sup> Enhanced Detection System - Level II <sup>1</sup>	\$4,130
(ES2632, ES2646, ES3246, ES4046 Only)	
QuikAccess Platform (ES1932 Only)	\$1,395
CHASSIS SECTION	
Multi-Digital Indicator (Ground)	\$210
Drive Motor Covers	\$190
CleanGuard <sup>®</sup> Leak Containment System	\$520
BATTERIES	
4 x 6V AGM Batteries, 220 Ah (ES1932, ES2632, ES2646, ES3246 Only)	\$1,330
4 x 6V AGM Batteries, 260 Ah (ES4046 Only)	\$1,330
Lithium Battery (ES1932, ES2632, ES2646, ES3246 Only)	\$1,695
Lithium+ Batteries (ES1932, ES2632, ES2646, ES3246 Only)	\$3,395
Lithium Batteries (ES4046 Only)	\$3,395
Lithium+ Batteries (ES4046 Only)	\$5,095
ELECTRICAL	
Second Flashing Amber Beacon - LED*	\$195
Inverter 900W	\$1,365
White Noise Backup Alarm	\$600
ACCESSORIES	
1 1/2-in Airline (ES1932, ES2632, ES2646, ES3246 Only)	\$690
Electrician's Tree	\$1,060
Electrician's Package	TBD
Hostile Environment Package <sup>2</sup>	\$125
Pipe Racks	\$1,000
Platform Work Lights	\$880
Panel Carrier	\$1,465
Plumber's Package	TBD
Workstation	\$980
MISCELLANEOUS	
INISCELENTEO OS	
Antivandalism Package <sup>3</sup>	\$320
	\$320 \$500
Antivandalism Package <sup>3</sup>	
Antivandalism Package <sup>3</sup> Fire Extinguisher-Purple K (ES1932, ES2632, ES2646, ES3246 Only)	\$500

Note: Some options may increase lead time, and some option combinations may not be available. 1. Cannot be Used in Conjunction with Soft Touch. 2. Includes Kingpin Protective Caps - ES1932, ES3246, ES4046 Only. 3. Includes Platform and Ground Control Panels W/ Locking Bracket \*Does not replace standard Amber Beacon (CS550). ES1020: Indees and Model Available Consult Externe

ES1932: Indoor-only Model Available, Consult Factory

The JLG "1 & 5" Warranty, Machine Shipments - See Table of Contents Page 2023\_SM\_ES1932(F17), ES2632(F21), ES2646(F24), ES3246(F27), ES4046(D84)



DaVinci® AE1932 \$					
GVW:	Dims: (L x W x H-in)	Indoor: Occupants 2,	Outdoor: Occupants 1,	Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side	
3,475	68.7 x 32 x 83.2-in	Capacity 606-lb	Capacity 606-lb	1.5 Degrees, Fore and aft 3.75 Degrees	

#### **STANDARD FEATURES**

Platform Cable Platform Control Box with LED Indicators QuikFold Rails with Self-Closing Gate Diamond Tread Steel Deck Foot-Actuated Deck Extension Lanyard Attach Points Nickel Plated Pins CHASSIS SECTION Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
QuikFold Rails with Self-Closing Gate Diamond Tread Steel Deck Foot-Actuated Deck Extension Lanyard Attach Points Nickel Plated Pins CHASSIS SECTION Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Diamond Tread Steel Deck Foot-Actuated Deck Extension Lanyard Attach Points Nickel Plated Pins CHASSIS SECTION Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Foot-Actuated Deck Extension Lanyard Attach Points Nickel Plated Pins CHASSIS SECTION Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Lanyard Attach Points Nickel Plated Pins CHASSIS SECTION Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Nickel Plated Pins CHASSIS SECTION Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
CHASSIS SECTION Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Active PHP System Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Dynamic Braking Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Drive Motor Covers Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Fork Lift Pockets Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Greaseless Kingpin Joints Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Maintenance-free AC Drive Motors Lubrication Free Scissor Arm Bushings
Lubrication Free Scissor Arm Bushings
Machine Tie Downs
Manual Descent Cable
Steel Swing-Down Doors
TIRES
12.5 x 4-in Solid Non-Marking Tires
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle in Platform
All Motion Alarm
Battery Charger 650W (Full charge in 3.5 hours)
Charger Plug (110V)
ClearSky Smart Fleet <sup>™</sup> Hardware (CS550)
Horn
Integrated Battery Heater
JLG <sup>®</sup> Mobile Control
LED Motion / Amber Beacon (CS550)
Lithium Ion Battery
MISCELLANEOUS
Battery Condition Indicator
Proportional Controls
Single Drive/Steer Joystick
Tilt Alarm and Light
Variable Tilt Visual Zone Indicator
Wireless Analyzer

#### INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$170
SkySense <sup>®</sup> Enhanced Detection System - Level I	\$3,715
QuikAccess Platform	\$1,395
ELECTRICAL	
Dual Flashing Amber Beacons - LED*	\$195
Inverter	\$1,365
Platform Control Box with LCD Display	\$2,165
900W Charger (Full Charge in 2.5 hrs)	\$740
White Noise Backup Alarm	\$600
ACCESSORIES	
Hostile Environment Package <sup>1</sup>	\$125
Panel Carrier	\$1,465
MISCELLANEOUS	
Antivandalism Package <sup>2</sup>	\$320
Special Paint	Consult Factory
CONNECTIVITY	
Operator Access Control	\$620

1. Includes Kingpin Protective Caps. 2. Includes Platform and Ground Control Panels W/ Locking Bracket \*Does not replace standard Amber Beacon (CS550).

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty, Machine Shipments - See Table of Contents Page 2023\_SM\_AE1932(D71)