Price List

Effective January 1, 2024





JLG® Compact Telehandlers Price List

G5-18A

5,500-lb Capacity • 18-ft 4-in Lift Height

• All Standard Equipment
Package 4
Package Price Adjustments: Foam-Filled Tires 12 x 16.5 \$2,360 Pneumatic Tires 14 x 17.5 \$1,280 Foam-Filled Tires 14 x 17.5 \$3,105 Non-marking Solid Tires 33 x 12 \$4,890 Pneumatic Agriculture Tires 10.5 x 18 \$1,320 Turf Tires 33 x 16 \$2,055
Special Options (Build-to-Order Only):Air Conditioning.\$4,080Tilt Steering (open cab).\$475Universal Skid Steer Coupler (Mechanical)\$2,025Universal Skid Steer Coupler (Hydraulic)\$4,090Special Paint (unleaded) One Color Only.\$1,645Reversing Fan.\$585Reversing Camera System\$2,110Seatbelt Engagement\$295

Standard Features:

- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Three Steering Modes
- Wet Disc Service Brakes
- •12 x 16.5 Tires
- Adjustable Suspension Seat
- Certified ROPS/FOPS Structure
- Mechanical Coupler
- Backup Alarm
- Glow Plugs
- Variable Speed Fan
- Auxiliary Hydraulics
- Open Cab
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- •ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_G5-18A(C35)

JLG® Compact Telehandlers Price List

G5–18A 5,500-lb Capacity • 18-ft 4-in Lift Height

Accessories:	
Engine Block Heater\$240 Work Light Package (Cab — Two Front, Two Rear; Two Boom)\$1,290	
Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signal)	
Battery Disconnect Switch \$355	
Boom Prop. \$500	
Brick Guard (top and front) \$2,300	
Air Intake Pre-Cleaner \$100	
Air intake Fre-cleaner \$100 Air Shut Off Valve \$4,545	
Fenders (set of 4) \$885	
Reverse Sensing. \$2,110	
Neverse sensing	
Attachments:	
Standard Carriage. 50-in ¹	
Side-Tilt Carriage, 48-in ¹	
Side Shifting Carriage, 48-in ¹ \$7,300	
Dual Fork Positioning Carriage, 48-in (forks not included)\(^12\) \$7,950	
Dual Bailing Tine Carriage, 48-in ¹ \$2,005	
Pallet Forks (2) 2 x 4 x 48-in (3,800-lb max. capacity – each)	
Light Material Bucket, 72-in 1.7-cu yd	
General Purpose Bucket, 73-in 1.0-cu yd (2,940-lb max. capacity – each)	
Grapple Bucket, 72-in 1.0-cu yd (2,500-lb max. capacity)	
Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity) ² \$3,355	
Lifting Hook, Fork Mounted\$2,165	
Coupler Mounted Auger ¹	
Auger Bits:	
6-in Bit\$430	
9-in Bit\$620	
12-in Bit\$725	
15-in Bit\$940	
18-in Bit	
Universal Skid Steer Adapter ³ \$3,155	
Available for both standard & universal skid steer coupler. 48-in forks only. New Judy Bersiers Attachments only.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

^{3.} Non-load bearing attachments only.

742 7,000-lb Capacity • 42-ft Lift Height

• All Standard Equipment	\$152,395
• Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$157,155
Package Price Adjustments: Foam-Filled Tires 370/75-28. Pneumatic Tires 13.00 x 24-16PR Foam-Filled Tires 13.00 x 24-12PR Continental Telemaster Solid Tires 315/95-28 Non-Marking Pneumatic Tires 370/75-28. Non-Marking Foam-Filled Tires 370/75-28. Turf Tires 18-625	deduct \$1,035 \$4,295 \$12,910 \$1,100 \$7,030
Special Options (Build-to-Order Only): Cummins QSF 3.8L 110 hp Tier 4 Final Engine Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Special Paint (unleaded) One Color Only Hydraulic Coupler (not available with auxiliary electrics) Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI) Seatbelt Engagement & Operator Presence	\$5,040 \$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985 \$985

Standard Features:

- Cummins QSF 3.8L 74 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_742(C12)

742 7,000-lb Capacity • 42-ft Lift Height

Accessories:	
LED Work Light Package (Two Boom and Four Cab Mounted Lights)	\$1,370
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Brick Guard (top and front)	
Arctic Package ¹	
Wiper Package ² (Skylight and Rear Wiper)	
White Noise Back-up Alarm	
Padlockable Tool Box ³	
Wheel Chocks ⁴	
Air Shut Off Valve	
Fenders (set of 4)	
Reverse Sensing	
Boom Prop	
Attachments:	
Standard Carriage, 50-in	
Standard Carriage, 60-in.	\$2,325
Standard Carriage, 72-in	\$3,375
Side-Tilt Carriage, 50-in.	\$4,790
Side-Tilt Carriage, 60-in	\$5,245
Side-Tilt Carriage, 72-in	\$6,055
Swing Carriage, 72-in 90 Degrees	\$8,255
Side-Shift Carriage, 48-in	\$8,070
Dual Fork Positioning Carriage, 50-in	
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	\$7,580
Tower, 8-ft with 50-in Side-Tilt Carriage ⁵ (4,500-lb max. capacity)	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	⊄1 ⊑1 ⊑
	داد,ا⊄
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	\$1,895
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$1,895 \$2,380
	\$1,895 \$2,380 \$2,845
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$1,895 \$2,380 \$2,845 \$2,080
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each). Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity).	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$4,970
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss Truss Boom, 12-ft (2,000-lb max. capacity).	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$4,970
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,420 \$5,020
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,420 \$5,020 \$5,125
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity).	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,420 \$5,020 \$5,125 \$12,460 \$11,645
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity).	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,420 \$5,020 \$5,125 \$12,460 \$11,645 \$3,355
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each) Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity) Fork-Mounted Extendable Truss Truss Boom, 12-ft (2,000-lb max. capacity) Truss Boom, 15-ft (2,000-lb max. capacity) Truss Boom, 15-ft with Winch (2,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity) Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted. Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with toolbox.	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity) Truss Boom, 15-ft (2,000-lb max. capacity) Truss Boom, 15-ft with Winch (2,000-lb max. capacity) Truss Boom, 3-ft with Winch (4,000-lb max. capacity) Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity) Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵ 1. Includes hydrallic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with toolbox. 5. Requires auxiliary electrics.	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with wheel chocks 4. Not available with wheel chocks 5. Requires auxiliary electrics. 6. 48-in forks only.	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted. Lifting Hook, Fork Mounted. Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with boolbox. 5. Requires auxiliary electrics. 6. 48-in forks only. Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department.	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each). Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each). Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each) Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity). Fork-Mounted Extendable Truss. Truss Boom, 12-ft (2,000-lb max. capacity). Truss Boom, 15-ft (2,000-lb max. capacity). Truss Boom, 12-ft with Winch (2,000-lb max. capacity). Truss Boom, 3-ft with Winch (4,000-lb max. capacity). Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity). Lifting Hook, Coupler Mounted Lifting Hook, Fork Mounted Sheet Material Handler ⁵ 1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Enclosed cab only. 3. Not available with wheel chocks 4. Not available with wheel chocks 4. Not available with toolbox. 5. Requires auxiliary electrics. 6. 48-in forks only. Note: Attachment and option prices shown are only valid when ordered with new machine orders.	\$1,895 \$2,380 \$2,845 \$2,080 \$2,295 \$3,635 \$4,120 \$5,420 \$5,125 \$12,460 \$11,645 \$3,355 \$2,650

943

9,000-lb Capacity · 43-ft Lift Height

\$181,040
\$185,800
\$5,935 deduct \$1,035 \$5,080 \$12,910 \$1,100 \$7,030 \$9,835
deduct \$9,315 \$5,040 \$2,025 \$1,695 \$3,560 \$2,515 \$985

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- •4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- •370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- •Three Steering Modes
- •Integrated Tow Hitch
- •Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- •Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- $\bullet \mathsf{SmartShift}$
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_943(366)

943 9,000-lb Capacity • 43-ft Lift Height

Accessories:	
LED Work Light Package (Two Boom and Four Cab Mounted Lights)	\$1.370
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Brick Guard (top and front)	
Arctic Package ¹	
Wiper Package ² (skylight and rear wiper)	
White Noise Back-up Alarm.	
Padlockable Tool Box ³	
Wheel Chocks ⁴	
Air Shut Off Valve	
Fenders (set of 4)	
Reverse Sensing	
Boom Prop.	
Attachments:	
Standard Carriage, 50-in	\$1,975
Standard Carriage, 60-in.	\$2,325
Standard Carriage, 72-in	\$3,375
Side-Tilt Carriage, 50-in	\$4,790
Side-Tilt Carriage, 60-in	\$5,245
Side-Tilt Carriage, 72-in	\$6,055
Swing Carriage, 72-in 90 Degrees	
Side-Shift Carriage, 48-in	
Dual Fork Positioning Carriage, 50-in	
(Includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	\$7,580
Tower, 8-ft with 50-in Side-Tilt Carriage ^s (4,500-lb max. capacity)	\$18,115
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity).	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Fork-Mounted Extendable Truss (8,000-lb max. capacity).	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	\$5 125
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	
Sheet Material Handler ^s	
1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.	
Enclosed cab only. Not available with wheel chocks	
4. Not available with toolbox.	
5. Requires auxiliary electrics.	
6. 48-in forks only.	
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department.	
Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.	
5 1 W 1 1 1 1 C	

1043

10,000-lb Capacity • 43-ft Lift Height

• All Standard Equipment	\$197,600
Package 4	\$202,360
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 14.00 x 24-16PR Foam-Filled 14.00 x 24-12PR Continental Telemaster™ Solid Tires 360/85-28 Non-Marking Pneumatic Tires 400/75-28. Non-Marking Foam-Filled Tires 400/75-28 Turf Tires 18-625	
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics) Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI) Seatbelt Engagement & Operator Presence	\$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1043(367)

1043

10,000-lb Capacity · 43-ft Lift Height

Accessories:
LED Work Light Package (Two Boom and Four Cab Mounted Lights)
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)
Brick Guard (top and front)\$3,235
Arctic Package ¹ \$8,100
Wiper Package ² (skylight and rear wiper)
White Noise Back-up Alarm\$215
Padlockable Tool Box ³
Wheel Chocks⁴\$325
Air Shut Off Valve\$4,545
Fenders (set of 4)\$2,380
Reverse Sensing\$2,110
Boom Prop
Attachments:
Standard Carriage, 50-in
Standard Carriage, 60-in. \$2,325
Standard Carriage, 72-in \$3,375
Side-Tilt Carriage, 72-III
Side-Tilt Carriage, 50-in
Side-Tilt Carriage, 72-in
Side-Shift Carriage, 48-in
Dual Fork Positioning Carriage. 50-in
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)
Tower, 8-ft with 50-in Side-Tilt Carriage's (4,500-lb max. capacity). \$18,115
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each) \$1,420
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)
Lumber Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity)
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)
Fork-Mounted Extendable Truss (8,000-lb max. capacity)
Truss Boom, 12-ft (2,000-lb max. capacity)
Truss Boom, 15-ft (2,000-lb max. capacity)
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)
Lifting Hook, Coupler Mounted\$2,650
Lifting Hook, Fork Mounted\$2,165
Sheet Material Handler ⁵ \$29,635
Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. Enclosed cab only. Not available with wheel chocks
4. Not available with toolbox.
5. Requires auxiliary electrics.
6. 48-in forks only.
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

¹³⁰

1055

10,000-lb Capacity - 55-ft Lift Height

Package 2	\$228,715
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$233,475
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 14.00 x 24-16PR Foam-Filled Tires 14.00 x 24-12PR Continental Telemaster™ Solid Tires 360/85-28 Non-Marking Pneumatic Tires 400/75-28 Non-Marking Foam-Filled Tires 400/75-28 Turf Tires 18-625	
Special Options (Build-to-Order Only): Air Conditioning Auxiliary Electrics (not available with hydraulic coupler) Ride Control. Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics). Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI) Seatbelt Engagement & Operator Presence.	\$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985

Standard Features:

- Cummins QSF 3.8L 130 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- •Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet[™] Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1055(368)

1055 10,000-lb Capacity • 55-ft Lift Height

Accessories:
LED Work Light Package (Two Boom and Four Cab Mounted Lights)\$1,370
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)
Brick Guard (top and front) \$3,235
Arctic Package ¹ \$8,100
Wiper Package ² (skylight and rear wiper)
White Noise Back-up Alarm\$215
Padlockable Tool Box ³
Wheel Chocks ⁴
Air Shut Off Valve\$4,545
Fenders (set of 4)\$2,380
Reverse Sensing\$2,110
Boom Prop
Attachments:
Standard Carriage, 50-in\$1,975
Standard Carriage, 60-in. \$2,325
Standard Carriage, 72-in\$3,375
Standard Carriage, 96-in\$4,500
Side-Tilt Carriage, 50-in. \$4,790
Side-Tilt Carriage, 60-in \$5,245
Side-Tilt Carriage, 72-in
Swing Carriage, 72-in 90 Degrees
Swing Carriage, 72-in 180 Degrees (8,000-lb max. capacity)
Side-Shift Carriage, 48-in\$8,070
Dual Fork Positioning Carriage, 50-in
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)
Tower, 8-ft with 50-in Side-Tilt Carriage ⁵ (4,500-lb max. capacity)\$18,115
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)\$2,845
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)
Pipe Grapple, 72-in (6,000-lb max. capacity)
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity)
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)
Fork-Mounted Extendable Truss (8,000-lb max. capacity). \$4,970
Truss Boom, 12-ft (2,000-lb max. capacity)
Truss Boom, 15-ft (2,000-lb max. capacity)
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)\$12,460
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)
Lifting Hook, Coupler Mounted\$2,650
Lifting Hook, Fork Mounted\$2,165
Sheet Material Handler ⁵ \$29,635
Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.
2. Enclosed cab only.
3. Not available with wheel chocks
4. Not available with toolbox.
5. Requires auxiliary electrics. 6. 48-in forks only.
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.

1075

10,000-lb Capacity - 75-ft Lift Height

Package 4	5,050
 Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater, Floor Mat) All Standard Equipment 	•
Special Options (Build-to-Order Only):	\$ 5 በ40

ning.......\$5,040 Special Paint (unleaded) One Color Only......\$1,695 Hydraulic Coupler\$3,560 SmartLoad Technology (includes multifunction display with reversing camera and hydraulic coupler). \$13,235 Multi-Function Display and Reversing Camera.....\$2,515 Remote Boom Control......\$7,760

Standard Features:

- Auxiliary Hydraulics
- Cummins QSB 4.5L 160 hp Tier 4 Final Turbo Diesel
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- •17.5-25 SGG Foam-Filled Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- Auxiliary Electrics
- Right Side Electronic Mirror
- Longitudinal Stability Indicator System (LSI)
- Ride Control & Boom Float
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1075(C59)

1075 10,000-lb Capacity • 75-ft Lift Height

Accessories:	
LED Work Lights Package (Cab — Two Front, Two Rear, Four Boom)	\$1,370
LED Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Roof Wiper	
Brick Guards (top and front)	\$3,235
Arctic Package ¹	\$8,100
White Noise Back Up Alarm	
Air Suspension Seat	\$595
Premium Heated Air Suspension Seat	\$1,300
Positive Air Shut Off	·
Fenders (set of 4)	
Reverse Sensing	
Boom Prop	\$500
Attachments:	
Standard Carriage, 50-in	¢1 Q75
Standard Carriage, 60-in.	
Standard Carriage, 72-in	
Standard Carriage, 96-in.	
Side-Tilt Carriage, 50-in.	
Side-Tilt Carriage, 60-in	
Side-Tilt Carriage, 72-in	
Swing Carriage, 72-in 90 Degrees	
Swing Carriage, 72-in 180 Degrees (8,000-lb max. capacity)	
Side-Shift Carriage, 48-in	
Dual Fork Positioning Carriage, 50-in (includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	\$1,420
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	\$1,895
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$2,380
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Fork-Mounted Extendable Truss (8,000-lb max. capacity).	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ² , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	\$2,165
Sheet Material Handler	\$29,635
 Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 48-in forks only. 	

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

1255

12,000-lb Capacity - 55-ft Lift Height

• All Standard Equipment	\$248,690
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$253,450
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 17.5 x 25-16PR Foam-Filled 17.5 x 25-12PR Continental Telemaster™ Solid Tires 360/85-28 Non-Marking Pneumatic Tires 400/75-28 Non-Marking Foam-Filled Tires 400/75-28 Turf Tires 18-625	
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics) Multi-Function Display and Reversing Camera. Load Stability Indication System (LSI) Seatbelt Engagement & Operator Presence	\$2,025 \$2,270 \$1,695 \$3,560 \$2,515 \$985

Standard Features:

- Cummins QSF 3.8L 130 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 Degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet[™] Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1255(369)

1255 12,000-lb Capacity • 55-ft Lift Height

Accessories:	
LED Work Light Package (Two Boom and Four Cab Mounted Lights)	\$1,370
Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	\$1,795
Brick Guard (top and front)	
Arctic Package ¹	\$8,100
Wiper Package ² (skylight and rear wiper)	
White Noise Back-up Alarm	\$215
Padlockable Tool Box ³	
Wheel Chocks⁴	
Air Shut Off Valve	\$4,545
Fenders (set of 4)	\$2,380
Reverse Sensing.	
Boom Prop.	\$500
Attachments:	
Standard Carriage, 50-in	¢1 07E
Standard Carriage, 60-in.	
Standard Carriage, 72-in	
Standard Carriage, 96-in.	
Side-Tilt Carriage, 50-in (12,000-lb max. capacity)	
Side-Tilt Carriage, 60-in (12,000-lb max. capacity)	
Side-Tilt Carriage, 72-in (12,000-lb max. capacity).	
Swing Carriage, 72-in 90 Degrees (10,000-lb max. capacity).	
Swing Carriage, 72-in 180 Degrees (8,000-lb max. capacity)	\$18 525
Side-Shift Carriage, 48-in (12,000-lb max. capacity).	
Dual Fork Positioning Carriage, 50-in	
(12,000-lb max. capacity - includes 2.36 x 5 x 48-in or 2.36 x 5 x 60-in forks)	\$7,580
Dual Fork Positioning Carriage, 72-in	
(12,000-lb max. capacity - includes 2.36 x 5 x 48-in or 2.36 x 5 x 60-in forks)	\$10,950
Tower, 8-ft with 50-in Side-Tilt Carriage ^s (4,500-lb max. capacity)	\$18,115
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	\$1,515
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	\$2,380
Lumber Forks (2) 2 x 7 x 60-in (6,850-lb max. capacity – each)	\$2,845
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Pipe Grapple, 72-in (6,000-lb max. capacity).	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity).	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Fork-Mounted Extendable Truss (8,000-lb max. capacity).	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	\$12,460
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ⁶ , 8-ft (1,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	
Sheet Material Handler ⁵	\$29,635
 includes nydraulic tank neater, battery neater, breatner neater, and cold weather fluids. Enclosed cab only. 	
3. Not available with wheel chocks	
4. Not available with toolbox.	
5. Requires auxiliary electrics. 6. 48-in forks only.	
'	
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.	

1644

15,650-lb Capacity • 43-ft 7-in Lift Height

Package 4	288,135
Tire Options: Foam Filled Tires 17.5-25 SGG Pneumatic Radial Tires 17.5-25	
Special Options (Build-to-Order Only):	
Air Conditioning	
Auxiliary Electrics (not available with hydraulic coupler or dual auxiliary hydraulics)	\$2,025
Ride Control & Boom Float	\$3,890
Hydraulic Coupler (not available with auxiliary electrics)	\$3,560
SmartLoad Technology (includes multifunction display with reversing camera and hydraulic cou	, ,
Special Paint (one color only)	
Reversing Fan	
Multi-Function Display and Reversing Camera	
Remote Boom Control.	\$7,760
Platform Docking Station	
Seatbelt Engagement & Operator Presence	\$985

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp Tier 4 Final Turbo Diesel Engine
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1644(295)

1644 15,650-lb Capacity • 43-ft 7-in Lift Height

Accessories:
LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom)
LED Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)
Roof Wiper
Brick Guards (top and front)
Boom Brushes\$1,155
Arctic Package ¹ \$8,100
White Noise Back Up Alarm\$215
Air Suspension Seat
Premium Heated Air Suspension Seat
Dual Auxiliary Hydraulics (not available with auxiliary electrics)\$2,270
Air Shut Off Valve\$4,545
Fenders (set of 4)
Reverse Sensing\$2,110
Boom Prop
·
Attachments:
Standard Carriage 60-in
Standard Carriage 72-in. \$3,785
Standard Carriage 87-in\$5,255
Dual Fork Positioning Carriage 72-in (no forks)
Side-Shift Carriage with Dual Fork Positioning 72-in (no forks) 2
Pallet Forks (2) 2.36 x 6 x 48-in. \$1,710
Pallet Forks (2) 2.36 x 6 x 60-in. \$2,080
Pallet Forks (2) 2.36 x 6 x 72-in\$2,540
Pallet Forks (2) 2.36 x 6 x 96-in. \$3,245
General Purpose Bucket 94-in 2.6-cu yd (16,755-lb max. capacity)
Light Material Bucket 94-in 5.2-cu yd (9,415-lb max. capacity)
Multipurpose 4-in-1 Bucket 94-in 1.3-cu yd (4,500-lb max. capacity)\$32,600
Grapple Bucket 94-in 1.7-cu yd (12,000-lb max. capacity)\$9,995
Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity) ³
Material Handling Arm (15,650-lb max. capacity)
Hook, Coupler Mounted (16,750-lb max. capacity)
Winch, Coupler Mounted (8,000-lb max. capacity)
Lifting Hook, Fork Mounted (15,000-lb max. capacity)
Pipe Grapple 96-in (8,000-lb max. capacity)\$20,765
Log Handler 80-in (8,000-lb max. capacity)
Steel Coil Handler (16,750-lb max. capacity). \$6,490
Fork-Mounted Extendable Truss (8,000-lb max. capacity)
Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. Requires dual auxiliary hydraulics. 48-in forks only.

^{.40-}III (URS UNIV.)
Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

16,755-lb Capacity - 31-ft 8-in Lift Height

Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater) • All Standard Equipment	268,885
Tire Options: Foam-Filled Tires 17.5-25 SGG	\$7,355 \$3,785
Special Options (Build-to-Order Only):	
Air Conditioning	
Auxiliary Electrics (not available with hydraulic coupler or dual auxiliary hydraulics)	\$2,025
Ride Control & Boom Float	
Hydraulic Coupler (not available with auxiliary electrics)	\$3,560
SmartLoad Technology (includes multifunction display with reversing camera and hydraulic coup	ler) . \$13,235
Special Paint (one color only)	\$1,695
Reversing Fan	
Multi-Function Display and Reversing Camera	\$2,515
Remote Boom Control	\$7,760
Platform Docking Station	
Seatbelt Engagement & Operator Presence	\$985

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp Tier 4 Final Turbo Diesel Engine
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_1732(290)

1732 16,755-lb Capacity • 31-ft 8-in Lift Height

Accessories:	
LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom)	
LED Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Roof Wiper\$545	
Brick Guards (top and front) \$3,235	,
Boom Brushes	
Arctic Package ¹ \$8,100	
White Noise Back Up Alarm\$215	į
Air Suspension Seat\$595	
Premium Heated Air Suspension Seat\$1,300	
Dual Auxiliary Hydraulics (not available with auxiliary electrics)\$2,270	
Air Shut Off Valve\$4,545	į
Fenders (set of 4)\$2,380	
Reverse Sensing\$2,110	
Boom Prop\$500	
Attachmanta	
Attachments:	
Standard Carriage 60-in \$3,150	
Standard Carriage 72-in. \$3,785	
Standard Carriage 87-in\$5,255	
Dual Fork Positioning Carriage 72-in (no forks)	
Side-Shift Carriage with Dual Fork Positioning 72-in (no forks) 2	
Pallet Forks (2) 2.36 x 6 x 48-in	
Pallet Forks (2) 2.36 x 6 x 60-in. \$2,080	
Pallet Forks (2) 2.36 x 6 x 72-in\$2,540	
Pallet Forks (2) 2.36 x 6 x 96-in	
General Purpose Bucket 94-in 2.6-cu yd (16,755-lb max. capacity)	
Light Material Bucket 94-in 5.2-cu yd (9,415-lb max. capacity)\$7,680	
Multipurpose 4-in-1 Bucket 94-in 1.3-cu yd (4,500-lb max. capacity). \$32,600	
Multipurpose 4-in-1 Bucket 94-in 2.6-cu yd (9,000-lb max. capacity)	
Grapple Bucket 94-in 1.7-cu yd (12,000-lb max. capacity)	
Grapple Bucket 94-in 2.6-cu yd (15,000-lb max. capacity)	
Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity) ³	
Material Handling Arm (15,650-lb max. capacity)\$7,030	
Hook, Coupler Mounted (16,750-lb max. capacity)	
Winch, Coupler Mounted (8,000-lb max. capacity). \$17,630	
Lifting Hook, Fork Mounted (15,000-lb max. capacity)	
Pipe Grapple 96-in (8,000-lb max. capacity) \$20,765	
Log Handler 80-in (8,000-lb max. capacity)	
Steel Coil Handler (16,750-lb max. capacity)	
Fork-Mounted Extendable Truss (8,000-lb max. capacity)	
Tire Handler ² \$67,595	
1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.	

^{1.} Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids. 2. Requires dual auxiliary hydraulics.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

2733

26,600-lb Capacity - 33-ft 1-in Lift Height

Package 4	88,640
Tire Options: Foam-Filled Tires 17.5-25 CAMSO L2 Pneumatic 17.5-25 CAMSO L3. Foam-Filled Tires 17.5-25 CAMSO L3.	\$1,035
Special Options (Build-to-Order Only): Air Conditioning	\$3,890 \$3,560 er) . \$13,235 \$1,695 \$7,140 \$2,515
Remote Boom Control. Platform Docking Station Seatbelt Engagement & Operator Presence	\$7,760 \$465

- **Machine Shipments:** • Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_2733(E16)

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Cummins QSB4.5L Tier 4 F
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 CAMSO L2 Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Boom-Mounted Lifting Lug
- Auxiliary Electrics
- Load Stability Indication (LSI)
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

2733 26,600-lb Capacity · 33-ft 1-in Lift Height

Accessories:	
LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom)	\$1,370
LED Road Light Package (Headlights, Tail Lights, Brake Lights & Turn Signals)	
Roof Wiper	
Brick Guards (top and front)	\$3,235
Boom Brushes	\$1,155
Arctic Package ¹	\$8,100
White Noise Back Up Alarm	\$215
Air Suspension Seat	\$595
Premium Heated Air Suspension Seat	\$1,300
Dual Auxiliary Hydraulics	\$2,270
Air Shut Off Valve	\$4,545
Fenders (set of 4)	\$2,380
Reverse Sensing	\$2,110
Boom Prop	\$500
Attachments:	
	¢4.025
Standard Carriage 60-in	
Standard Carriage 72-in.	
Standard Carriage 87-in	
Dual Fork Positioning Carriage 72-in (no forks)	
Pallet Forks (2) 2.75 x 7.87 x 48-in.	•
Pallet Forks (2) 2.75 x 7.87 x 60-in Pallet Forks (2) 2.75 x 7.87 x 72-in.	
Pallet Forks (2) 2.75 x 7.87 x 96-in.	
General Purpose Bucket 94-in 3.9-cu yd (26,455-lb max. capacity).	
Light Material Bucket 102-in 6.5-cu yd (9,415-lb max. capacity).	
Grapple Bucket 94-in 3.9-cu yd (15,000-lb max. capacity).	
Fork-Mounted Work Platform 8-ft (1,000-lb max. capacity) ³	•
Winch, Coupler Mounted (8,000-lb max. capacity).	
Pipe Grapple 96-in (8,000-lb max. capacity).	
Log Handler 80-in (8,000-lb max. capacity)	•
Steel Coil Handler (26,600-lb max. capacity).	
Tire Handler ²	
Material Handling Arm (24,000-lb max. capacity).	
1. Includes hydraulic tank heater, battery heater, breather heater, and cold weather fluids.	μισ,433
i. includes nyuradiic talik heatel, battery heatel, breather heatel, and cold weather HUIOS.	

^{2.} Requires dual auxiliary hydraulics.

Netjuries usua navaniany injuriousilis.
 48-in forks only.
 Note: Attachment and option prices shown are only valid when ordered with new machine orders.
 Prices for these items will vary when ordered separately from the JLG Parts Department.
 Prices subject to change without notice.

R11100

11,000-lb Capacity • 97-ft Lift Height

• Enclosed Cab • All Standard Equipment	\$677,100
Tire Options: Pneumatic Tires, Mitas AR01 18X22.5 (Turf Tread) Pneumatic Tires, Aeolus AGP23 18X22.5 (Lug Tread)	(\$7,500) (\$7,500)
Special Options (Build-to-Order Only): Hydraulic Coupler Dual Auxiliary Hydraulics	

Standard Features:

- •3" Retractable Seat Belt
- Reversing Camera
- Remote Boom Control
- Heat and Air Conditioning
- Foam Filled Tires
- Adjustable Steering Column
- Adjustable Suspension Seat
- Battery Disconnect
- Manual Decent System
- Auxiliary Hydraulics
- Auxiliary Electrics
- 2-Speed Hydrostatic Transmission
- Dual Joystick Proportional Controls
- Four Wheel Drive
- +/- 6 Degree Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- Mechanical Coupler
- Back Up Alarm
- Engine Block Heater
- Inching
- Boom Soft Stop
- •LSI (Longitudinal Stability Indicator System)
- LMIS (Load Management Information System)
- Continuous Auxiliary Flow
- Front & Rear Wheel Alignment Assist
- Retractable Sunscreen
- Attachment Recognition
- •168 HP Fiat FPT NEF-N4.5 T4F
- LED Worklight Package (Boom and Cab Lights)
- Outrigger Pads
- Standard Carriage and Forks 48-in
- Boom Mounted Camera System
- Telematics Ready

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_R11100(E64)

R11100 11,000-lb Capacity • 97-ft Lift Height

Accessories:

Brick Guard (Full)	
Willite Noise Back Op Alailli	
Attachments:	
General Purpose Bucket 94.5-in 2.0 cu yd	\$9,180
Truss Boom, 8-ft (2,600-lb max capacity)	\$7,100
Truss Boom, 9-ft with Winch (3,300-lb max capacity)	\$29,900
Fork Positioning Carriage 48-in ¹	\$10,950
360 Degree Rotating Carriage 48-in (5,500 max capacity) ^{1,2}	\$58,500
Work Platform 7-ft (660-lb max capacity).	\$13,500
Extendable Trilateral Work Platform (8 - 13.5-ft)	\$27,000
Coupler Mounted Winch (11,000-lb max capacity)	\$33,150
Coupler Mounted Hook	\$3,850

^{1.} Includes 48-in forks. 2. Requires dual auxiliary hydraulics.

R1370

13,200-lb Capacity - 67-ft Lift Height

Package 4	\$499,850
Enclosed Cab All Standard Equipment	•
Tire Options:	
Pneumatic Tires, Mitas AR01 18X22.5 (Turf Tread)	(\$7,500)
Pneumatic Tires, Camso TM R4 18X22.5 (Lug Tread)	(\$7,500)
Special Options (Build-to-Order Only):	
Hydraulic Coupler	\$3,560
Dual Auxiliary Hydraulics	\$2.500

Standard Features:

- •3" Retractable Seat Belt
- Reversing Camera
- Remote Boom Control
- Heat and Air Conditioning
- Foam Filled Tires
- Adjustable Steering Column
- Adjustable Suspension Seat
- Battery Disconnect
- Manual Decent System
- Auxiliary Hydraulics
- Auxiliary Electrics
- 2-Speed Hydrostatic Transmission
- Dual Joystick Proportional Controls
- Four Wheel Drive
- +/- 5.5 Degree Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- Mechanical Coupler
- Back Up Alarm
- Engine Block Heater
- Inching
- Boom Soft Stop
- •LSI (Longitudinal Stability Indicator System)
- LMIS (Load Management Information System)
- Continuous Auxiliary Flow
- Front & Rear Wheel Alignment Assist
- Retractable Sunscreen
- Attachment Recognition
- 134 HP Perkins 904J-E36TA T4F
- LED Worklight Package (Boom and Cab Lights)
- Outrigger Pads
- Standard Carriage and Forks 48-in
- Boom Mounted Camera System
- Telematics Ready

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_R1370(E62)

R1370

13,200-lb Capacity · 67-ft Lift Height

Accessories: Brick Guard (Full) \$3,235 White Noise Back Up Alarm. \$215 Attachments: General Purpose Bucket 94.5 in 2.0 cu yd. \$9,180 Truss Boom, 8-ft (2,600-lb max capacity) \$7,100 Truss Boom, 9-ft with Winch (3,300-lb max capacity) \$29,900 Fork Positioning Carriage 48-in¹ \$10,950 360 Degrees Rotating Carriage 48-in (5,500 max capacity) \$58,500 Work Platform 7-ft (660-lb max capacity) \$13,500 Extendable Trilateral Work Platform (8 - 13.5-ft) \$27,000

Coupler Mounted Winch (11,000-lb max capacity) \$33,150
Coupler Mounted Hook. \$3,850

^{1.} Includes 48-in forks.

^{2.} Requires dual auxiliary hydraulics.

R1385

13,200-lb Capacity • 84-ft 6-in Lift Height

Package 4	\$530,850
Enclosed Cab All Standard Equipment	·
Tire Options:	
Pneumatic Tires, Mitas AR01 18X22.5 (Turf Tread)	(\$7,500)
Pneumatic Tires, Aeolus AGP23 18X22.5 (Lug Tread)	(\$7,500)
Special Options (Build-to-Order Only):	
Hydraulic Coupler	\$3,560
Dual Auxiliary Hydraulics	\$2,500

Standard Features:

- •3" Retractable Seat Belt
- Reversing Camera
- Remote Boom Control
- Heat and Air Conditioning
- Foam Filled Tires
- Adjustable Steering Column
- Adjustable Suspension Seat
- Battery Disconnect
- Manual Decent System
- Auxiliary Hydraulics
- Auxiliary Electrics • 2-Speed Hydrostatic Transmission
- Dual Joystick Proportional Controls
- Four Wheel Drive
- +/- 6 Degree Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- Mechanical Coupler
- Back Up Alarm
- Engine Block Heater
- Inching
- Boom Soft Stop
- •LSI (Longitudinal Stability Indicator System)
- LMIS (Load Management Information System)
- Continuous Auxiliary Flow
- Front & Rear Wheel Alignment Assist
- Retractable Sunscreen
- Attachment Recognition
- •168 HP Fiat FPT NEF-N4.5 T4F
- LED Worklight Package (Boom and Cab Lights)
- Outrigger Pads
- Standard Carriage and Forks 48-in
- Boom Mounted Camera System
- Telematics Ready

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_R1385(E63)

R1385

13,200-lb Capacity • 84-ft 6-in Lift Height

Accessories:\$3,235Brick Guard (Full)\$3,235White Noise Back Up Alarm\$215Attachments:\$9,180General Purpose Bucket 94.5-in 2.0 cu yd\$9,180Truss Boom, 8-ft (2,600-lb max capacity)\$7,100Truss Boom, 9-ft with Winch (3,300-lb max capacity)\$29,900

 Truss Boom, 8-ft (2,600-lb max capacity)
 \$7,100

 Truss Boom, 9-ft with Winch (3,300-lb max capacity)
 \$29,900

 Fork Positioning Carriage 48-in¹
 \$10,950

 360 Degrees Rotating Carriage 48-in. (5,500 max capacity)¹.²
 \$58,500

 Work Platform 7-ft (660-lb max capacity)
 \$13,500

 Extendable Trilateral Work Platform (8 - 13.5-ft)
 \$27,000

 Coupler Mounted Winch (11,000-lb max capacity)
 \$33,150

 Coupler Mounted Hook
 \$3,850

^{1.} Includes 48-in forks.

^{2.} Requires dual auxiliary hydraulics.