Price List

Effective January 1, 2024





3013

2,700-lb Capacity • 13-ft 1 in Lift Height

• All standard features, Enclosed cab, Hydraulic universal skid steer coupler, 41-in standard UNIV carriage with bolt on backrest, 48-in pallet forks, Cold weather package

Package Price Adjustments:

• 2,360-lb capacity

Foam-Filled 11.0/65 x 12 Ag Tread Tires	\$2,360
Pneumatic 27 x 10-12 Non-marking Tires	\$5,060
Foam-Filled 27 x 10-12 Non-marking Tires	\$7,185
Turf Tires 26 x 12.00-12.	\$1.790

1. Cold weather package includes cold weather fluids and block heater.

Standard Features:

- Kubota V-1505 24.8 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Rear Pivot Steering
- 11.0/65 x 12 Pneumatic Ag Tread Tires
- Longitudinal Stability Indication System
- Auxiliary Hydraulics
- Adjustable Suspension Seat
- Certified FOPS/ROPS Structure
- Backup Alarm
- Telematics Ready
- Rotating Amber Beacon
- Integrated Tow Hitch
- Battery Disconnect
- Integrated Arm Rest
- Seatbelt Engagement & Operator Presence

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_3013(E09)



3013

2,700-lb Capacity • 13-ft 1 in Lift Height

Accessories: Wiper Package (Roof & Rear) Work Lights (Two Front & One Rear) Font Brick Guard 2 inch Ball Hitch Legacy ClearSky. Boom Prop.	\$1,160 \$1,480 \$395 Consult Factory
Attachments: General Purpose Bucket 55 inch (Universal Coupler) General Purpose Bucket 55 inch (JLG Coupler)	

6034

6,000-lb Capacity - 34-ft 5-in Lift Height

• All Standard Equipment	\$136,500
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	\$143,640
Package Price Adjustments: Foam-Filled Tires 15 X 19.5 Solid Tires 315/85-20 Non-Marking Pneumatic Tires 15 X 19.5 Non-Marking Foam-Filled Tires 15 X 19.5 Turf Tires 18-625	\$9,910 \$1,100 \$4,030
Special Options (Build-to-Order Only): Air Conditioning	
and Cold Weather Fluids)	\$1,550 \$985
seaturit Lilyagement & Operator Fresence	

Standard Features:

- Auxiliary Hydraulics
- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/-10 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- •15-19.5 Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Tow Hitch
- Integrated Arm Rest
- Inching
- Boom-Mounted Lifting Lug
- LCD Display
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_6034(F14)



6034

6,000-lb Capacity • 34-ft 5-in Lift Height

Accessories: LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)
LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals,
Work Light Package less two front)
White Noise Back-up Alarm\$215
Air Shut Off Valve\$4,545
Fenders (set of 4)
Reverse Sensing\$2,110
Boom Prop
•
Attachments:
Standard Carriage, 50-in. \$1,975
Standard Carriage, 60-in. \$2,325
Standard Carriage, 72-in. \$3,375
Side-Tilt Carriage, 50-in\$4,790
Side-Tilt Carriage, 60-in\$5,245
Side-Tilt Carriage, 72-in\$6,055
Swing Carriage, 72-in. 90 degrees\$8,255
Side-Shift Carriage, 48-in. \$8,070
Dual Fork Positioning Carriage, 50-in.
(includes 2.36 x 4 x 48-in. or 2.36 x 4 x 60-in. forks)
Pallet Forks (2) 2.36 x 4 x 48-in. (5,475-lbs. max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 48-in. (6,850-lbs. max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 60-in. (6,850-lbs. max. capacity – each)
Lumber Forks (2) 2 x 6 x 72-in. (6,610-lbs. max. capacity – each)
Lumber Forks (2) 2 x 7 x 60-in. (5,400-lbs. max. capacity – each)
Lumber Forks (2) 2.36 x 6 x 60-in. (8,150-lbs. max. capacity – each)
Cubing Forks (6) 2 x 2 x 48-in. (1,940-lbs. max. capacity – each)
Material Bucket, 72-in. 1.0 cu yd (2,940-lbs. max. capacity)
Material Bucket, 96-in. 1.5 cu yd (4,410-lbs. max. capacity)
Material Bucket, 102-in. 2.0 cu yd (5,885-lbs. max. capacity)
Fork-Mounted Extendable Truss\$4,970
Truss Boom, 12-ft (2,000-lbs. max. capacity)
Truss Boom, 15-ft (2,000-lbs. max. capacity)
Truss Boom, 12-ft with Winch (2,000-lbs. max. capacity)\$12,460
Truss Boom, 3-ft with Winch (4,000-lbs. max. capacity)
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lbs. max. capacity)
Lifting Hook, Coupler mounted\$2,650
Lifting Hook, Fork mounted\$2,165
1. 48-in. forks only.

.

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

6042

6,000-lb Capacity - 42-ft 4-in Lift Height

•All Standard Equipment	\$151,055
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	\$158,175
Package Price Adjustments:	
Foam-Filled Tires 15 X 19.5	\$2,935
Solid Tires 315/85-20	\$9,910
Non-Marking Pneumatic Tires 15 X 19.5	\$1,100
Non-Marking Foam-Filled Tires 15 X 19.5	\$4,030
Turf Tires 18-625	\$6,835
Special Options (Build-to-Order Only):	
Air Conditioning	
Special Paint (unleaded) One Color Only	\$1,695
Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater and Cold Weather Fluids)	\$7,135
Multi-Reverse Camera System	\$1,550
Load Stability Indication System (LSI)	
Seatbelt Engagement & Operator Presence	\$985

Standard Features:

- Auxiliary Hydraulics
- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/-10 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 15-19.5 Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Tow Hitch
- Integrated Arm Rest
- Inching
- Boom-Mounted Lifting Lug
- LCD Display
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_6042(F15)



6042 6,000-lb Capacity • 42-ft 4-in Lift Height

Accessories:	
LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)	1,370
LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals,	
Work Light Package less two front)	
White Noise Back-up Alarm	
Air Shut Off Valve\$4	,545
Fenders (set of 4)	,380
Reverse Sensing\$	•
Boom Prop	5500
Attachments:	
Standard Carriage, 50-in\$	1.975
Standard Carriage, 60-in. \$2	
Standard Carriage, 72-in.	•
Side-Tilt Carriage, 50-in\$4	•
Side-Tilt Carriage, 60-in. \$5	
Side-Tilt Carriage, 72-in	
Swing Carriage, 72-in. 90 degrees\$8	
Side-Shift Carriage, 48-in	
Dual Fork Positioning Carriage, 50-in.	,0.0
(includes 2.36 x 4 x 48-in. or 2.36 x 4 x 60-in. forks)	.580
Pallet Forks (2) 2.36 x 4 x 48-in. (5,475-lbs. max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in. (6,850-lbs. max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in. (6,850-lbs. max. capacity – each)	
Lumber Forks (2) 2 x 6 x 72-in. (6,610-lbs. max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in. (5,400-lbs. max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in. (8,150-lbs. max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in. (1,940-lbs. max. capacity – each)	•
Material Bucket, 72-in. 1.0 cu yd (2,940-lbs. max. capacity)	
Material Bucket, 96 in. 1.5 cu yd (4,410-lbs. max. capacity)\$4	
Material Bucket, 102-in. 2.0 cu yd (5,885-lbs. max. capacity)	
Fork-Mounted Extendable Truss	
Truss Boom, 12-ft (2,000-lbs. max. capacity)\$5	.020
Truss Boom, 15-ft (2,000-lbs. max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lbs. max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lbs. max. capacity)	
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lbs. max. capacity)	
Lifting Hook, Coupler mounted\$2	
Lifting Hook, Fork mounted\$	
g	-,
1. 48-in. forks only.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

8042

8,000-lb Capacity · 42-ft 4-in Lift Height

• All Standard Equipment	.\$164,960
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	.\$172,095
Package Price Adjustments:	
Foam-Filled Tires 370/75-28.	\$5,935
Pneumatic Tires 15.5 x 25	
Foam-Filled Tires 15.5 x 25	
Continental Telemaster™ Solid Tires 315/95-28	
Non-Marking Pneumatic Tires 370/75-28	
Non-Marking Foam-Filled Tires 370/75-28	
Turf Tires 18-625	\$9,835
Special Options (build-to-order only):	
Air Conditioning	\$5,040
Special Paint (unleaded) One Color Only	\$1,695
Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater and	
Cold Weather Fluids)	
Multi-Reverse Camera System	
Load Stability Indication System (LSI)	
Seatbelt Engagement & Operator Presence	\$985

Standard Features:

- Deutz TD 2.9 L4 74 hp Diesel Engine
- 4-Wheel Drive
- ±10 Degrees Frame Leveling
- Three Steering Modes
- Hydrostatic Transmission
- Wet Disc Service Brakes
- 370/75-28 Duraforce Pneumatic Tires
- Steering Wheel Mounted Horn
- Backup Alarm
- Glow Plugs
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt & Auxiliary Hydraulics on Joystick
- Integrated Tow Hitch
- Open Cab
- Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LCD Display
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_8042(E75)



8042 8,000-lb Capacity • 42-ft 4-in Lift Height

Accessories: LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light) \$1,370 LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals, Work Light Package less two front) \$2,650 White Noise Back-up Alarm \$215 Air Shut Off Valve \$4,545 Fenders (set of 4) \$2,380 Reverse Sensing \$2,110	s 5 5
Boom Prop. \$500	
Attachments:	
Standard Carriage, 50-in	5
Standard Carriage, 60-in. \$2,325	
Standard Carriage, 72-in \$3,375	
Side-Tilt Carriage, 50-in\$4,790	
Side-Tilt Carriage, 60-in\$5,245	
Side-Tilt Carriage, 72-in\$6,055	5
Swing Carriage, 72-in 90 Degrees\$8,255	
Side-Shift Carriage, 48-in)
Dual Fork Positioning Carriage, 50-in	
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in (5,400-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each) \$2,080	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity). \$3,635	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity). \$4,120	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity) \$5,125	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Lifting Hook, Coupler Mounted	
Lifting Hook, Couplet Mounted	
Lincing 1100k, 101k Widunteu	,
1.48-in forks only	

1. 48-in forks only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

10042

10,000-lb Capacity - 42-ft 1-in Lift Height

Package 2 • All Standard Equipment	.\$190,990
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	.\$198,125
Package Price Adjustments:	
Foam-Filled Tires 400/75-28	\$7,710
Pneumatic Tires 17.5 x 25.	deduct \$1,035
Foam-Filled Tires 17.5 x 25.	
Continental Telemaster™ Solid Tires 360/85-28	\$13,820
Non-Marking Pneumatic Tires 400/75-28	
Non-Marking Foam-Filled Tires 400/75-28	\$9,195
Turf Tires 18-625	\$9,835
Special Options (Build-to-Order Only):	
Air Conditioning	\$5,040
Special Paint (unleaded) One Color Only	\$1,695
Cummins QSF 3.8L 74 hp Tier 4 Final Engine	deduct \$9,315
Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater and Cold Weather Fluids)	
Multi-Reverse Camera System	
Seatbelt Engagement	
Seatocit Linguigement	

- **Machine Shipments:** • Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_10042(347)

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Wheel Drive
- ±10 Degrees Frame Leveling
- Three Steering Modes
- 4-Speed Modulated Powershift, Transmission
- Planetary Front and Rear Axles with Hydraulically Actuated Wet Disc Brakes
- 400/75-28 Duraforce Pneumatic Tires
- Steering Wheel Mounted Horn
- Backup Alarm
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Air Intake Heater and Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt on Joystick
- Integrated Tow Hitch
- Open Cab
- Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

10042

10,000-lb Capacity • 42-ft 1-in Lift Height

Accessories:
LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)
LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals, Work Light Package less
two front)\$2,650
White Noise Back-up Alarm\$215
Air Shut Off Valve\$4,545
Fenders (set of 4)\$2,380
Reverse Sensing\$2,110
Boom Prop
Attachments:
Standard Carriage, 50-in
Standard Carriage, 60-in\$2,325
Standard Carriage, 72-in
Standard Carriage, 96-in
Side-Tilt Carriage, 50-in. \$4,790
Side-Tilt Carriage, 60-in
Side-Tilt Carriage, 72-in
Swing Carriage, 72-in 90 Degrees
Side-Shift Carriage, 48-in
Dual Fork Positioning Carriage, 50-in (includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)
Pallet Forks (2) 2.36 x 4 x 48-in (6,850-lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 40-in (6,850-lb max. capacity - each)
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each) \$2,380
Lumber Forks (2) 2 x 7 x 60-in (5,400-lb max. capacity – each)
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity — each)
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity) \$3,635
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)
Pipe Grapple, 72-in (2,000 max. capacity). \$15,180
Fork-Mounted Extendable Truss (8,000-lb max. capacity). \$4,970
Truss Boom, 12-ft (2,000-lb max. capacity)
Truss Boom, 15-ft (2,000-lb max. capacity) \$5,125
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lb max. capacity)\$3,355
Lifting Hook, Coupler Mounted
Lifting Hook, Fork Mounted \$2,165
1. 48-in forks only.
i. To in folia only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037789

10054

10,000-lb Capacity - 53-ft 2-in Lift Height

Package 2	\$220,660
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	\$227,800
Package Price Adjustments:	
Foam-Filled Tires 400/75-28	\$7,710
Pneumatic Tires 17.5 x 25.	deduct \$1,035
Foam-Filled Tires 17.5 x 25.	
Continental Telemaster™ Solid Tires 360/85-28	
Non-Marking Pneumatic Tires 400/75-28.	
Non-Marking Foam-Filled Tires 400/75-28	
Turf Tires 18-625	
Special Options (Build-to-Order Only):	
Air Conditioning.	\$5,040
Special Paint (unleaded) One Color Only	\$1,695
Cummins QSF 3.8L 74 hp Tier 4 Final Engine	
Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater ar Cold Weather Fluids)	nd
Multi-Reverse Camera System	
Seatbelt Engagement	

- **Machine Shipments:** • Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty
We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_10054(348)

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Wheel Drive
- ±10 Degrees Frame Leveling
- Three Steering Modes
- 4-Speed Modulated Powershift, Transmission
- Planetary Front and Rear Axles with Hydraulically Actuated Wet Disc Brakes
- 400/75-28 Duraforce Pneumatic Tires
- Steering Wheel Mounted Horn
- Backup Alarm
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Air Intake Heater and Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt on Joystick
- Integrated Tow Hitch
- Open Cab
- Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

10054

10,000-lb Capacity • 53-ft 2-in Lift Height

LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light) LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals, V	
two front)	
White Noise Back-up Alarm	
Air Shut Off Valve	
Fenders (set of 4)	·
Reverse Sensing	
Boom Prop	\$500
Attachments:	
Standard Carriage, 50-in.	\$1.975
Standard Carriage, 60-in.	
Standard Carriage, 72-in	
Standard Carriage, 96-in	\$7,500
Side-Tilt Carriage, 50-in.	\$4,790
Side-Tilt Carriage, 60-in	\$5,245
Side-Tilt Carriage, 72-in	\$6,055
Swing Carriage, 72-in 90 Degrees	\$8,255
Side-Shift Carriage, 48-in	\$8,070
Dual Fork Positioning Carriage, 50-in	
(includes 2.36 x 4 x 48-in or 2.36 x 4 x 60-in forks)	
Pallet Forks (2) 2.36 x 4 x 48-in (5,475-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each)	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in (5,400-lb max. capacity – each)	
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity).	
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)	
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Pipe Grapple, 72-in (2,000-lb max. capacity)	
Fork-Mounted Extendable Truss (8,000-lb max. capacity).	
Truss Boom, 12-ft (2,000-lb max. capacity)	
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Lifting Hook, Coupler MountedLifting Hook, Fork Mounted	
LITTIO FOOK FOLKIVIOUNIPO	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037789

12054

Da ales ara 2

12,000-lb Capacity • 53-ft 2-in Lift Height

•All Standard Equipment	.\$243,360
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front & Roof Wiper, Heater) • All Standard Equipment	.\$250,495
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 17.5 x 25. Foam-Filled Tires 17.5 x 25. Continental Telemaster™ Solid Tires 360/85-28 Non-Marking Pneumatic Tires 400/75-28 Non-Marking Foam-Filled Tires 400/75-28 Turf Tires 18-625	deduct \$1,035 \$6,955 \$13,820 \$3,025 \$9,195
Special Options (Build-to-Order Only): Air Conditioning. Special Paint (unleaded) One Color Only. Cummins QSF 3.8L 74 hp Tier 4 Final Engine. Cold Weather Package (includes Hydraulic Tank Heater, Battery Heater, Breather Heater and Cold Weather Fluids). Multi-Reverse Camera System. Seatbelt Engagement	\$1,69! deduct \$9,31! \$7,13! \$1,550

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Wheel Drive
- ±10 Degrees Frame Leveling
- Three Steering Modes
- 4-Speed Modulated Powershift, Transmission
- Planetary Front and Rear Axles with Hydraulically Actuated Wet Disc Brakes
- 400/75-28 Duraforce Pneumatic Tires
- Steering Wheel Mounted Horn
- Backup Alarm
- Mechanical Coupler
- Stabil-Trak Stability System
- Adjustable Suspension Seat
- Air Intake Heater and Engine Block Heater
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt on Joystick
- Integrated Tow Hitch
- Open Cab
- Integrated Arm Rest
- Boom-Mounted Lifting Lug
- LED Motion / Amber Beacon (CS550)
- ClearSky Smart Fleet™ Hardware (CS550)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" WarrantyWe provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

2024_SM_12054(C56)



12054 12,000-lb Capacity • 53-ft 2-in Lift Height

Accessories:	
LED Work Light Package (Two Front and Two Rear Mounted Lights, Boom Light)	
LED Roadlight/Worklight Package (Headlights, Tail Lights, Brake Lights, Turn Signals, Work Light Patwo front)	
White Noise Back-up Alarm.	
Air Shut Off Valve	
Fenders (set of 4)	
Reverse Sensing.	
Boom Prop.	
Attachments:	
Standard Carriage, 50-in.	¢1 075
Standard Carriage, 60-in.	-
Standard Carriage, 72-in	
Standard Carriage, 96-in.	
Side-Tilt Carriage, 50-in.	
Side-Tilt Carriage, 60-in	
Side-Tilt Carriage, 72-in	
Swing Carriage, 72-in 90 Degrees	
Side-Shift Carriage, 48-in.	
Dual Fork Positioning Carriage, 50-in	
(includes 2.36 x 5 x 48-in or 2.36 x 5 x 60-in forks)	\$7,580
Pallet Forks (2) 2.36 x 5 x 48-in (6,850-lb max. capacity – each).	
Pallet Forks (2) 2.36 x 5 x 60-in (6,850-lb max. capacity - each)	
Pallet Forks (2) 2 x 6 x 72-in (6,610-lb max. capacity – each)	
Lumber Forks (2) 2 x 7 x 60-in (5,400-lb max. capacity – each)	\$2,845
Lumber Forks (2) 2.36 x 6 x 60-in (8,150-lb max. capacity – each)	
Cubing Forks (6) 2 x 2 x 48-in (1,940-lb max. capacity – each)	
Material Bucket, 72-in 1.0-cu yd (2,940-lb max. capacity)	\$3,635
Material Bucket, 96-in 1.5-cu yd (4,410-lb max. capacity)	\$4,120
Material Bucket, 102-in 2.0-cu yd (5,885-lb max. capacity)	
Pipe Grapple, 72-in (2,000-lb max. capacity)	
Fork-Mounted Extendable Truss (8,000-lb max. capacity).	\$4,970
Truss Boom, 12-ft (2,000-lb max. capacity)	\$5,020
Truss Boom, 15-ft (2,000-lb max. capacity)	
Truss Boom, 12-ft with Winch (2,000-lb max. capacity)	
Truss Boom, 3-ft with Winch (4,000-lb max. capacity)	
Fork-Mounted Work Platform ¹ , 8-ft (1,000-lb max. capacity).	
Lifting Hook, Coupler Mounted	
Lifting Hook, Fork Mounted	\$2,165
1. 48-in forks only.	

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037789