

Price List

Effective September 1, 2018



Telescopic Boom Lifts Price List

400S/460SJ

400 SERIES

	400S	460SJ
Package 1 (2WD Dual Fuel)	\$119,695	...\$129,745
• Kubota WG2503 61 hp (45.5 kW) Dual Fuel Engine		
Package 2 (2WD Diesel)	\$119,695	...\$129,745
• Deutz D2.9L4 48.8 hp (36.4 kW) Tier 4 Final		
Package 3 (4WD Dual Fuel)	\$122,695	...\$132,745
• Kubota WG2503 61 hp (45.5 kW) Dual Fuel Engine		
Package 4 (4WD Diesel)	\$122,695	...\$132,745
• Deutz D2.9L4 48.8 hp (36.4 kW) Tier 4 Final		

Package 3 & 4 Price Adjustments:

Fixed Axle	deduct \$1,000
14 x 17.5 Pneumatic Lug Tread Tires	add \$1,885
High Flotation Sand/Turf Tires (includes additional counterweight)	add \$5,940

Accessories:

SkyPower® Package ¹	\$8,930
SkyWelder® Package ² (requires SkyPower®)	\$4,990
Pipe Rack ³	\$910
Nite Bright Package ⁴	\$1,580
SkyGlazier® Package ⁵	\$1,775
Beacon for SkyGuard®	\$1,525
Welder Ready Package ⁶	\$580
Oil Cooler	\$2,370

1. Includes 7500W generator, power cable to platform.
2. Includes 280 amp Miller® welder in the platform, leads, clamp, stinger, and fire extinguisher. Requires SkyPower®.
3. Platform mounted — 180 lb (80 kg) capacity.
4. Includes six 40-watt lights (platform and chassis mounted).
5. Glass & Panel tray with Strap, 250 lb capacity (400S only).
6. Includes fire extinguisher and welder bracket.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib (460SJ only)
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- 110V-AC Receptacle in Platform
- 12 x 16.5 Rim Protector Lug Tread Tires
- Interactive Multi-Digital Indicator with Diagnostic Trouble Codes
- 12V-DC Auxiliary Power
- Proportional Controls
- Control ADE® System
- Lifting/Tie Down Lugs
- Swing-Out Engine Tray
- Tilt Light and Alarm
- Platform Console Machine Status Light Panel*
- Telematics-Ready Harness
- Horn
- Oscillating Axle
- All Motion Alarm
- Glow Plugs (diesel engines)
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

Inward Self-Closing Swing Gate	\$500
Fall Arrest Platform 36 x 72 in. (.91 x 1.83 m)	\$9,720
36 x 72 in. (.91 x 1.83 m) Platform	N/C
Mesh to Top Rail Bolt-on Aluminum 6 ft.	\$970
Mesh to Top Rail Bolt-on Aluminum 8 ft.	\$1,225
1/2 in. Airline to Platform	\$695
Soft Touch System	\$7,815
12 x 16.5 Foam-Filled Tires	\$2,085
14 x 17.5 Foam-Filled Tires	\$4,410
2500W Generator	\$4,020
Tow Package	\$5,290
43.5 lb (19.7 kg) Propane Tank	\$550
Cold Weather Start Kit ⁷	\$1,665
Hostile Environment Kit ⁸	\$2,925
Light Package ⁹	\$1,690
Platform Worklights	\$790
Remote Swing Bearing Lube Fitting	\$165
Flashing Amber Beacon	\$490
Arctic Package ¹⁰	\$4,900
Tool Tray	\$85
Special Hydraulic Oils	Consult Factory

7. Includes engine block heater, battery heater and oil tank heater.
8. Includes boom wiper seals, cylinder bellow, and console cover.
9. Includes head and tail lights, and platform worklights.
10. Includes arctic hydraulic hoses (drive and steer only and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.



Telescopic Boom Lifts Price List

400SC/460SJC

400 CRAWLER SERIES

	400SC	460SJC
Package 2 (Crawler Diesel)	\$169,500	...\$182,765

- Deutz D2.9L4 48.8 hp (36.4 kW) Tier 4 Final

Package Price Adjustments:

Steel Tracks ILOS	N/C
Steel Tracks with Rubber Pucks	\$2,460
Non-Marking Rubber Tracks ILOS	\$700

Accessories:

SkyPower® Package ¹	\$8,930
SkyWelder® Package ² (requires SkyPower®)	\$4,990
Pipe Rack ³	\$910
Nite Bright Package ⁴	\$1,580
SkyGlazier® Package ⁵	\$1,775
Beacon for SkyGuard®	\$1,525
Welder Ready Package ⁶	\$580

1. Includes 7500W generator, power cable to platform.
2. Includes 280 amp Miller® welder in the platform, leads, clamp, stinger, and fire extinguisher. Requires SkyPower®.
3. Platform mounted —180 lb (80 kg) capacity.
4. Includes six 40-watt lights (platform and chassis mounted).
5. Glass & Panel tray with Strap, 250 lb capacity (400S only).
6. Includes fire extinguisher and welder bracket.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib (460SJC only)
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- 110V-AC Receptacle in Platform
- Interactive Multi-Digital Indicator with Diagnostic Trouble Codes
- 12V-DC Auxiliary Power
- Proportional Controls
- Control ADE® System
- Lifting/Tie Down Lugs
- Swing-Out Engine Tray
- Tilt Light and Alarm
- Platform Console Machine Status Light Panel*
- Telematics-Ready Harness
- Horn
- All Motion Alarm
- Glow Plugs
- SkyGuard®
- Dura Tough Hoods
- Black Rubber Excavator Tracks

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

Inward Self-Closing Swing Gate	\$500
Fall Arrest Platform 36 x 72 in. (.91 x 1.83 m)	\$9,720
36 x 72 in. (.91 x 1.83 m) Platform	N/C
Mesh to Top Rail Bolt-on Aluminum 6 ft.	\$970
Mesh to Top Rail Bolt-on Aluminum 8 ft.	\$1,225
1/2 in. Airline to Platform	\$695
Soft Touch System	\$7,815
2500W Generator	\$4,020
43.5 lb (19.7 kg) Propane Tank	\$550
Cold Weather Start Kit ⁷	\$1,665
Hostile Environment Kit ⁸	\$2,925
Light Package ⁹	\$1,690
Platform Worklights	\$790
Remote Swing Bearing Lube Fitting	\$165
Flashing Amber Beacon	\$490
Arctic Package ¹⁰	\$4,900
Tool Tray	\$85
Special Hydraulic Oils	Consult Factory

7. Includes engine block heater, battery heater and oil tank heater.
8. Includes boom wiper seals, cylinder bellow, and console cover.
9. Includes head and tail lights, and platform worklights.
10. Includes arctic hydraulic hoses (drive) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.



Telescopic Boom Lifts Price List

600S/660SJ

600 SERIES

	600S	660SJ
Package 3 (4WD Dual Fuel)	\$183,055	\$193,020

- Ford MSG425-DF 84 hp (62 kW) Dual Fuel Engine

Package 4 (4WD Diesel)	\$183,055	\$193,020
-------------------------------------	------------------	------------------

- Deutz TD2.9L4 67 hp (50 kW) Tier 4 Final

Package 3 & 4 Price Adjustments:

4-Wheel Steer.....	add \$7,240
High Flotation Sand/Turf Tires (includes additional counterweight).....	add \$8,500

Accessories:

SkyPower® Package ¹	\$8,930
SkyWelder® Package ²	\$4,990
Pipe Rack ³	\$910
SkyGlazier® Package ⁴	\$1,775
Nite Bright Package ⁵	\$1,580
Beacon for SkyGuard®.....	\$1,525
Welder Ready Package ⁶	\$580

- Includes 7500W generator, power cable to platform.
- Includes 280 amp Miller® welder in the platform, leads, clamp, stinger and fire extinguisher.
- Platform mounted—180 lb (80 kg) capacity.
- Glass and panel tray with strap, 250 lb capacity.
- Includes six 40-watt lights (platform and chassis mounted).
- Includes fire extinguisher and welder bracket.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 600/1,000 lb capacity (600S), 550/750 lb capacity (660SJ)
- 6 ft (1.83 m) Articulating Jib (660SJ only)
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 160 Degree Hydraulic Platform Rotator (600S) (180 degree rotation on 600SJ and 660SJ)
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Swing-Out Engine Tray
- Gull-Wing Dura Tough Hoods
- 12V-DC Auxiliary Power
- Proportional Controls
- Control ADE® System
- Tie Down and Lifting Lugs
- Telematics-Ready Harness
- Glow Plugs (Diesel Engines)
- IN355/55D625 Tires
- Hourmeter
- Horn
- Oscillating Axle
- All Motion Alarm
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

36 x 72 in. (.91 x 1.83 m) Platform.....	N/C
Inward Self-Closing Swing Gate.....	\$500
Fall Arrest Platform 36 x 96 in. (.91 x 2.44 m)	
Rear Entry.....	\$9,720
Mesh to Top Rail-Bolt-on Aluminum 6 ft.....	\$970
Mesh to Top Rail-Bolt-on Aluminum 8 ft.....	\$1,225
1/2 in. Air Line to Platform.....	\$695
Soft Touch System.....	\$7,815
Foam-Filled Tires.....	\$5,165
2500W Generator.....	\$4,020
4000W Generator.....	\$4,900
Tow Package ⁷	\$5,290
43.5 lb (19.7 kg) Propane Tank.....	\$550
Cold Weather Start Kit ⁸	\$1,665
Hostile Environment Kit ⁹	\$2,925
Engine Tray Hand Crank.....	\$650
Light Package ¹⁰	\$1,690
Platform Worklights.....	\$790
Flashing Amber Beacon.....	\$490
Arctic Package ¹¹	\$4,900
Tool Tray.....	\$85
Steel Hoods.....	\$1,000
Extreme Hostile Environment Kit ¹²	\$1,600
Special Hydraulic Oils.....	Consult Factory

- Tow bar ships separately from unit with 4WS and Dual Fuel.
- Includes engine block heater, battery heater, oil tank heater.
- Includes console cover, boom wipers and cylinder bellows.
- Includes head and tail lights, and platform worklights.
- Includes arctic hydraulic hoses (drive and steer only) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.
- Include shields over turntable swivel, pinion gear, turntable bearing and fire resistant wrap over drive and steer hoses, Hostile Environment Kit required.

Note: Some options may increase lead time, and some option combinations may not be available.



Telescopic Boom Lifts Price List

600SC/660SJC

600 CRAWLER SERIES

	600SC	660SJC
Package 2 (Crawler Diesel)	\$209,595	\$219,960

- Deutz TD2.9L4 67 hp (50 kW) Tier 4 Final

Package Price Adjustments:

Rubber Padded Tracks	\$21,890
----------------------------	----------

Accessories:

SkyPower® Package ¹	\$8,930
SkyWelder® Package ²	\$4,990
SkyCutter® Package ³	\$5,645
SkyAir® Package ⁴	\$6,900
SkyGlazier® Package	\$1,775
Beacon for SkyGuard®	\$1,525
Welder Ready Package ⁵	\$580

1. Includes 7500W generator, power cable to platform.
2. Includes 280 amp Miller® welder in the platform, leads, clamp, stinger and fire extinguisher.
3. Includes Miller® Plasma Cutter mounted on platform and SkyAir®.
4. Includes 9CFM on-board air compressor.
5. Includes fire extinguisher and welder bracket.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib (660SJC only)
- 600/1,000 lb capacity (600SC), 550/750 lb capacity (660SJC)
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 160 Degree Hydraulic Platform Rotator (600SC) (180 Degree Rotation on 660SJC)
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Swing-Out Engine Tray
- Gull-Wing Engine Hood
- 12V-DC Auxiliary Power
- Proportional Controls
- Lifting/Tie Down Lugs
- Engine Distress Shutdown — Selectable via Analyzer
- Hourmeter
- Horn
- All Motion Alarm
- Glow Plugs
- Oil Cooler
- Telematics-Ready Harness
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

36 x 72 in. (.91 x 1.83 m) Platform	N/C
Inward Self-Closing Swing Gate	\$500
Mesh to Top Rail-Bolt-on Aluminum 6 ft	\$970
Mesh to Top Rail-Bolt-on Aluminum 8 ft	\$1,225
Cold Weather Start Kit (Deutz) ⁶	\$1,665
Hostile Environment Kit ⁷	\$2,925
Light Package ⁸	\$1,690
Platform Worklights	\$790
1/2 in. Airline to Platform	\$695
Flashing Amber Beacon	\$490
Arctic Package ⁹	\$4,900
Tool Tray	\$85
2500W Generator	\$4,020
4000W Generator	\$4,900
Steel Hoods	\$1,000
Special Hydraulic Oils	Consult Factory

6. Includes engine block heater, battery heater, oil tank heater.
7. Includes console cover, boom wipers and cylinder bellows.
8. Includes head and tail lights, and platform worklights.
9. Includes arctic hydraulic hoses (drive and steer only) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.

Note: Some options may increase lead time, and some option combinations may not be available.



Telescopic Boom Lifts Price List

800S/860SJ

800 SERIES

	800S	860SJ
Package 1 (2WD Dual Fuel)	\$243,130	...\$249,485
• Ford MSG425-DF 84 hp (62.6 kW) Dual Fuel Engine		
Package 2 (2WD Diesel)	\$243,130	...\$249,485
• Deutz TD2.9L4 67 hp (50 kW) Tier 4 Final		
Package 3 (4WD Dual Fuel)	\$257,255	...\$263,610
• Ford MSG425-DF 84 hp (62.6 kW) Dual Fuel Engine		
Package 4 (4WD Diesel)	\$257,255	...\$263,610
• Deutz TD2.9L4 67 hp (50 kW) Tier 4 Final		

Package Price Adjustments:

Fixed Axle	deduct \$1,000
Sand/Surf Tires	\$4,745

Accessories:

SkyPower® Package ¹	\$8,930
SkyWelder® Package ²	\$4,990
Pipe Rack ³	\$910
SkyGlazier® Package ⁴	\$1,775
SkyCutter® Package ⁵	\$5,645
Nite Bright Package ⁶	\$1,580
SkyAir® Package ⁷	\$6,900
Beacon for SkyGuard®	\$1,525
Welder Ready Package ⁸	\$580

1. Includes 7500W generator, power cable to platform.
2. Includes 280 amp Miller® welder in the platform, leads, clamp, stinger and fire extinguisher.
3. Platform mounted—180 lb (80 kg) capacity.
4. Glass and panel tray with strap, 250 lb capacity.
5. Includes Miller® Plasma Cutter mounted on platform.
6. Includes six 40-watt lights (platform and chassis mounted).
7. Includes 9CFM on-board air compressor.
8. Includes fire extinguisher and welder bracket.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib (860SJ) Only
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- Dual Rated Capacities
- Oscillating Axle
- 180 Degree Hydraulic Platform Rotator
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Swing-Out Engine Tray
- 12V-DC Auxiliary Power
- Hourmeter
- Control ADE® System
- Proportional Controls
- Gull-Wing Engine Hood
- Hydrostatic Drive
- Platform Console Machine Status Light Panel*
- Tie Down Lugs
- Engine Distress Warning
- 15-625 Rim Protector Lug Tread Tires
- Engine Distress Shutdown—Selectable via Analyzer
- Fuel Gauge
- Telematics-Ready Harness
- All Motion Alarm
- Glow Plugs (diesel engines)
- SkyGuard®

*Provides indicator lights for system distress, fuel level, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

36 x 72 in. (.91 x 1.83 m) Platform	N/C
Inward Self-Closing Swing Gate	\$500
Fall Arrest Platform 36 x 96 in. (.91 x 2.44 m) Rear Entry ⁹	\$9,720
Mesh to Top Rail-Bolt-on Aluminum 6 ft	\$970
Mesh to Top Rail-Bolt-on Aluminum 8 ft	\$1,225
Light Package ¹⁰	\$1,690
Soft Touch System 8 ft (requires 15-625 foam-filled tires)	\$7,815
15-625 Foam-Filled Tires	\$4,660
18-625 Foam-Filled Tires	\$7,660
Tow Package	\$5,290
Cold Weather Start Kit ¹¹	\$1,665
Hostile Environment Kit ¹²	\$2,925
Extreme Hostile Environment Kit ¹³	\$1,600
Platform Worklights	\$790
Flashing Amber Beacon	\$490
Lifting Lugs	\$195
Tool Tray	\$85
1/2 in. Airline to Platform	\$695
Arctic Package ¹⁴	\$6,210
Special Hydraulic Oils	Consult Factory

9. Foam-filled tires required.
10. Includes head and tail lights, and platform worklights.
11. Includes engine block heater, battery heater and oil tank heater.
12. Console cover, boom wipers and cylinder bellows.
13. Includes shields over turntable swivel, pinion gear, turntable bearing and fire resistant wrap over drive and steer hoses, Hostile Environment Kit required.
14. Includes arctic hydraulic hoses (drive and steer only) and main boom cable, extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.



Telescopic Boom Lifts Price List

1200SJP/1350SJP/1500SJ/1850SJ

ULTRA SERIES

	1200SJP	1350SJP	1500SJ	1850SJ
Package 4 ...	\$379,230	\$431,815	\$521,960	\$622,150

(4WD 4WS Diesel)

- Deutz TCD2.9L4 74.2 hp (55.4 kW) Tier 4 Final
- Deutz TCD3.6L 99.8 hp (74.4 kW) on 1850SJ

Accessories:

SkyPower® Package ¹	\$8,930
SkyWelder® Package ²	\$4,990
Nite Bright Package ³	\$1,580
SkyCutter® Package ⁴	\$5,645
SkyGlazier® Package ⁵	\$1,775
Pipe Rack Accessory ⁶	\$910
Beacon for SkyGuard®.....	\$1,525
Welder Ready Package ⁷	\$580

1. Includes 7500W generator, power cable to platform.
2. Includes 280 amp Miller® welder in the platform, leads, clamp, stinger and fire extinguisher.
3. Includes six 40-watt lights (platform and chassis mounted).
4. Includes Miller® Plasma Cutter mounted in the platform.
5. Includes glass and panel tray and strap, 250 lb capacity.
6. Platform mounted—180 lb (80 kg) capacity.
7. Includes fire extinguisher and welder bracket

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- Selectable Capacity Envelope
- Drive-Out Extendable Axles
- Oscillating Axle (1200SJP/1350SJP/1500SJ only)
- 180° Hydraulic Platform Rotator (173° Hydraulic Platform Rotator on 1850SJ)
- AC Receptacle in Platform
- Tilt Light and Alarm
- Swing-Out Engine Tray
- 12V-DC Auxiliary Power
- Hourmeter
- Control ADE® System
- Full-Time 4WD
- 3 Selectable Steering Modes
- Proportional Controls
- Gull-Wing Steel Hoods
- 445/50D710 Foam-Filled Rim Protector Lug Tread Tires
- Platform Console Machine Status Light Panel*
- Lifting/Tie Down Lugs
- Engine Distress Warning/Shutdown—Selectable via JLG Analyzer
- All Motion Alarm
- Glow Plugs
- LCD Panel at Operator's Platform Control Console (1500SJ/1850SJ only)
- Telematics-Ready Harness
- SkyGuard®

*Provides indicator lights at platform control console for system distress, fuel level, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

36 x 72 in. (.91 x 1.83 m) Platform.....	N/C
Inward Self-Closing Swing Gate.....	\$500
Fall Arrest Platform 36 x 96 in. (.91 x 2.44 m)	
Rear Entry.....	\$9,720
Mesh to Top Rail-Bolt-on Aluminum 6 ft.....	\$970
Mesh to Top Rail-Bolt-on Aluminum 8 ft.....	\$1,225
Light Package ⁸	\$1,690
1/2 in. Air Line to Platform.....	\$695
Soft Touch System.....	\$7,815
Cold Weather Start Kit ⁹	\$1,665
Hostile Environment Kit ¹⁰	\$2,925
Flashing Amber Beacon.....	\$490
Cold Package Plus ¹¹	\$6,475
Cold Package Plus ¹¹ for 1850SJ.....	\$7,085
52.8 gal. (200 L) Fuel Tank for 1500SJ.....	\$205
Tool Tray.....	\$85
Special Hydraulic Oils.....	Consult Factory

8. Includes platform mounted worklights and drive/backup lights.
9. Includes battery heater, oil tank heater and engine block heater.
10. Includes console cover, boom wipers and cylinder bellows.
11. Includes extreme cold engine oil, fuel conditioner, engine block heater, battery blanket, glow plugs, hydraulic tank heater, oversized footswitch and arctic hydraulic oil.

Note: Some options may increase lead time, and some option combinations may not be available.

