Price List

Effective September 1, 2018



Scissor Lift Price List

1932R

1932R

932R	5.996	Π
JJEN. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	<i></i>	×

Standard Features:

- Proportional Controls
- Battery Condition Indicator
- 110V-AC Receptacle in Platform
- All Motion Alarm
- 27 Amp High Frequency Charger
- Horn
- Hourmeter
- Tilt Alarm and Light
- Lanyard Attach Points
- Moveable, Removable Platform Control
- Nickel Plated Pins
- Lubrication Free Scissor Arm Bushings
- Scissor Maintenance Prop
- Machine Tie Downs
- Fork Lift Pocket
- 36 in. (91 cm) Foot-Actuated Deck Extension
- Steel Swing-Out Doors
- Active PHP System
- Variable Tilt Window
- Manual Descent Cable
- Diamond Tread Steel Deck
- Greaseless Kingpin Joints
- Analyzer Port for Diagnostics
- Single Drive/Steer Joystick
- Dynamic Braking

Individual Options:

Flashing Amber Beacon	\$490
220 Amp-Hour AGM Batteries	\$1,220
Multi-Digital Indicator (Ground)	\$195
Spring-loaded Gate	\$255
Eagle Performance Charger	\$325
Coiled Platform Control Box Cable	\$155
Extension Deployment Handles	\$155
900W Inverter	\$1,250
Anti-Vandalism Package	\$295
White Noise Alarm	\$415
Fire Extinguisher	\$350
Drive Motor Covers	\$175
Folding Rails with Self-Closing Gate	\$530

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.



Scissor Lift Price List

4045R

4045R

4045R	\$40,990

Standard Features:

- Proportional Controls
- Battery Condition Indicator
- 110V-AC Receptacle in Platform
- All Motion Alarm
- 27 Amp High Frequency Charger
- Horn
- Hourmeter
- Tilt Alarm and Light
- Lanyard Attach Points
- Moveable, Removable Platform Control
- Nickel Plated Pins
- Lubrication Free Scissor Arm Bushings
- Dual Scissor Maintenance Props
- Machine Tie Downs
- Fork Lift Pockets
- 36 in. (91 cm) Foot-Actuated Deck Extension
- Steel Swing-Out Doors
- Active PHP System
- Variable Tilt Window
- Manual Descent Cable
- Diamond Tread Steel Deck
- Greaseless Kingpin Joints
- Analyzer Port for Diagnostics
- Single Drive/Steer Joystick
- Dynamic Braking
- Self-Centering Arm Stack
- Spring-Loaded Gate
- Fold-Down Rails
- Complies with ANSI 92.20 regulations

Individual Options:

Flashing Amber Beacon	\$490
Multi-Digital Indicator (Ground)	\$195
Eagle Performance Charger	\$325
Coiled Platform Control Box Cable	\$155
Extension Deployment Handles	\$155
900W Inverter	\$1,250
Anti-Vandalism Package	\$295
White Noise Alarm	\$415
Fire Extinguisher	\$350
Drive Motor Covers	\$175
Platform Work Lights	\$785
Batteries (12V - 185AH)	\$400
Batteries (AGM) (12V - 150AH)	\$1,220
Platform Padding	\$2,090
Pipe Racks	
Panel Carrier	\$470

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

