Price List

Effective September 1, 2018





JLG® Compact Telehandlers Price List

G5-18A

G5–18A 5,500 lb Capacity • 18 ft 4 in. Lift Height

• All Standard Equipment Package 4	
 Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater and Defroster Fan, Tilt Steering Wheel) All Standard Equipment 	101,690
Package Price Adjustments: Foam-Filled Tires 12 x 16.5 Pneumatic Tires 14 x 17.5 Foam-Filled Tires 14 x 17.5 Non-marking Solid Tires 33 x 12 Pneumatic Agriculture Tires 10.5 x 18	\$1,180 \$2,870 \$4,520
Special Options (Build-to-Order Only): Air Conditioning. Tilt Steering (open cab). Hydraulic Quick Switch. Rear Auxiliary Hydraulics Universal Skid Steer Coupler. Special Paint (unleaded) One Color Only. Reversing Fan.	\$440 \$1,220 \$1,000 \$1,570

Standard Features:

- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Three Steering Modes
- Wet Disc Service Brakes
- 12 X 16.5 Tires
- Adjustable Suspension Seat
- Certified ROPS/FOPS Structure
- Mechanical Quick Switch
- Backup Alarm
- Glow Plugs
- Variable Speed Fan
- Auxiliary Hydraulics
- Open Cab
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



G5-18A

JLG® Compact Telehandlers Price List

G5–18A 5,500 lb Capacity • 18 ft 4 in. Lift Height

Accessories:	220
Engine Block Heater \$2	
Work Light Package (Cab — Two Front, Two Rear; Two Boom, Rotating Beacon)	
Road Light Package with Trailer Plug (Headlights, Tail Lights, Brake Lights, Turn Signals)	
Rotating Beacon	
Tow Hitch	
Tow Hitch with Automatic Pin	
Fixed Drawbar Type Hitch\$1	
Fenders (set of four) \$8	
Skylight/Rear Wiper Package	
Radio Ready Kit (enclosed cab only)\$7	
Molded Floor Mat\$1	
Battery Disconnect Switch\$3	
Brick Guard (top and front)	
Boom Brushes\$3	
Air Intake Pre-Cleaner\$	
Positive Air Shut Off\$4,2	
Reverse Sensing System\$1,9) 50
Attachments:	
Standard Carriage, 50 in\$1,8	330
Side-Tilt Carriage, 48 in\$5,0	
Pallet Forks (2) 2 x 4 x 48 in. (3,800 lb max. capacity – each)	
Lumber Forks (2) 1.5 x 6 x 60 in. (3,650 lb max. capacity – each)	
Cubing Forks (4) 2 x 2 x 48 in. (1,940 lb max. capacity – each)	
General Purpose Bucket, 73 in. 1.0 cu yd (2,940 lb max. capacity – each)	
Light Material Bucket, 72 in. 1.7 cu yd	
Grapple Bucket, 72 in. 1.0 cu yd (2,500 lb max. capacity). \$7,7	
Lifting Hook, Fork Mounted	
Universal Skid Steer Adapter ¹	
1. Non-load bearing attachments only.	

Non-load bearing attachments only.



742 7,000 lb Capacity • 42 ft Lift Height

• All Standard Equipment	\$140,890
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$145,290
Package Price Adjustments: Foam-Filled Tires 370/75-28. Pneumatic Tires 13.00 x 24-16PR Foam-Filled Tires 13.00 x 24-12PR Continental Telemaster™ Solid Tires 315/95-28.	deduct \$1,000 \$3,970
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Multifunctional Display with Reversing Camera Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics). Secondary Steering. Cummins QSF 3.8L 110 hp Tier 4 Final Engine.	\$1,870 \$2,100 \$2,325 \$1,640 \$3,290 \$375

Standard Features:

- Cummins QSF 3.8L 74 hp Tier 4 Final
- Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



747 7,000 lb Capacity • 42 ft Lift Height

Accessories: LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon)\$1,270 Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signals).....\$1,660 LED Rotating Beacon.....\$350 Reverse Sensing System......\$1,950 Fenders (set of four) \$2,200 Brick Guard (top and front)\$2,990 Arctic Package¹.....\$7,490 Wiper Package² (Skylight and Rear Wiper).....\$1,120 White Noise Back-up Alarm....\$200 Retractable Sunscreen.....\$125 Padlockable Tool Box³ \$460 Positive Air Shut Off\$4,200 Attachments: Standard Carriage, 50 in. \$1,830 Standard Carriage, 60 in. \$2,150 Dual Fork Positioning Carriage, 50 in. Tower, 8 ft with 50 in. Standard Carriage (4,500 lb max. capacity)......\$9,580 Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each)...................................\$2,630 Fork-Mounted Bucket⁷, 60 in. 1.0 cu yd (2,000 lb max. capacity)....................\$2,900 Truss Boom, 12 ft (2,000 lb max. capacity)......\$2,760 Truss Boom, 3 ft with Winch (4,000 lb max. capacity)......\$9,950 Lifting Hook, Coupler Mounted.....\$2,450 Lifting Hook, Fork Mounted\$2,000 Trash Hopper⁷, 72 in. 1.9 cu yd (2,000 lb max. capacity) \$3,150 2. Enclosed cab only.

- 1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.
- 3. Not available with wheel chocks
- 4. Not available with toolbox.
- 5. Requires auxiliary electrics.
- 6. Requires 2 x 6 x 72 in. forks or 2.36 x 6 x 60 in. forks.
- 7. 48 in. forks only.



943 9,000 lb Capacity • 43 ft Lift Height

• All Standard Equipment	\$167,380
Package 4 • Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater) • All Standard Equipment	\$171,780
Package Price Adjustments:Foam-Filled Tires 370/75-28.Pneumatic Tires 14.00 x 24-16PR.Foam-Filled Tires 14.00 x 24-12PRContinental Telemaster™ Solid Tires 315/95-28.	deduct \$1,000 \$4,700
Special Options (Build-to-Order Only): Cummins QSF 3.8L 74 hp Tier 4 Final Engine. Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Multifunctional Display with Reversing Camera Special Paint (unleaded) One Color Only	\$4,660 \$1,870 \$2,100 \$2,325
Hydraulic Coupler (not available with auxiliary electrics)	\$3,290

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



943 9,000 lb Capacity • 43 ft Lift Height

Accessories:
LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon)
Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signals)\$1,660
LED Rotating Beacon
Reverse Sensing System
Boom Brushes \$1,065
Fenders (set of four) \$2,200
Brick Guard (top and front)
Arctic Package ¹
Wiper Package ² (skylight and rear wiper) \$1,120
White Noise Back-up Alarm\$200
Retractable Sunscreen. \$125
Padlockable Tool Box ³
Wheel Chocks ⁴ \$300
Positive Air Shut Off\$4,200
Attachments:
Standard Carriage, 50 in
Standard Carriage, 60 in. \$2,150
Standard Carriage, 72 in
Side-Tilt Carriage, 50 in
Side-Tilt Carriage, 50 in
Side-Tilt Carriage, 72 in
Swing Carriage, 72 in. 90 degrees
Side-Shift Carriage, 50 in
Dual Fork Positioning Carriage, 50 in.
(Includes 2.36 x 4 x 48 in. or 2.36 x 4 x 60 in. forks)
Tower, 8 ft with 50 in. Standard Carriage (4,500 lb max. capacity)
Tower, 8 ft with 50 in. Side-Tilt Carriage ^s (4,500 lb max. capacity) \$11,700
Pallet Forks (2) 2.36 x 4 x 48 in. (5,475 lb max. capacity – each) \$1,310
Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each)
Pallet Forks (2) 2 x 6 x 72 in. (5,650 lb max. capacity – each)
Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each)
Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity – each) \$1,925
Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity – each)
Fork Extensions (2), 90 in. 6
Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity)
Material Bucket, 96 in. 1.5 cu yd (4,410 lb max. capacity)
Material Bucket, 102 in. 2.0 cu yd (5,885 lb max. capacity) \$4,290
Grapple Bucket, 96 in. 1.75 cu yd (6,000 lb max. capacity)
Fork-Mounted Bucket, 60 in: 1.0 cu yd (2,000 lb max. capacity)
Fork-Mounted Extendable Truss (8,000 lb max. capacity)
Truss Boom, 12 ft (2,000 lb max. capacity). \$2,760
Trucs Doom 15 ft /2 000 lb may capacity) #2.210
Truss Boom, 15 ft (2,000 lb max. capacity)
Truss Boom, 12 ft with Winch (2,000 lb max. capacityy)
Truss Boom, 3 ft with Winch (4,000 lb max. capacityy). \$9,950
Fork-Mounted Work Platform ⁷ , 8 ft (1,000 lb max. capacity)
Lifting Hook, Coupler Mounted \$2,450
Lifting Hook, Fork Mounted
Material Handling Arm (4,000 lb max. capacity)
Trash Hopper ⁷ , 72 in. 1.9 cu yd (2,000 lb max. capacity)
1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids. 2. Enclosed cab only.

- 2. Enclosed cab onl
- 3. Not available with wheel chocks
- 4. Not available with toolbox.
- 5. Requires auxiliary electrics.
- 6. Requires 2 x 6 x 72 in. forks or 2.36 x 6 x 60 in. forks.
- 7. 48 in. forks only.



10,000 lb Capacity - 43 ft Lift Height

• All Standard Equipment	\$182,690
Package 4	\$187,090
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 14.00 x 24-16PR Foam-Filled 14.00 x 24-12PR Continental Telemaster™ Solid Tires 360/85-28	deduct \$1,000 \$4,700
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Multifunctional Display with Reversing Camera Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics) Secondary Steering.	\$1,870 \$2,100 \$2,325 \$1,640 \$3,290

Standard Features:

- Cummins QSF 3.8L 110 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



1043 10,000 lb Capacity · 43 ft Lift Height

Accessories:
LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon)
Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signals)
LED Rotating Beacon
Reverse Sensing System\$1,950
Boom Brushes\$1,065
Fenders (set of four)
Brick Guard (top and front) \$2,990
Arctic Package ¹ \$7,490
Wiper Package ² (skylight and rear wiper)\$1,120
White Noise Back-up Alarm\$200
Retractable Sunscreen. \$125
Padlockable Tool Box ³
Wheel Chocks ⁴
Positive Air Shut Off\$4,200
Attachments:
Standard Carriage, 50 in
Standard Carriage, 60 in. \$2,150
Standard Carriage, 72 in\$3,120
Side-Tilt Carriage, 50 in. \$4,430
Side-Tilt Carriage, 60 in
Side-Tilt Carriage, 72 in
Swing Carriage, 72 in. 90 degrees
Side-Shift Carriage, 50 in. \$7,460
Dual Fork Positioning Carriage, 50 in.
(includes 2.36 x 4 x 48 in. or 2.36 x 4 x 60 in. forks)
Tower, 8 ft with 50 in. Standard Carriage (4,500 lb max. capacity)\$9,580
Tower, 8 ft with 50 in. Side-Tilt Carriage ⁵ (4,500 lb max. capacity)
Pallet Forks (2) 2.36 x 4 x 48 in. (5,475 lb max. capacity – each)
Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each)
Pallet Forks (2) 2 x 6 x 72 in. (5,650 lb max. capacity – each)
Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each)
Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity – each)
Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity – each)
Fork Extensions (2), 90 in. ⁶
Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity)
Material Bucket, 96 in. 1.5 cu yd (4,410 lb max. capacity)
Material Bucket, 102 in. 2.0 cu yd (5,885 lb max. capacity)
Grapple Bucket, 96 in. 1.75 cu yd (6,000 lb max. capacity)
Fork-Mounted Bucket ⁷ , 60 in. 1.0 cu yd (2,000 lb max. capacity)
Fork-Mounted Extendable Truss (8,000 lb max. capacity)
Truss Boom, 12 ft (2,000 lb max. capacity)\$2,760
Truss Boom, 15 ft (2,000 lb max. capacity)\$3,210
Truss Boom, 12 ft with Winch (2,000 lb max. capacity)
Truss Boom, 3 ft with Winch (4,000 lb max. capacity)\$9,950
Fork-Mounted Work Platform ⁷ , 8 ft (1,000 lb max. capacity)
Lifting Hook, Coupler Mounted\$2,450
Lifting Hook, Fork Mounted\$2,000
Material Handling Arm (4,000 lb max. capacity)
Trash Hopper ⁷ , 72 in. 1.9 cu yd (2,000 lb max. capacity)
Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids. Enclosed cab only.

- 2. Enclosed cab only.
- 3. Not available with wheel chocks
- 4. Not available with toolbox.
- 5. Requires auxiliary electrics.
- 6. Requires 2 x 6 x 72 in. forks or 2.36 x 6 x 60 in. forks.
- 7. 48 in. forks only.



10,000 lb Capacity - 55 ft Lift Height

• All Standard Equipment	\$211,460
Package 4	\$215,860
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 14.00 x 24-16PR Foam-Filled Tires 14.00 x 24-12PR Continental Telemaster™ Solid Tires 360/85-28	deduct \$1,000 \$4,700
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Multifunctional Display with Reversing Camera Special Paint (unleaded) One Color Only. Hydraulic Coupler (not aAvailable with auxiliary electrics). Secondary Steering.	\$1,870 \$2,100 \$2,325 \$1,640 \$3,290

Standard Features:

- Cummins QSF 3.8L 130 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



$1055\atop 10,000\ lb\ Capacity \cdot 55\ ft\ Lift\ Height$

Accessories:	
	Four Cab Mounted Lights, Beacon)\$1,270
	rs, Brake Lights, Turn Signals)\$1,660
	\$350
	\$1,950
5.	\$1,065
Fenders (set of four)	
	\$2,990
Arctic Package ¹	\$7,490
	\$1,120
White Noise Back-up Alarm	\$200
	\$125
Padlockable Tool Box ³	\$460
Wheel Chocks ⁴	\$300
Positive Air Shut Off	\$4,200
Attachments:	
Attachments:	41.020
3 .	\$1,830
3.	\$2,150
	\$3,120
	\$4,430
	\$4,850 \$5,600
	b max. capacity)
	\$7,460
Dual Fork Positioning Carriage, 50 in.	
	in. forks)
•	4,500 lb max. capacity)
	4,500 lb max. capacity)
	ax. capacity – each)
	nax. capacity – each)
	capacity – each)
	ax. capacity – each)\$2,630
	max. capacity – each)
Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb ma	x. capacity – each)\$2,120
Fork Extensions (2), 90 in.6	\$1,670
	y)\$12,300
	max. capacity)
	nax. capacity)
	max. capacity)\$4,290
	max. capacity)
Fork-Mounted Bucket ⁷ , 60 in. 1.0 cu yd (2,0	000 lb max. capacity)
Fork-Mounted Extendable Truss (8,000 lb	max. capacity)
	\$2,760
	\$3,210
	ıx. capacity)
	x. capacity)\$9,950
	lb max. capacity)
	\$2,450
	\$2,000
	acity)
ırasn норрег′, /2 in. 1.9 cu yd (2,000 lb ma	xx. capacity)
1. Includes hydraulic tank and battery heaters;	4. Not available with toolbox.
arctic gel batteries and cold weather fluids. 2. Enclosed cab only.	5. Requires auxiliary electrics.
Not available with wheel chocks	6. Requires 2 x 6 x 72 in. forks or 2.36 x 6 x 60 in. forks. 7. 48 in. forks only.
	• • •



12,000 lb Capacity - 55 ft Lift Height

• All Standard Equipment	\$229,930
Package 4	\$234,330
Package Price Adjustments: Foam-Filled Tires 400/75-28 Pneumatic Tires 17.5 x 25-16PR Foam-Filled 17.5 x 25-12PR Continental Telemaster™ Solid Tires 360/85-28	deduct \$1,000 \$6,430
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler) Ride Control Multifunctional Display with Reversing Camera Special Paint (unleaded) One Color Only. Hydraulic Coupler (not available with auxiliary electrics). Secondary Steering.	\$1,870 \$2,100 \$2,325 \$1,640 \$3,290

Standard Features:

- Cummins QSF 3.8L 130 hp Tier 4 Final Turbo Diesel Engine
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



$\begin{array}{l} 1255 \\ \text{12,000 lb Capacity} \cdot \text{55 ft Lift Height} \end{array}$

Accessories:		
	Four Cab Mounted Lights, Beacon)	
	ts, Brake Lights, Turn Signals)	
	\$350	
	\$1,950	
<i>5 ,</i>	\$1,065	
Arctic Package ¹		
Winer Package ² (skylight and rear winer)	\$1,120	
	\$200	
	\$125	
	\$460	
	\$300	
	\$4,200	
	Ψ η <u>ε</u> σσ	
Attachments:		
Standard Carriage, 50 in	\$1,830	
Standard Carriage, 60 in	\$2,150	
Standard Carriage, 72 in	\$3,120	
Side-Tilt Carriage, 50 in. (12,000 lb max. ca	apacity)\$4,430	
	apacity)	
Side-Tilt Carriage, 72 in. (12,000 lb max. ca	pacity)\$5,600	
	lb max. capacity)	
	lb max. capacity)	
	capacity)	
Dual Fork Positioning Carriage, 50 in.		
	(5 x 48 in. or 2.36 x 5 x 60 in. forks)\$7,600	
	(4,500 lb max. capacity)	
Tower, 8 ft with 50 in. Side-Tilt Carriage ^s (4,500 lb max. capacity)		
Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each)		
Pallet Forks (2) 2 x 6 x 72 in. (5,650 lb max. capacity – each)		
	ax. capacity – each)	
	max. capacity – each)	
	x. capacity – each)\$2,120	
	y)\$12,300	
	nax. capacity)	
	nax. capacity)	
	max. capacity)	
	max. capacity)	
	000 lb max. capacity)	
	max. capacity)	
	\$2,760 \$3,210	
	ax. capacity)	
	x. capacity) \$11,320 x. capacity) \$9,950	
	x. capacity)	
	\$5,100\$2,450	
- · · · · · · · · · · · · · · · · · · ·		
	acity) \$5,370	
	actry)	
 Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids. 	Not available with toolbox. Requires auxiliary electrics.	
Enclosed cab only.	6. Requires 2 x 6 x 72 in. forks or 2.36 x 6 x 60 in. forks.	
3. Not available with wheel chocks	7. 48 in. forks only.	



15,650 lb Capacity - 43 ft 7 in. Lift Height

 Package 4 Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater) All Standard Equipment 	\$266,400
Tire Options:	
Foam Filled Tires 17.5-25 SGG	
Pneumatic Radial Tires 17.5-25	\$3,500
Special Options (Build-to-Order Only):	
Air Conditioning	\$4,660
Auxiliary Electrics (not available with hydraulic coupler or dual auxiliary hydraulics)	\$1,870
Ride Control & Boom Float	\$3,600
Hydraulic Coupler (not available with auxiliary electrics)	\$3,290
Multifunctional Display with Reversing Camera	\$2,325
SmartLoad Technology (includes multifunction display and hydraulic coupler)	\$9,900
Special Paint (one color only)	
Reversing Fan	\$540

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp Tier 4 Final Turbo Diesel Engine
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



1644 15,650 lb Capacity • 43 ft 7 in. Lift Height

Accessories:
Reverse Sensing System\$1,950
LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom, Rotating Beacon)
Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signals)\$1,660
LED Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signals)\$2,600
Rotating Beacon\$240
LED Flashing Beacon. \$350
Fenders (set of four)\$2,200
Roof Wiper\$500
Brick Guards (top and front)\$2,990
Boom Brushes\$1,065
Arctic Package ¹ \$7,490
Radio Ready
White Noise Back Up Alarm\$200
Air Suspension Seat\$550
Premium Heated Air Suspension Seat\$1,200
Dual Auxiliary Hydraulics (not available with auxiliary electrics)\$2,100
Positive Air Shut Off\$4,200
Attachmontes
Attachments:
Pallet Forks (2) 2.36 x 6 x 48 in
Pallet Forks (2) 2.36 x 6 x 60 in. \$1,925
Pallet Forks (2) 2.36 x 6 x 72 in
Pallet Forks (2) 2.36 x 6 x 96 in
Standard Carriage 60 in\$2,350
Standard Carriage 72 in
Standard Carriage 87 in
Dual Fork Positioning Carriage 72 in. (no forks) \$9,500
Side-Shift Carriage with Dual Fork Positioning 72 in. (no forks) 2
General Purpose Bucket 94 in. 2.6 cu yd (16,755 lb max. capacity) \$6,500
Light Material Bucket 94 in. 5.2 cu yd (9,415 lb max. capacity)
Multipurpose 4-in-1 Bucket 94 in. 1.3 cu yd (4,500 lb max. capacity)
Grapple Bucket 94 in .1.7 cu yd (12,000 lb max. capacity)
Material Handling Arm (16,750 lb max. capacity)
Hook, Coupler Mounted (16,750 lb max. capacity). \$2,550
Winch, Coupler Mounted (8,000 lb max. capacity)
Lifting Hook, Fork Mounted (15,000 lb max. capacity) \$2,000
Bale Cradle, Round Bale (7,000 lb max. capacity)
Bale Clamp, Square Bale (10,000 lb max. capacity)
Pipe Grapple 96 in. (8,000 lb max. capacity) \$17,900
Log Handler 80 in. (8,000 lb max. capacity)
Steel Coil Handler (16,750 lb max. capacity)
Fork-Mounted Extendable Truss (8,000 lb max. capacity)
1 Includes hydraulic tank and hattery heaters: arctic gel hatteries and cold weather fluids

^{1.} Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids. 2. Requires dual auxiliary hydraulics.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037690



16,755 lb Capacity - 31 ft 8 in. Lift Height

• Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater) • All Standard Equipment	\$248,600
Tire Options: Foam-Filled Tires 17.5-25 SGG Pneumatic Radial Tires 17.5-25	
Special Options (Build-to-Order Only): Air Conditioning. Auxiliary Electrics (not available with hydraulic coupler or dual auxiliary hydraulics)	\$1,870 \$3,600 \$3,290 \$2,325
SmartLoad Technology (includes multifunction display and hydraulic coupler)	\$1,640

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp Tier 4 Final Turbo Diesel Engine
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty



1732 16,755 lb Capacity • 31 ft 8 in. Lift Height

Accessories:	
Reverse Sensing System	\$1,950
LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom, Rotating Beacon)	\$1,270
Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signals)	\$1,660
LED Road Light Package (Headlights, Tail Lights, Brake Lights, Turn Signals)	\$2,600
Rotating Beacon	\$240
LED Flashing Beacon	\$350
Fenders (set of four)	
Roof Wiper	\$500
Brick Guards (top and front)	
Boom Brushes	
Arctic Package ¹	
Radio Ready	
White Noise Back Up Alarm	
Air Suspension Seat	
Premium Heated Air Suspension Seat	
Dual Auxiliary Hydraulics (not available with auxiliary electrics)	
Positive Air Shut Off	\$4,200
Attachments:	
Pallet Forks (2) 2.36 x 6 x 48 in	¢1 ⊑0 ∩
Pallet Forks (2) 2.36 x 6 x 60 in.	
Pallet Forks (2) 2.36 x 6 x 72 in.	
Pallet Forks (2) 2.36 x 6 x 96 in	
Standard Carriage 60 in.	
Standard Carriage 72 in.	
Standard Carriage 87 in.	
Dual Fork Positioning Carriage 72 in. (no forks)	
Side-Shift Carriage with Dual Fork Positioning 72 in. (no forks) ²	
General Purpose Bucket 94 in. 2.6 cu yd (16,755 lb max. capacity)	
Light Material Bucket 94 in. 5.2 cu yd (9,415 lb max. capacity)	
Multipurpose 4-in-1 Bucket 94 in. 1.3 cu yd (4,500 lb max. capacity)	\$6,700
Multipurpose 4-in-1 Bucket 94 in. 2.6 cu yd (9,000 lb max. capacity)	
Grapple Bucket 94 in. 1.7 cu yd (12,000 lb max. capacity)	\$9,240
Grapple Bucket 94 in. 2.6 cu yd (15,000 lb max. capacity)	
Material Handling Arm (16,750 lb max. capacity)	
Hook, Coupler Mounted (16,750 lb max. capacity).	\$2,550
Winch, Coupler Mounted (8,000 lb max. capacity)	
Lifting Hook, Fork Mounted (15,000 lb max. capacity)	
Bale Cradle, Round Bale (7,000 lb max. capacity).	
Bale Clamp, Square Bale (10,000 lb max. capacity)	
Pipe Grapple 96 in. (8,000 lb max. capacity)	
Log Handler 80 in. (8,000 lb max. capacity).	
Steel Coil Handler (16,750 lb max. capacity)	
Fork-Mounted Extendable Truss (8,000 lb max. capacity)	
Tire Handler ²	\$62,500
1 Includes hydraulic tank and hattery heaters: arctic del hatteries and cold weather fluids	

^{1.} Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids. 2. Requires dual auxiliary hydraulics.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037690

