# Price List

Effective January 1, 2022

# ERT SERIES—ELECTRIC ROUGH TERRAIN (69" WIDE)
# Scissor Lift Price List

**ERT2669/ERT3369/ERT4069/ERT4769**

| | | | | | |
|---|---|---|---|---|---|
| **ERT2669** | | | | | **$53,300** |
| | **GVW:** 8,250 | **Dims:** (L x W x H-in) 139 x 69.3 x 96.7-in | **Indoor:** Occupants 4, Capacity 1,500-lb | **Outdoor:** Occupants 4, Capacity 1,500-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees |
| **ERT3369** | | | | | **$60,340** |
| | **GVW:** 9,457 | **Dims:** (L x W x H-in) 139 x 69.3 x 102.9-in | **Indoor:** Occupants 4, Capacity 1,000-lb | **Outdoor:** Occupants 2, Capacity 1,000-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees |
| **ERT4069** | | | | | **$71,415** |
| | **GVW:** 10,558 | **Dims:** (L x W x H-in) 139 x 69.3 x 103-in | **Indoor:** Occupants 3, Capacity 800-lb | **Outdoor:** Occupants 2, Capacity 800-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees |
| **ERT4769** | | | | | **$88,700** |
| | **GVW:** 15,200 | **Dims:** (L x W x H-in) 139 x 69.3 x 109.1-in | **Indoor:** Occupants 3, Capacity 800-lb | **Outdoor:** Occupants 2, Capacity 800-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees |

## STANDARD FEATURES

| |
|---|
| **PLATFORM SECTION** |
| 42-in Roll-out Deck Extension |
| Moveable, Removable Platform Console Box |
| Nickel Plated Pins, Yellow Zinc-Chromate Palted Fastners |
| Pin-Less Fold Down Rail System |
| Plaform Control Box with LCD Display, USB Charger and Phone Holster |
| Self-closing Gate |
| **CHASSIS SECTION** |
| Full Time Traction Control |
| Lubrication-Free Scissor Arm Bushings |
| Manual Descent Pull Cable* |
| Oscillating Front Axle |
| Scissor Maintenance Prop |
| Tie Down Lugs |
| **TIRES** |
| 26 x 12 Foam-Filled Non-marking Tires |
| **ELECTRICAL** |
| 110V-AC Receptacle In Platform |
| 23 Amp Automatic, SCR Battery Charger |
| 8 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369) |
| 8 x 6V, 310 Amp-Hour Batteries (ERT4069) |
| 8 x 6V, 375 Amp-Hour Batteries (ERT4769) |
| All Motion Alarm |
| Descent Alarm |
| Horn |
| Hourmeter |
| Smart Charger - CAN Enabled |
| **MISCELLANEOUS** |
| 2WD AC Drive System |
| Proportional Lift and Drive |
| **TECHNOLOGY** |
| Lift Sense System |
| Pin-based Load Sensing System |
| Telematics-Ready Harness |
| Tilt Display with Lift Sense System |

## INDIVIDUAL OPTIONS

| | |
|---|---|
| **CHASSIS SECTION** | |
| Hydraulic Leveling Jacks | $9,780 |
| **TIRES** | |
| 26 x 12 Foam-Filled Lug Tread Tires | ($1,775) |
| 26 x 12 Foam-Filled Turf Tires | $3,000 |
| **ELECTRICAL** | |
| 8 x 6V, 310 Amp-Hour Batteries (ERT2669, ERT3369) | $1,550 |
| 8 x 6V, 375 Amp-Hour Batteries (ERT4069) | $775 |
| Dual Flashing Amber Beacons - LED | $195 |
| Flashing Amber Beacon - LED | $100 |
| White Noise Backup Alarm | $600 |
| **ACCESSORIES** | |
| CleanGuard™ | $520 |
| Heavy Duty Pipe Racks | $1,000 |
| **MISCELLANEOUS** | |
| Special Hydraulic Fluids | Consult Factory |
| Special Paint | Consult Factory |
| **TECHNOLOGY** | |
| ClearSky™ | Consult Factory |
| Operator Access Control | $620 |

| MODEL | STANDARD BATTERY OFFERING (AH) | OPTIONAL BATTERY OFFERING (AH) | OPTION PRICE | EXPECTED BATTERY LIFE INCREASE WITH OPTIONAL CONFIGURATION* |
|---|---|---|---|---|
| ERT2669 | 225 | 310 | $1,500 | +30% |
| ERT3369 | 225 | 310 | $1,500 | +30% |
| ERT4069 | 310 | 375 | $775 | +20% |
| ERT4769 | 375 | N/A | N/A | N/A |

*Values are calculated, subject to change at any time without notice and may vary depending on application, machine usage, ambient temperature and other factors

*Note: Some options may increase lead time, and some option combinations may not be available.*
**ERT4769 Includes a Push-Button Manual Descent System*

**The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page**

# Scissor Lift Price List



| | | | | | Package 3 (4WD Dual Fuel) | Package 4 (4WD Diesel Fuel) |
|---|---|---|---|---|---|---|
| **RT2669** | | | | | **$56,250** | **$56,250** |
| | **GVW:** 8,250 | **Dims:** (L x W x H-in) 139 x 69.3 x 96.7-in | **Indoor:** Occupants 4, Capacity 1,500-lb | **Outdoor:** Occupants 4, Capacity 1,500-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees | |
| **RT3369** | | | | | **$63,445** | **$63,445** |
| | **GVW:** 9,457 | **Dims:** (L x W x H-in) 139 x 69.3 x 102.9-in | **Indoor:** Occupants 4, Capacity 1,000-lb | **Outdoor:** Occupants 2, Capacity 1,000-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees | |
| **RT4069** | | | | | **$75,555** | **$75,555** |
| | **GVW:** 10,558 | **Dims:** (L x W x H-in) 139 x 69.3 x 103-in | **Indoor:** Occupants 3, Capacity 800-lb | **Outdoor:** Occupants 2, Capacity 800-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees | |
| **RT4769** | | | | | **$92,840** | **$92,840** |
| | **GVW:** 15,200 | **Dims:** (L x W x H-in) 139 x 69.3 x 109.1-in | **Indoor:** Occupants 3, Capacity 800-lb | **Outdoor:** Occupants 2, Capacity 800-lb | **Max Tilt Rating:** Side to side 2.5 Degrees, Fore and aft 3 Degrees | |

### *2WD Price Adjustment:*

(2WD)..... deduct $2,070

## STANDARD FEATURES

| |
|---|
| **PLATFORM SECTION** |
| Pin-Less Fold Down Rail System |
| Self-closing Gate |
| Plaform Control Box with LCD Display, USB Charger and Phone Holster |
| 42-in Roll-out Deck Extension |
| Nickel Plated Pins, Yellow Zinc-Chromate Palted Fastners |
| **CHASSIS SECTION** |
| Full Time Traction Control |
| Lubrication-Free Scissor Arm Bushings |
| Manual Descent Pull Cable* |
| Scissor Maintenance Prop |
| Tie Down Lugs |
| Oscillating Front Axle |
| Hydraulic Oil Cooler (RT4769 Only) |
| **TIRES** |
| 26 x 12 Foam-Filled Lug Tread Tires |
| **ELECTRICAL** |
| 110V-AC Receptacle In Platform |
| All Motion Alarm |
| Horn |
| Hourmeter |
| **MISCELLANEOUS** |
| Proportional Lift and Drive |
| Remote Oil Filter Package |
| **TECHNOLOGY** |
| Lift Sense System |
| Pin-based Load Sensing System |
| Tilt Display with Lift Sense System |
| Telematics-Ready Harness |

## INDIVIDUAL OPTIONS

| | |
|---|---|
| **CHASSIS SECTION** | |
| 33.5-lb Alum Propane Tank | $535 |
| Dual LP Tank Brackets | $725 |
| Hydraulic Leveling Jacks (Auto Level)[1] | $9,780 |
| Hydraulic Oil Cooler (Excludes RT4769) | $1,750 |
| QuikLevel Advanced[1] | $6,935 |
| **TIRES** | |
| 26 X 12 Foam-Filled Non Marking Tires | $1,775 |
| 26 x 12 Foam-Filled Turf Tires | $3,000 |
| **ELECTRICAL** | |
| 2500W Generator (Belt Driven) | $4,390 |
| Dual Flashing Amber Beacons - LED | $195 |
| Flashing Amber Beacon - LED | $100 |
| White Noise Backup Alarm | $600 |
| **MISCELLANEOUS** | |
| Special Hydraulic Fluids | Consult Factory |
| Special Paint | Consult Factory |
| **TECHNOLOGY** | |
| ClearSky™ | Consult Factory |
| Operator Access Control | $620 |

*Note: Some options may increase lead time, and some option combinations may not be available.*
**RT4769 Includes a Push-Button Manual Descent System*
1. QuikLevel Advanced and Hydraulic Leveling Jack (Auto Level) can not be outfitted on the same machine.

**The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page**

# LARGE ROUGH TERRAIN SERIES (94" WIDE)
# Scissor Lift Price List

**RT3394/RT4394/RT5394**

## RT3394

| | | | | |
|---|---|---|---|---|
| **Package 3** ***(4WD Dual Fuel)*** Kubota WG972 31 hp (23.2 kW) Dual Fuel Engine | | | | **$94,560** |
| **GVW:** 11,820 | **Dims:** (L x W x H-in) 192 x 93 x 109-in | **Indoor/Outdoor:** Occupants 6, Capacity 2,250-lb | **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft | |
| **Package 4** ***(4WD Diesel)*** Kubota D1305 24 hp (17.9 kW) Tier 4 Final Diesel Engine | | | | **$94,560** |
| **GVW:** 11,820 | **Dims:** (L x W x H-in) 192 x 93 x 109-in | **Indoor/Outdoor:** Occupants 6, Capacity 2,250-lb | **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft | |

## RT4394

| | | | | |
|---|---|---|---|---|
| **Package 3** ***(4WD Dual Fuel)*** Kubota WG972 31 hp (23.2 kW) Dual Fuel Engine | | | | **$104,060** |
| **GVW:** 15,210 | **Dims:** (L x W x H-in) 192 x 93 x 118-in | **Indoor/Outdoor:** Occupants 6, Capacity 1,500-lb | **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft | |
| **Package 4** ***(4WD Diesel)*** Kubota D1305 24 hp (17.9 kW) Tier 4 Final Diesel Engine | | | | **$104,060** |
| **GVW:** 15,210 | **Dims:** (L x W x H-in) 192 x 93 x 118-in | **Indoor/Outdoor:** Occupants 6, Capacity 1,500-lb | **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft | |

## RT5394

| | | | | |
|---|---|---|---|---|
| **Package 3** ***(4WD Dual Fuel)*** Kubota WG972 31 hp (23.2 kW) | | | | **$125,440** |
| **GVW:** 17,110 | **Dims:** (L x W x H-in) 192 x 91 x 125-in | **Indoor/Outdoor:** Occupants 6, Capacity 1,500-lb | **Tilt Rating:** 1.5 Degrees side-to-side, 1.5 Degrees fore-aft | |
| **Package 4** ***(4WD Diesel)*** Kubota D1305 24 hp (17.9 kW) Tier 4 Final Diesel Engine | | | | **$125,440** |
| **GVW:** 17,110 | **Dims:** (L x W x H-in) 192 x 91 x 125-in | **Indoor/Outdoor:** Occupants 6, Capacity 1,500-lb | **Tilt Rating:** 1.5 Degrees side-to-side, 1.5 Degrees fore-aft | |

## STANDARD FEATURES

| |
|---|
| **PLATFORM SECTION** |
| 4-ft (1 22-m) Manual Deck Extension |
| Adjustable, Removable Platform Control Station |
| Fold-Down Handrails with Self-Closing Gate |
| All Steel Platform with Aluminum Extension Deck |
| **CHASSIS SECTION** |
| Leveling Jacks (RT5394/530LRT) |
| Manual Descent |
| **TIRES** |
| 12 x 16.5 Foam-Filled Tires |
| **ELECTRICAL** |
| 110V-AC Receptacle in Platform |
| All Motion Alarm |
| Fuel Gauge in Platform |
| Horn |
| **MISCELLANEOUS** |
| 4-Wheel Drive |
| Automatic Transmission |
| Three-Speed Drive Select |
| **TECHNOLOGY** |
| Load Sensing System |
| On-Board Diagnostics at Platform and Ground Control |
| Telematics-Ready Harness |
| Tilt Light and Alarm |

*Note: Some options may increase lead time, and some option combinations may not be available.*

1. Includes oil tank immersion heater and battery blanket heater. Includes block heater.
2. Not Available on RT5394
3. Includes 7500W Generator, power cable to platform
4. Includes 7500W Generator, power cable to platform; 280 amp Miller Welder in platform, leads, clamp, stinger and fire extinguisher
5. Not available on RT5394

**The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page**

## INDIVIDUAL OPTIONS

| | |
|---|---|
| **PLATFORM SECTION** | |
| Platform (Dual Ext) | $3,255 |
| Workstation | $980 |
| **CHASSIS SECTION** | |
| Hydraulic Leveling Jacks (RT3394 / RT4394) | $11,695 |
| Lockable Fuel Cap | $330 |
| **TIRES** | |
| IN315/55D20 FF Low Profile Tires (RT3394/4394) | $1,192 |
| 33/1550-16.5 FF Tires (RT3394/4394) | $2,028 |
| 12 x 16.5 FF Non Marking Tires (RT3394/4394) | $2,995 |
| 33/16LL FF Sand Tires (RT3394/4394) | $4,940 |
| 395/45/D20 FF Tires (RT5394) | $3,400 |
| 395/45/D20 FF Non Marking Tires (RT5394) | $3,900 |
| 12 x 16.5 FF Non Marking Tires (RT5394) | $2,995 |
| **ELECTRICAL** | |
| Cold Weather Package[1] | $1,815 |
| Amber Beacon | $535 |
| Ambient White Noise Adjusting Alarm (RT5394) | $600 |
| **ACCESSORIES** | |
| 1/2" Airline (RT5394) | $760 |
| Head & Tail Worklight Package | $880 |
| Large Material Rack | $3,660 |
| Padding - Top Rail or Dual Extension | $2,565 |
| Pipe Racks (Rail Mount) | $995 |
| Platform Worklights | $880 |
| Portable Worklight[5] | $1,240 |
| SkyPower®[2] | $9,750 |
| SkyPower® with SkyWelder®[3] | $15,200 |
| Soft Touch[5] | $9,215 |
| **MISCELLANEOUS** | |
| Fire Extinguisher | $500 |
| Hydraulic Oil Cooler | $1,750 |
| Special Hydraulic Fluids | Consult Factory |
| Special Paint | Consult Factory |
| **TECHNOLOGY** | |
| ClearSky™ | Consult Factory |