MEWPS Price List

Effective January 1, 2024

E300 SERIES - ELECTRIC BOOM LIFTS PRICE LIST



E300AJP JibPLUS* \$92,320

STANDARD FEATURES

STANDARD I LATORES
PLATFORM SECTION
110V-AC Receptacle in Platform
12V-DC Auxiliary Power
180 Degree Hydraulic Platform Rotator
Platform Console Machine Status Light Panel*
Platform, Drop Bar (30 x 48-in)
Proportional Control
SkyGuard SkyLine™
BOOM
4-ft (1.22-m) Articulating Jib
TURNTABLE & CHASSIS
305 A-Hr Batteries
Battery Charger, 100-240VAC 50/60Hz
Horn
Lifting / Tie Down Lugs
TIRES
Foam Filled, Non-Marking, 25 x 7 x 12
ELECTRICAL & CONNECTIVITY
All Motion Alarm
ClearSky Smart Fleet™ Hardware (CS550)
LED Motion / Amber Beacon (CS550)
Tilt Light and Alarm
MISCELLANEOUS
Automatic Traction Control (ATC)
Brushless AC Motors

INDIVIDUAL OPTIONS

PLATFORM OPTIONS	
Drop Bar (30 x 48-in)	N/C
Inward Self-Closing Swing Gate (30 x 48-in)	\$550
PLATFORM SECTION	
Center Storage Tray	\$95
Mesh to Mid Rail - Aluminum (30 x 48-in) ¹	\$1,060
Mesh to Mid Rail - Plastic (30 x 48-in) ¹	\$1,060
Mesh to Top Rail - Aluminum (30 x 48-in) ¹	\$1,335
Mesh to Top Rail - Plastic (30 x 48-in) ¹	\$1,335
TURNTABLE & CHASSIS	
305 A-Hr Batteries (AGM)	\$2,690
375 A-Hr Batteries	\$555
ACCESSORIES	
Hostile Environment Package ²	\$3,195
Platform Worklights	\$865
ELECTRICAL	
Ambient White Noise Alarm	\$600
Inverter (48V, 1000W) ³	\$4,970
UL EE Rating	\$2,730
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory

Note: Some options may increase lead time and some option combinations may not be available.
*Provides Indicator Lights at Platform Control Console for System Distress, Low Fuel, Degree Tilt Light, and Foot Switch Status.

- 1. Requires Self-Closing Gate.
- $2. \quad \text{Hostile Environment Package includes Console Cover, Boom Wipers and Cylinder Bellows}.$
- 3. Not available with UL EE Rating.

E400 SERIES - ELECTRIC BOOM LIFTS PRICE LIST



E400AN	\$95,475

E400AJP Narrow \$105,375

STANDARD FEATURES

PLATFORM SECTION
110V-AC Receptacle in Platform
12V-DC Auxiliary Power
180 Degree Hydraulic Platform Rotator
Platform Console Machine Status Light Panel*
Platform, Drop Bar (30 x 48-in)
Proportional Control
SkyGuard SkyLine™
BOOM
4-ft (1.22-m) Articulating Jib
TURNTABLE & CHASSIS
375 A-Hr Batteries
Battery Charger, 100-240VAC 50/60Hz
Horn
Lifting / Tie Down Lugs
SCR Automatic Battery Charger
TIRES
Foam Filled Non-Marking
ELECTRICAL & CONNECTIVITY
All Motion Alarm
ClearSky Smart Fleet™ Hardware (CS550)
LED Motion / Amber Beacon (CS550)
Tilt Light and Alarm
MISCELLANEOUS
Battery Condition Indicator
Brushless AC Motors
Hydraulic Controls

INDIVIDUAL OPTIONS

PLATFORM OPTIONS	
Drop Bar (30 x 36-in, 30 x 48-in, 30 x 60-in) ¹	N/C
Inward Self-Closing Swing Gate (30 in x 48-in, 30 x 60-in) ¹	\$550
Inward Self-Closing Swing Gate, with Stop (30 x 60-in) ²	\$550
PLATFORM SECTION	,,,,,
Center Storage Tray	\$95
Mesh to Mid Rail - Aluminum (30 x 48-in, 30 x 60-in) ³	\$1,060
Mesh to Mid Rail - Plastic (30 x 48-in, 30 x 60-in) ³	\$1,060
Mesh to Top Rail - Aluminum (30 x 48-in, 30 x 60-in) ³	\$1,335
Mesh to Top Rail - Plastic (30 x 48-in, 30 x 60-in) ³	\$1,335
TURNTABLES & CHASSIS	
Batteries (AGM)	\$3,260
ACCESSORIES	
1/2-in Airline To Platform	\$760
Ambient White Noise Alarm	\$600
Light Package⁴	\$1,850
ELECTRICAL	
1200W Inverter ⁵	\$4,970
UL EE Rating	\$2,730
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory

Note: Some options may increase lead time and some option combinations may not be available.
*Provides Indicator Lights at Platform Control Console for System Distress, Low Fuel, Degree Tilt Light, and Foot Switch Status.

- 30x60 Not Available on E400AJPN.
- 2. E400AJPN Only.
- 3. Not Available for 30 x 36-in Platform.
- ${\bf 4.} \quad {\bf Includes\ Platform\ Lights,\ Head\ and\ Tail\ Lights.}$
- 5. Not Available with UL EE Rating.

The JLG "1 & 5" Warranty, Machine Shipments - See Table of Contents Page $2023\, {\rm SM_E400A} (C97)$

E450 SERIES - ELECTRIC BOOM LIFTS PRICE LIST



E450AJ \$103,985

STANDARD FEATURES

STANDARD FEATURES
PLATFORM SECTION
110V-AC Receptacle in Platform
12V-DC Auxiliary Power
180 Degree Hydraulic Platform Rotator
Platform Console Machine Status Light Panel*
Platform, Drop Bar (30 x 60-in)
Proportional Control
SkyGuard SkyLine™
BOOM
4-ft (1.22-m) Articulating Jib
TURNTABLE & CHASSIS
375 A-Hr Batteries
Battery Charger, 100-240VAC 50/60Hz
Horn
Lifting / Tie Down Lugs
SCR Automatic Battery Charger
TIRES
Foam Filled, IN240(9.5-in)/55D17.5
ELECTRICAL & CONNECTIVITY
All Motion Alarm
ClearSky Smart Fleet™ Hardware (CS550)
LED Motion / Amber Beacon (CS550)
Tilt Light and Alarm
MISCELLANEOUS
Automatic Traction Control (ATC)
Battery Condition Indicator
Brushless AC Motors

Note: Some options may increase lead time and some option combinations may not be available.
*Provides Indicator Lights at Platform Control Console for System Distress, Low Fuel, Degree Tilt Light, and Foot Switch Status.

- 1. Requires Additional Counterweight.
- Requires Self-Closing Gate.
- Not Compatible with Bolt On Fall Arrest, Platform Mesh, Platform Rail Extensions, SkySense, or Soft Touch. (Excludes Option Noted).
- 4. Includes Platform Lights, Head and Tail Lights.
- 5. Requires Fall Arrest Platform.
- 6. Compatible with Aluminum Mid Rail Mesh.
- 7. Compatible with Plastic Mesh.
- 8. Compatible with Mesh to Mid Rail.

INDIVIDUAL OPTIONS

PLATFORM OPTIONS	
Drop Bar (30 x 36-in, 30 x 48-in, 30 x 60-in, 30 x 72-in)	N/C
Fall Arrest, Rear Entry (30 x 60-in, 36 x 72-in) ¹	\$10,615
Inward Self-Closing Swing Gate (30 x 48-in, 30 x 60-in, 30 x 72-in)	\$550
PLATFORM SECTION	
Bolt On Fall Arrest System (30 x 48-in, 30 x 60-in) ^{2,3,7}	\$3,550
Center Storage Tray	\$95
Console Box Cover	\$385
Mesh to Mid Rail - Aluminum (30 x 48-in, 30 x 60-in) ^{2,3}	\$1,060
Mesh to Mid Rail - Plastic (30 x 48-in, 30 x 60-in) ^{2,3}	\$1,060
Mesh to Top Rail - Aluminum (30 x 48-in) ^{2,3}	\$1,335
Mesh to Top Rail - Plastic (30 x 48-in) ^{2,3}	\$1,335
Platform Rail Extension (30 x 48-in, 30 x 60-in) ^{2,3,6}	\$1,065
TURNTABLES & CHASSIS	
Batteries (305 Amp-Hour AGM)	\$3,260
TIRES	
Foam Filled Non-Marking, 26x7x20	\$1,640
Foam Filled Non-Marking, IN240(9.5-in)/55D17.5	\$1,640
Foam Filled, IN240(9.5-in)/55D17.5	N/C
ACCESSORIES	
1/2-in Airline To Platform	\$760
Light Package⁴	\$1,850
Platform Padding, (30 x 48-in / 30 x 60-in) ^{3,8}	\$3,850 / \$4,645
Platform Padding, Fall Arrest (36 x 72-in) ^{3,5}	\$8,535
SkySense® Enhanced Detection System - Level I / Level II³	\$4,130 / \$5,370
Soft Touch (30 x 60-in) ³	\$8,535
ELECTRICAL	
Ambient White Noise Alarm	\$600
Inverter (1000W)	\$4,970
Inverter (3000W)	\$5,500
UL EE Rating	\$2,730
MISCELLANEOUS	
Boom Bellows	\$1,640
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory

EC/H600 SERIES - ELECTRIC BOOM LIFTS PRICE LIST



	EC600SJ	EC600SJP
PACKAGE 1 (2WD Electric)	\$169,535	\$174,915
• 8 x 6V, 415 amp-hr Batteries		
PACKAGE 3 (AWD Electric)	\$176,075	\$181,455
• 8 x 6V, 415 amp-hr Batteries		

	H600SJ	H600SJP
PACKAGE 2 (2WD Generator Set)	\$181,855	\$187,235
• 45 Amp, 6 hp Kubota Diesel — Generator Set		
PACKAGE 4 (AWD Generator Set)	\$188,395	\$193,780

^{• 45} Amp, 6 hp Kubota Diesel — Generator Set

STANDARD FEATURES

PLATFORM SECTION
110V-AC Receptacle in Platform
12V-DC Auxiliary Power
180 Degree Hydraulic Platform Rotator
Platform Console Machine Status Light Panel*
Platform, Drop Bar (30 x 72-in)
Proportional Control
SkyGuard SkyLine™
BOOM
6-ft (1.83-m) Articulating Jib
TIRES
Foam Filled Non-Marking, 36/14LL-22.5
TURNTABLE & CHASSIS
415 A-Hr Batteries
Battery Charger, 100-240VAC 50/60Hz
Lifting / Tie Down Lugs
Oscillating Axle
SCR Automatic Battery Charger
ELECTRICAL & CONNECTIVITY
All Motion Alarm
ClearSky Smart Fleet™ Hardware (CS550)
LED Motion / Amber Beacon (CS550)
Tilt Light and Alarm
MISCELLANEOUS
Automatic Traction Control (ATC)
Battery Condition Indicator
Manual Descent
Removable Battery Box

Note: Some options may increase lead time and some option combinations may not be available. *Provides Indicator Lights at Platform Control Console for System Distress, Low Fuel, Degree Tilt Light, and Foot Switch Status.

- Requires Self-Closing Gate.
- Not Compatible with Bolt On Fall Arrest, Platform Mesh, Platform Rail Extensions, SkySense, or Soft Touch. (Excludes Option Noted).
- 3. Includes Batterry Blanket, Hydraulic Tank Heater, Engine Block Heater Pad.
- ${\bf 4.} \quad {\bf Includes \, Console \, Cover, \, Boom \, Wipers \, And \, Cylinder \, Bellows.}$
- 5. Includes Platform Work Lights, Head and Tail Lights.
- 6. Requires Fall Arrest Platform, Rear Entry.
- 7. Not Available on "P" Models.
- $8. \ \ Compatible\ with\ Soft\ Touch,\ Platform\ Rail\ Extensions,\ Mesh.$

INDIVIDUAL OPTIONS

DI ATTORNA ORTIONS	
PLATFORM OPTIONS	NI/C
Drop Bar (30 x 36-in, 30 x 48-in, 30 x 72-in)	N/C
Fall Arrest, Rear Entry (30 x 60-in, 36 x 72-in) ⁷	\$10,615
Inward Self-Closing Swing Gate (30 x 48-in, 30 x 72-in, 36 x 72-in)	\$550
(36 x 96-in not available on EC600SJP)	****
Tri-Entry, Drop Bar (36 x 72-in)	\$4,970
Tri-Entry, Swing Gate (36 x 72-in)	\$5,520
PLATFORM SECTION	
Bolt On Fall Arrest System (30 x 48-in, 30 x 72-in, 36 x 96-in, 36 x 72-in) ^{1,2}	\$3,550
Bolt On Fall Arrest System, Tri-Entry (36 x 72-in Swing Gate) ²	\$3,550
Storage Trays - Center / Corner	\$95 / \$185
Mesh to Mid Rail - Aluminum (30 x 48-in, 30 x 72-in) ^{1, 2}	\$1,060
Mesh to Mid Rail - Plastic (30 x 48-in, 30 x 72-in) ^{1,2}	\$1,060
Mesh to Top Rail - Aluminum (30 x 48-in, 30 x 72-in) ^{1, 2}	\$1,335
Mesh to Top Rail - Plastic (30 x 48-in, 30 x 72-in) ^{1, 2}	\$1,335
Platform Rail Extension (30 x 48-in, 30 x 72-in) ^{1,2}	\$1,065
ACCESSORIES	
Cold Weather Start Kit For Package (H Models Only) ³	\$1,950
Hostile Environment Package⁴	\$3,195
Light Package⁵	\$1,850
SkySense® Enhanced Detection System - Level I / Level II ^{2,8}	\$4,130 / \$5,370
Soft Touch (36 x 72-in Self-Closing Gate, Drop Bar or Fall Arrest 6)2.7	\$8,535
TURNTABLE & CHASSIS	
390 A-Hr AGM Batteries	\$3,260
ELECTRICAL	
Ambient White Noise Alarm	\$600
Inverter (110V 1200W)	\$4,970
Inverter (3000W)	\$5,500
UL EE Rating (EC Models Only)	\$2,730
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory

H340AJ - ELECTRIC & HYBRID BOOM LIFTS PRICE LIST



H340AJ

PACKAGE 4 (4WD Hybrid) \$115,155

• Kubota Z482 11.1 hp / 8 x 12V, 100-amp hour AGM Batteries

STANDARD FEATURES

21 122221 (22222)
PLATFORM SECTION
110V-AC Receptacle in Platform
12V-DC Auxiliary Power
180 Degree Hydraulic Platform Rotator
Control ADE® System
Platform Console Machine Status Light Panel*
Platform, Drop Bar (30 x 60-in)
Proportional Control
SkyGuard SkyLine™
BOOM
4-ft (1.22-m) Articulating Jib
TURNTABLE & CHASSIS
Battery Charger, 100-240VAC 50/60Hz
Glow Plugs (Diesel Engines)
Gull-Wing Hoods
Horn
Lifting / Tie Down Lugs
Oscillating Axle
Swing-Out Engine Tray
TIRES
Foam Filled, 9x20
ELECTRICAL & CONNECTIVITY
All Motion Alarm
ClearSky Smart Fleet™ Hardware (CS550)
LED Motion / Amber Beacon (CS550)
Tilt Light and Alarm
MISCELLANEOUS
Electric AC Drive

INDIVIDUAL OPTIONS

PLATFORM OPTIONS	
Drop Bar (30 x 36-in, 30 x 48-in, 30 x 60-in)	N/C
Inward Self-Closing Swing Gate (30 x 48-in, 30 x 60-in)	\$500
PLATFORM SECTION	
Storage Trays - Center / Corner	\$95 / \$185
Mesh to Mid Rail - Aluminum (30 x 48-in, 30 x 60-in) ^{1,2}	\$1,335
Mesh to Mid Rail - Plastic (30 x 48-in, 30 x 60-in) ^{1,2}	\$1,335
Mesh to Top Rail - Aluminum (30 x 48-in, 30 x 60-in) ^{1,2}	\$1,335
Mesh to Top Rail - Plastic (30 x 48-in, 30 x 60-in) ^{1,2}	\$1,335
Platform Rail Extension (30 x 48-in, 30 x 60-in) ^{1,3}	\$1,065
TIRES	
Foam Filled Non-Marking, 9x20	\$2,670
Foam Filled, 9x20	N/C
Solid Non-Marking, 7x18	\$2,185
Solid, 7x18	\$1,640
ACCESSORIES	
1/2-in Airline To Platform	\$760
Cold Weather Package⁴	\$1,815
Hostile Environment Package⁵	\$3,195
Hot Weather Package	\$410
Light Package ⁶	\$1,850
SkySense® Enhanced Detection System - Level I / Level II ^{2,7}	\$4,130 / \$5,370
ELECTRICAL	
Ambient White Noise Alarm	\$600
Inverter (110V 1200W)	\$4,095
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory

Note: Some options may increase lead time and some option combinations may not be available.
*Provides Indicator Lights at Platform Control Console for System Distress, Low Fuel, Degree Tilt Light, and Foot Switch Status.

- 1. Requires Self-Closing Gate.
- Not Compatible with Bolt On Fall Arrest, Platform Mesh, Platform Rail Extensions, SkySense, or Soft Touch. (Excludes Option Noted).
- Not compatible with Platform Mesh.
- ${\bf 4.} \quad {\bf Includes\ Battery\ Blanket,\ Hydraulic\ Tank\ Heater,\ Engine\ Block\ Heater\ Pad.}$
- $5. \quad \text{Includes Console Cover, Boom Wipers And Cylinder Bellows}.$
- 6. Includes Platform Lights, Head and Tail Lights.
- 7. Compatible with Soft Touch, Platform Rail Extensions, Mesh.