MEWPS Price List

Effective January 1, 2024



ERT2669 \$53,300 GVW: Max Tilt Rating: Side to side 2.5 Degrees, Dims: (L x W x H-in) 139 Indoor: Occupants 4, Outdoor: Occupants 4, 8,250 x 69.3 x 96.7-in Capacity 1,500-lb Capacity 1,500-lb Fore and aft 3 Degrees ERT3369 \$60,340 GVW: Dims: (L x W x H-in) 139 Indoor: Occupants 4, Outdoor: Occupants 2, Max Tilt Rating: Side to side 2.5 Degrees, 9,457 x 69.3 x 102.9-in Capacity 1,000-lb Capacity 1,000-lb Fore and aft 3 Degrees ERT4069 \$71,415 Indoor: Occupants 3, Max Tilt Rating: Side to side 2.5 Degrees, GVW: 10,558 Dims: (L x W x H-in) 139 Outdoor: Occupants 2, x 69.3 x 103-in Capacity 800-lb Capacity 800-lb Fore and aft 3 Degrees ERT4769 \$88,700 Max Tilt Rating: Side to side 2.5 Degrees, GVW: 15,200 Dims: (L x W x H-in) 139 Indoor: Occupants 3, Outdoor: Occupants 2, Capacity 800-lb . Capacity 800-lb x 69.3 x 109.1-in Fore and aft 3 Degrees

I

STANDARD FEATURES

PLATFORM SECTION
42-in Roll-out Deck Extension
Moveable, Removable Platform Console Box
Nickel Plated Pins, Yellow Zinc-Chromate Palted Fastners
Pin-Less Fold Down Rail System
Plaform Control Box with LCD Display, USB Charger and Phone Holster
Self-closing Gate
CHASSIS SECTION
Full Time Traction Control
Lubrication-Free Scissor Arm Bushings
Manual Descent Pull Cable*
Oscillating Front Axle
Scissor Maintenance Prop
Tie Down Lugs
TIRES
26 x 12 Foam-Filled Non-marking Tires
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle In Platform
23 Amp Automatic, SCR Battery Charger
8 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369)
8 x 6V, 310 Amp-Hour Batteries (ERT4069)
8 x 6V, 375 Amp-Hour Batteries (ERT4769)
All Motion Alarm
ClearSky Smart Fleet [™] Hardware (CS550)
Descent Alarm
Horn
Hourmeter
LED Motion / Amber Beacon (CS550)
Smart Charger - CAN Enabled
MISCELLANEOUS
2WD AC Drive System
Lift Sense System
Pin-based Load Sensing System
Proportional Lift and Drive
Tilt Display with Lift Sense System

INDIVIDUAL OPTIONS

CHASSIS SEC	TION				
Hydraulic Lev	\$9,780				
Hydraulic Lev	\$10,580				
	RT3369, ERT4069 (Only)		\$10,500	
TIRES					
	-Filled Lug Tread Ti	ires		(\$1,775)	
	n-Filled Turf Tires			\$3,000	
ELECTRICAL					
		(ERT2669, ERT336	9)	\$1,550	
	mp-Hour Batteri			\$775	
	Amber Beacons -			\$195	
		(ERT3369, ERT406		\$4,255	
		ge - (ERT3369, ERT40	069, ERT4769 Only)	\$155	
White Noise	\$600				
ACCESSORIES					
CleanGuard [®] Leak Containment System					
Heavy Duty	\$1,000				
Pipe Racks -	\$1,000				
Panel Carrie	\$1,465				
Platform Second Extension Handle \$27 Platform Work Lights \$88					
Platform Work Lights					
Workstation \$980					
MISCELLANEO					
Special Hydraulic Fluids			Consult Factory		
Special Paint				Consult Factory	
CONNECTIVITY					
Operator Access Control \$620					
	STANDARD	OPTIONAL		EXPECTED BATTERY	
MODEL	BATTERY	BATTERY	OPTION PRICE		

MODEL	Standard Battery Offering (AH)	optional Battery Offering (AH)	OPTION PRICE	LIFE INCREASE WITH OPTIONAL CONFIGURATION
ERT2669	225	310	\$1,500	+30%
ERT3369	225	310	\$1,500	+30%
ERT4069	310	375	\$775	+20%
ERT4769	375	N/A	N/A	N/A

Values are calculated, subject to change at any time without notice and may vary depending on application, machine usage, ambient temperature and other factors

*ERT4769 Includes a Push-Button Manual Descent System **Does not replace standard Amber Beacon (CS550).

Note: Some options may increase lead time, and some option combinations may not be available.



Package 4 (4WD Diesel Fuel)	Package 3 (4WD Dual Fuel) (4					
\$56,250	\$56,250					RT2669
)egrees,	Max Tilt Rating: Side to side 2.5 Degree Fore and aft 3 Degrees	Outdoor: Occupants 4, Capacity 1,500-lb	Indoor: Occupants 4, Capacity 1,500-lb	Dims: (L x W x H-in) 139 x 69.3 x 96.7-in	GVW: 8,250	
\$63,445	\$63,445					RT3369
)egrees,	Max Tilt Rating: Side to side 2.5 Degree Fore and aft 3 Degrees	Outdoor: Occupants 2, Capacity 1,000-lb	Indoor: Occupants 4, Capacity 1,000-lb	Dims: (L x W x H-in) 139 x 69.3 x 102.9-in	GVW: 9,457	
\$75,555	\$75,555					RT4069
)egrees,	Max Tilt Rating: Side to side 2.5 Degree Fore and aft 3 Degrees	Outdoor: Occupants 2, Capacity 800-lb	Indoor: Occupants 3, Capacity 800-Ib	Dims: (L x W x H-in) 139 x 69.3 x 103-in	GVW: 10,558	
\$92,840	\$92,840					RT4769
)egrees,	Max Tilt Rating: Side to side 2.5 Degree Fore and aft 3 Degrees	Outdoor: Occupants 2, Capacity 800-lb	Indoor: Occupants 3, Capacity 800-lb	Dims: (L x W x H-in) 139 x 69.3 x 109.1-in	GVW: 15,200	

2WD Price Adjustment: (2WD)..... Deduct \$2,070

STANDARD FEATURES

PLATFORM SECTION
Pin-Less Fold Down Rail System
Self-closing Gate
Plaform Control Box with LCD Display, USB Charger and Phone Holster
42-in Roll-out Deck Extension
Nickel Plated Pins, Yellow Zinc-Chromate Palted Fastners
CHASSIS SECTION
Full Time Traction Control
Hi Torque Drive Motors "Heavy 4WD" (RT4069, RT4769 Only)
Lubrication-Free Scissor Arm Bushings
Manual Descent Pull Cable*
Scissor Maintenance Prop
Tie Down Lugs
Oscillating Front Axle
Hydraulic Oil Cooler (RT4769 Only)
TIRES
26 x 12 Foam-Filled Lug Tread Tires
ELECTRICAL & CONNECTIVITY
110V-AC Receptacle In Platform
All Motion Alarm
ClearSky Smart Fleet [™] Hardware (CS550)
Horn
Hourmeter
LED Motion / Amber Beacon (CS550)
MISCELLANEOUS
Lift Sense System
Pin-based Load Sensing System
Proportional Lift and Drive
Remote Oil Filter Package
Tilt Display with Lift Sense System
•••

INDIVIDUAL OPTIONS

CHASSIS SECTION	\$535
33.5-lb Alum Propane Tank Dual LP Tank Brackets	1
	\$725
Hi Torque Drive Motors "Heavy 4WD" - (RT2669, RT3369 Only)	\$1,505
Hydraulic Leveling Jacks (Auto Level) ¹	\$9,780
Hydraulic Leveling Jacks with Full Covers	\$10,580
Hydraulic Oil Cooler (Excludes RT4769)	\$1,750
QuikLevel Advanced ¹	\$6,935
TIRES	¢1 775
26 x 12 Foam-Filled Non Marking Tires	\$1,775
26 x 12 Foam-Filled Turf Tires	\$3,000
ELECTRICAL	44.200
2500W Generator (Belt Driven)	\$4,390
Dual Flashing Amber Beacons - LED**	\$195
Onboard Generator [Generac] - (RT3369, RT4069, RT4769 Only)	\$4,255
Onboard Generator Ready Package - (RT3369, RT4069, RT4769 Only)	\$155
White Noise Backup Alarm	\$600
ACCESSORIES	
Cold Weather Package	\$1,850
Pipe Racks - (ERT2669, ERT3369, ERT4069 Only)	\$1,000
Panel Carrier - (ERT2669, ERT3369, ERT4069 Only)	\$1,465
Platform Second Extension Handle	\$270
Platform Work Lights	\$880
Workstation	\$980
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
CONNECTIVITY	
Operator Access Control	\$620

1. QuikLevel Advanced and Hydraulic Leveling Jack (Auto Level) can not be outfitted on the same machine. *RT4769 Includes a Push-Button Manual Descent System **Does not replace standard Amber Beacon (CSS50).

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty, Machine Shipments - See Table of Contents Page 2023_SM_RT2669(D22), RT3369(D23), RT4069(D24), RT4769(D25)



				RT3394
Package 3 (4WD Dual Fue	el) Kubota WG972 31	hp (23.2 kW) Dual Fuel Engine		\$94,560
GVW: 11,820	Dims: (L x W x H-in) 192 x 93 x 109-in	Indoor/Outdoor: Occupants 6, Capacity 2,250-lb	Tilt Rating: 3 Degrees side-to-side, 5 Degrees fore-aft	
Package 4 <i>(4WD Diesel)</i> H	(ubota D1305 24 hp (1	17.9 kW) Tier 4 Final Diesel Engine		\$94,560
GVW: 11,820	Dims: (L x W x H-in) 192 x 93 x 109-in	Indoor/Outdoor: Occupants 6, Capacity 2,250-lb	Tilt Rating: 3 Degrees side-to-side, 5 Degrees fore-aft	
				RT4394
Package 3 (4WD Dual Fu	el) Kubota WG972 31	. hp (23.2 kW) Dual Fuel Engine		\$104,060
GVW: 15,210	Dims: (L x W x H-in) 192 x 93 x 118-in	Indoor/Outdoor: Occupants 6, Capacity 1,500-lb	Tilt Rating: 3 Degrees side-to-side, 5 Degrees fore-aft	
Package 4 (4WD Diesel) Ku	ıbota D1305 24 hp (17	.9 kW) Tier 4 Final Diesel Engine		\$104,060
GVW: 15,210	Dims: (L x W x H-in) 192 x 93 x 118-in	Indoor/Outdoor: Occupants 6, Capacity 1,500-lb	Tilt Rating: 3 Degrees side-to-side, 5 Degrees fore-aft	
				RT5394
Package 3 (4WD Dual Fu	el) Kubota WG972 31	hp (23.2 kW)		\$125,440
GVW: 17,110	Dims: (L x W x H-in) 192 x 91 x 125-in	Indoor/Outdoor: Occupants 6, Capacity 1,500-lb	Tilt Rating: 1.5 Degrees side-to-side, 1.5 Degrees fore-aft	
Package 4 (4WD Diesel)	(ubota D1305 24 hp (2	17.9 kW) Tier 4 Final Diesel Engine		\$125,440
GVW: 17,110	Dims: (L x W x H-in) 192 x 91 x 125-in	Indoor/Outdoor: Occupants 6, Capacity 1,500-lb	Tilt Rating: 1.5 Degrees side-to-side, 1.5 Degrees fore-aft	

STANDARD FEATURES

PLATFORM SECTION

CHASSIS SECTION Leveling Jacks (RT5394) Manual Descent TIRES

All Motion Alarm

Horn

Fuel Gauge in Platform

4-ft (122-m) Manual Deck Extension Adjustable, Removable Platform Control Station Fold-Down Handrails with Self-Closing Gate All Steel Platform with Aluminum Extension Deck 12 x 16.5 Foam-Filled Tires **ELECTRICAL & CONNECTIVITY** 110V-AC Receptacle in Platform ClearSky Smart Fleet[™] Hardware (CS550) LED Motion / Amber Beacon (CS550)

MISCELLANEOUS 4-Wheel Drive Automatic Transmission Load Sensing System

On-Board Diagnostics at Platform and Ground Control Three-Speed Drive Select

Tilt Light and Alarm

Note: Some options may increase lead time, and some option combinations may not be available.

Includes oil tank immersion heater and battery blanket heater. Includes block heater.

2. Not Available on RT5394
3. Includes 7500W Generator, power cable to platform
4. Includes 7500W Generator, power cable to platform, 280 amp Miller Welder in platform, leads, clamp, stinger and fire extinguisher

The JLG "1 & 5" Warranty, Machine Shipments - See Table of Contents Page 2023_SM_RT3394(D89), RT4394(D90), RT5394(E46)

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Platform (Dual Ext)	\$3,255
CHASSIS SECTION	
Hydraulic Leveling Jacks (RT3394 / RT4394)	\$11,695
Lockable Fuel Cap	\$330
TIRES	
IN315/55D20 FF Low Profile Tires (RT3394/4394)	\$1,192
33/1550-16.5 FF Tires (RT3394/4394)	\$2,028
12 x 16.5 FF Non Marking Tires (RT3394/4394)	\$2,995
33/16LL FF Sand Tires (RT3394/4394)	\$4,940
395/45/D20 FF Tires (RT5394)	\$3,400
395/45/D20 FF Non Marking Tires (RT5394)	\$3,900
12 x 16.5 FF Non Marking Tires (RT5394)	\$2,995
ELECTRICAL	
Cold Weather Package ¹	\$1,850
Ambient White Noise Adjusting Alarm (RT5394)	\$600
ACCESSORIES	
1/2-in Airline (RT5394)	\$760
Head & Tail Worklight Package	\$880
Large Material Rack	\$3,660
Padding - Top Rail or Dual Extension	\$2,565
Pipe Racks (Rail Mount)	\$995
Platform Worklights	\$880
Portable Worklight ²	\$1,240
SkyPower [®] ³	\$9,750
SkyPower [®] with SkyWelder [®]	\$15,200
Soft Touch ²	\$9,215
Workstation	\$980
MISCELLANEOUS	
Fire Extinguisher	\$500
Hydraulic Oil Cooler	\$1,750
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory